The National Bridge Inventory contains data submitted by state transportion departments to the Federal Highway Administration in coded format.

Form Interface Design: www.historicbridges.org. Data Conversion Assistance By www.bridgehunter.com. None of the involved parties make any guarantee of accuracy.

Basic Information					42-17-00 = 084-50-52 = -	
Michigan [26] Calhoun Cour	nty [025]	Marengo [51520]	7.9 MI E OF I-69		42.283333 84.847778	
13113083000S070 Highway agency district 5 Owner		Owner State Highway A	er State Highway Agency [01] Maintenance responsibility		ate Highway Agency [01]	
Route 0 Toll On free road [3] Features intersected I-94						
Design - Main Concrete continuous [2] Tee beam [04]	Design - approach Other	[00]	Skew angle 0 Struct	ar reconstructed N/A [000 ure Flared	•	
Total length 69.2 m = 227.0 ft Length of maximum span 21.6 m = 70.9 ft Deck width, out-to-out 10.1 m = 33.1 ft Bridge roadway width, curb-to-curb 8 m = 26.2 ft Inventory Route, Total Horizontal Clearance 8 m = 26.2 ft Curb or sidewalk width - left 0.8 m = 2.6 ft 0.8 m = 2.6 ft						
Deck structure type Concrete Cast-in-Place [1]						
Type of wearing surface	Monolithic Concrete (concurrently placed with stru	ıctural deck) [1]			
Deck protection						
Type of membrane/wearing surface						
Weight Limits						
Bypass, detour length Method to determine inventory rating		Allowable Stress(AS)	[2] Inventory ratio	28.2 metric ton = 31.	0 tons	
0.5 km = 0.3 mi Method to	5 km = 0.3 mi Method to determine operating rating Allowable Stress(AS) [2]		[2] Operating rati	ng 56.4 metric ton = 62	0 tons	
Bridge pos	Equal to or above le	egal loads [5]	Design Load	M 13.5 / H 15 [2]		

Functional Details						
Average Daily Traffic 150 Average daily tru	uck traffi 3 % Year 1988 Future average daily traffic 200 Year 2000					
Road classification Local (Rural) [09]	Lanes on structure 2 Approach roadway width 6.6 m = 21.7 ft					
Type of service on bridge Highway [1]	Direction of traffic 2 - way traffic [2] Bridge median					
Parallel structure designation No parallel structure	e exists. [N]					
Type of service under bridge Highway, with or without ped Lanes under structure 4 Navigation control Not applicable, no waterway. [N]						
Navigation vertical clearanc 0 = N/A Navigation horizontal clearance 0 = N/A						
Minimum navigation vertical clearance, vertical lift bridge Minimum vertical clearance over bridge roadway 99.99 m = 328.1 ft						
Minimum lateral underclearance reference feature Highway beneath structure [H]						
Minimum lateral underclearance on right 3.2 m = 10.5 ft Minimum lateral underclearance on left 8.5 m = 27.9 ft						
Minimum Vertical Underclearance 4.65 m = 15.3 ft Minimum vertical underclearance reference feature Highway beneath structure [H]						
Appraisal ratings - underclearances Meets minimum	tolerable limits to be left in place as is [4]					
Repair and Replacement Plans						
Type of work to be performed Work done by						
	Bridge improvement cost Roadway improvement cost					
	Length of structure improvement Total project cost					
	Year of improvement cost estimate					
	Border bridge - state Border bridge - percent responsibility of other state					
	Border bridge - structure number					

Inspection and Sufficiency						
Structure status Open, no restriction [A]		Appraisal ratings - structural	Equal to present minimum criteria [6]			
Condition ratings - superstructur	Satisfactory [6]	Appraisal ratings - roadway alignment	Better than present minimum criteria [7]			
Condition ratings - substructure	Satisfactory [6]	Appraisal ratings -	Somewhat better than minimum adequacy to tolerate being left in place as is [5]			
Condition ratings - deck	Satisfactory [6]	deck geometry				
Scour	Bridge not over waterway. [N]					
Channel and channel protection Not applicable. [N]						
Appraisal ratings - water adequace	vy N/A [N]		Status evaluation			
Pier or abutment protection			Sufficiency rating 93.2			
Culverts Not applicable. Used if structure is not a culvert. [N]						
Traffic safety features - railings Traffic safety features - transition	20					
		ure meets currently acce	ptable standards. [1]			
		ure meets currently acce				
Inspection date August 2009	Months					
Underwater inspection	Not needed [N]	Underwater inspec	ction date			
Fracture critical inspection	Not needed [N]	Fracture critical inspection date				
Other special inspection Not needed [N] Other special inspection date						