The National Bridge Inventory contains data submitted by state transportion departments to the Federal Highway Administration in coded format.

Form Interface Design: www.historicbridges.org. Data Conversion Assistance By www.bridgehunter.com. None of the involved parties make any guarantee of accuracy.

Basic Information									
Illinois [17] Cook County [031]		Des Plaines [19642] .05MI N OF IL 72			41-59-54 = 41.9 087-52-58 = -87.8				
000016620244133 Highway agency district 1		Owner City or Municipa	wner City or Municipal Highway Agency [04] Maintenance responsibility		responsibility	City or Municipal Highway Agency [04]			
Route 4912 ORCHARD PLACE			Toll On fre	ee road [3]	eatures intersed	cted WILLOW CR	EEK		
Design - Concrete [1] main Arch - Deck [1]	1]	Design - approach Other	[00]	Kilometerpoint 6.4 Year built 1915 Skew angle 0 Historical significance	Structure F	constructed N/A [lared s not eligible for th	·		
Total length 17.8 m = 5	8.4 ft Lo	ength of maximum sp	an 15 m = 49.2 ft	Deck width, out-to-ou				4.9 m = 16.1 ft	
Inventory Route, Total Horizontal Clearance 4.8 m = 15.7 ft		Curb or sidewalk w	idth - left $0 \text{ m} = 0.0 \text{ f}$	t	Curb or side	walk width - right	0 m = 0.0 ft		
Deck structure type		Not applicable [N]							
Type of wearing surface No.		Not applicable (applies only to structures with no deck) [N]							
Deck protection		Not applicable (applies only to structures with no deck) [N]							
Type of membrane/wearing surface Not applicable (appli		es only to structures with no	deck) [N]						
Weight Limits									
Bypass, detour length Method to determine invento		mine inventory rating	Allowable Stress(AS) [2] Inv	entory rating	32.4 metric ton =	35.6 tons		
0 km = 0.0 mi	Method to deter	mine operating rating	Allowable Stress(AS) [2] Op	erating rating	44.1 metric ton =	48.5 tons		
Bridge posting Equal to or above leg			egal loads [5]	Des	sign Load				

Functional Details	
Average Daily Traffic 209 Average daily tr	uck traffi 0 % Year 2008 Future average daily traffic 251 Year 2030
Road classification Local (Urban) [19]	Lanes on structure 2 Approach roadway width 4.9 m = 16.1 ft
Type of service on bridge Highway [1]	Direction of traffic 2 - way traffic [2] Bridge median
Parallel structure designation No parallel structure	e exists. [N]
Type of service under bridge Waterway [5]	Lanes under structure 0 Navigation control
Navigation vertical clearanc 0 = N/A	Navigation horizontal clearance 0 = N/A
Minimum navigation vertical clearance, vertical lift brid	Minimum vertical clearance over bridge roadway 99.99 m = 328.1 ft
Minimum lateral underclearance reference feature Fe	eature not a highway or railroad [N]
Minimum lateral underclearance on right 0 = N/A	Minimum lateral underclearance on left 0 = N/A
Minimum Vertical Underclearance 0 = N/A	Minimum vertical underclearance reference feature Feature not a highway or railroad [N]
Appraisal ratings - underclearances N/A [N]	
Repair and Replacement Plans	
Type of work to be performed	Work done by
	Bridge improvement cost 0 Roadway improvement cost 0
	Length of structure improvement 0 m = 0.0 ft Total project cost 0
	Year of improvement cost estimate
	Border bridge - state Border bridge - percent responsibility of other state
	Border bridge - structure number

Inspection and Sufficiency								
Structure status Open, no restriction [A]		Appraisal ratings - structural	Better than present minimum criteria [7]					
Condition ratings - superstructur	Good [7]	Appraisal ratings - roadway alignment	Equal to present minimum criteria [6]					
Condition ratings - substructure Good [7]		Appraisal ratings - deck geometry	Basically intolerable requiring high priority of replacement [2]					
ondition ratings - deck Fair [5]		deak geometry						
Scour Channel and channel protection	Banks are protect	ed or well vegetated. River control de						
Appraisal ratings - water adequac	·	a stable condition. [8] nt minimum criteria [7]	Status evaluation	Functionally obsolete [2]				
Pier or abutment protection			Sufficiency rating	80				
	if structure is not a culver							
Traffic safety features - railings			ture meets currently acceptable standards. [1]					
Traffic safety features - transition			ature meets currently acceptable standards. [1]					
Traffic safety features - approach	n guardrail Ir	npected feature meets currently acce	ture meets currently acceptable standards. [1]					
Traffic safety features - approach	n guardrail ends	npected feature meets currently acce	ptable standards. [1]					
Inspection date December 20	008 [1208] Desig	nated inspection frequency 24	Months					
Underwater inspection Not needed [N] Underwater inspection date								
Г			Fracture critical inspection date					
Fracture critical inspection	Not needed [N]	Fracture critical ins	spection date					