The National Bridge Inventory contains data submitted by state transportion departments to the Federal Highway Administration in coded format.

Form Interface Design: www.historicbridges.org. Data Conversion Assistance By www.bridgehunter.com. None of the involved parties make any guarantee of accuracy.

Basic Inf	ormation									41-14-40 =	092-45-50 = -
lowa [19]	owa [19] Mahaska County [123]		Unknowr	Unknown [00000]		741701			41.244444	92.763889	
235850 High			hway agency district 5		Owner County Highway Agency [02]		2]	Maintenance responsibility		County Highway Agency [02]	
Route 0 LOCAL				Toll On free road [3] Features intersected COAL CREE			EK				
Design - main	ain approach		teel [3] tringer/Multi-be	Year built #Num! Year reconstructed N/A  Skew angle 0 Structure Flared			Flared	[0000]			
Total length 31.7 m = 104.0 ft Length of maximum span 15.5 m = 50.9 ft Deck width, out-to-out 6.1 m = 20.0 ft Brid Inventory Route, Total Horizontal Clearance 5.5 m = 18.0 ft Curb or sidewalk width - left 0 m = 0.0 ft Curb								) ft Bridge road		0 m = 0.0 ft	
Deck structure type  Concrete Cast-in-Place [1]  Type of wearing surface  Monolithic Concrete (concurrently placed with structural deck) [1]  Deck protection  Type of membrane/wearing surface											
Weight Limits  Bypass, detour length  0.3 km = 0.2 mi  Method to determine inventory rating Method to determine operating rating Bridge posting				Allowable Stress(AS) [2] Allowable Stress(AS) [2]				8 metric ton = 8 15.1 metric ton			

Functional Details										
Average Daily Traffic 40 Average daily tr	uck traffi 0 % Year 2002 Future average daily traffic 56 Year 2028									
Road classification Local (Rural) [09]	Lanes on structure 2 Approach roadway width 8.5 m = 27.9 ft									
Type of service on bridge Highway [1]	Direction of traffic 2 - way traffic [2] Bridge median									
Parallel structure designation No parallel structure	e exists. [N]									
Type of service under bridge Waterway [5]	Lanes under structure 0 Navigation control									
Navigation vertical clearanc 0 = N/A	Navigation horizontal clearance 0 = N/A									
Minimum navigation vertical clearance, vertical lift bridge 0 m = 0.0 ft  Minimum vertical clearance over bridge roadway 99.99 m = 328.1 ft										
Minimum lateral underclearance reference feature Fe	eature not a highway or railroad [N]									
Minimum lateral underclearance on right $0 = N/A$	Minimum lateral underclearance on right 0 = N/A  Minimum lateral underclearance on left 0 = N/A									
Minimum Vertical Underclearance 0 = N/A	Minimum vertical underclearance reference feature Feature not a highway or railroad [N]									
Appraisal ratings - underclearances N/A [N]										
Repair and Replacement Plans										
Type of work to be performed	Work done by Work to be done by contract [1]									
Replacement of bridge or other structure because of substandard load carrying capacity or substantial	Bridge improvement cost 225000 Roadway improvement cost 22000									
bridge roadway geometry. [31]	Length of structure improvement 40.5 m = 132.9 ft Total project cost 270000									
	Year of improvement cost estimate									
	Border bridge - state Border bridge - percent responsibility of other state									
	Border bridge - structure number									

Inspection and Sufficiency									
Structure status Posted for lo	ad [P]	Appraisal ratings - structural	Basically int						
Condition ratings - superstructur	Satisfactory [6]	Appraisal ratings - roadway alignment	Somewhat I is [5]	better than minimun	n adequacy to tolerate being left in place as				
Condition ratings - substructure	Satisfactory [6]	Appraisal ratings -	Meets minimum tolerable limits to be left in place as is [4]						
Condition ratings - deck	Fair [5]	deck geometry							
Scour	Bridge with "unknown" founda	ation that has not been ev	valuated for scc	our. [U]					
Channel and channel protection	Bank is beginning to slump. If minor stream bed movement	Bank is beginning to slump. River control devices and embankment protection have widespread minor damage. There is minor stream bed movement evident. Debris is restricting the channel slightly. [6]							
Appraisal ratings - water adequac	Equal to present minimum cri	Equal to present minimum criteria [6]			Structurally deficient [1]				
Pier or abutment protection					47.8				
Culverts Not applicable. Used	if structure is not a culvert. [N]								
Traffic safety features - railings									
Traffic safety features - transition	ns								
Traffic safety features - approach	n guardrail								
Traffic safety features - approach	n guardrail ends								
Inspection date January 200	8 [0108] Designated inspe	ection frequency 24	Мо	nths					
Underwater inspection	Unknown [N00]	Underwater inspection date							
·	Every two years [Y24]	Fracture critical in:	•	January 2008 [0	0108]				
Other special inspection	Unknown [N00]	Other special insp	ection date						