HistoricBridges.org - National Bridge Inventory Data Sheet

The National Bridge Inventory contains data submitted by state transportion departments to the Federal Highway Administration in coded format.

Form Interface Design: www.historicbridges.org. Data Conversion Assistance By www.bridgehunter.com. None of the involved parties make any guarantee of accuracy.

Basic Information							43-43-41 =	085-41-58 = -
Michigan [26]	ewaygo County [1	Home [38860]		8.5 MI E BITELY			43.728056	85.699444
62200027000B160 Highway agency district: 3		Owner County Highway	wner County Highway Agency [02] Maint		eresponsibility	County Highway Agency [02]		
Route 6275	13 N	II RD FH30	Toll On fre	ee road [3]	Features intersed	cted 62 MCDUF	FEE CREEK	
Design - Concrete [1] main Slab [01]		Design - approach O Other	[00]	Kilometerpoint Year built 1934 Skew angle 0 Historical signific	Structure F	constructed N/A	[0000] he NRHP. [5]	
Total length 9.7 m = 31.8 ft Length of maximum span 4.8 m = 15.7 ft Deck width, out-to-out 8.4 m = 27.6 ft Bridge roadway width, curb-to-curb 7.6 m = 24.9 ft								
Inventory Route, Total Horizontal Clearance 7.6 m = 24.9 ft			Curb or sidewalk width - left 0 m = 0.0 ft		: 0.0 ft	Curb or side	ewalk width - right	0 m = 0.0 ft
Deck structure type		Concrete Cast-in-Pla	ce [1]					
Type of wearing surface Bituminous [6]								
Deck protection								
Type of membrane/weari	ing surface							
Weight Limits								
Bypass, detour length Method to determine inventory rating			Load Factor(LF) [1]		Inventory rating	19.6 metric ton	= 21.6 tons	
1 km = 0.6 mi	km = 0.6 mi Method to determine operating rating		Load Factor(LF) [1]		Operating rating	perating rating 32.7 metric ton = 36.0 tons		
Bridge posting Equal to or above legal loads [5]					Design Load M	13.5 / H 15 [2]		

Functional Details									
Average Daily Traffic 800 Average daily tru	uck traffi 1 % Year 2000 Future average daily traffic 1000 Year 2020								
Road classification Major Collector (Rural) [07]	Lanes on structure 2 Approach roadway width 8.5 m = 27.9 ft								
Type of service on bridge Highway [1]	Direction of traffic 2 - way traffic [2] Bridge median								
Parallel structure designation No parallel structure	exists. [N]								
Type of service under bridge Waterway [5]	Lanes under structure 0 Navigation control								
Navigation vertical clearance 0 = N/A Navigation horizontal clearance 0 = N/A									
Minimum navigation vertical clearance, vertical lift bridge 0 m = 0.0 ft Minimum vertical clearance over bridge roadway 99.99 m = 328.1 ft									
Minimum lateral underclearance reference feature Feature not a highway or railroad [N]									
Minimum lateral underclearance on right 99.9 = Unlimited Minimum lateral underclearance on left 0 = N/A									
Minimum Vertical Underclearance 0 = N/A Minimum vertical underclearance reference feature Feature not a highway or railroad [N]									
Appraisal ratings - underclearances N/A [N]									
Repair and Replacement Plans									
Type of work to be performed	Work done by								
	Bridge improvement cost Roadway improvement cost								
	Length of structure improvement Total project cost								
	Year of improvement cost estimate								
	Border bridge - state Border bridge - percent responsibility of other state								
	Border bridge - structure number								

Inspection and Sufficiency									
Structure status Open, no res	striction [A]	Appraisal ratings - structural	Somewhat better than minimum adequacy to tolerate being left in place as is [5]						
Condition ratings - superstructure	Fair [5]	Appraisal ratings - roadway alignment	Somewhat better than minimum adequacy to tolerate being left in place as is [5]						
Condition ratings - substructure Fair [5]		Appraisal ratings -	Meets minimum tolerable limits to be left in place as is [4]						
Condition ratings - deck	Fair [5]	deck geometry							
Scour	Bridge foundations determined	Bridge foundations determined to be stable for assessed or calculated scour condition. [5]							
Channel and channel protection	Bank protection is being erode channel. [5]	Bank protection is being eroded. River control devices and/or embankment have major damage. Trees and rush restrict the channel. [5]							
Appraisal ratings - water adequac	Better than present minimum	criteria [7]	Status evaluation						
Pier or abutment protection			Sufficiency rating 51.3						
Culverts Not applicable. Used	if structure is not a culvert. [N]								
Traffic safety features - railings									
Traffic safety features - transitions									
Traffic safety features - approach guardrail									
Traffic safety features - approach guardrail ends									
Inspection date May 2008 [0508] Designated inspection frequency 24 Months									
Underwater inspection	Not needed [N]	Underwater inspec	ection date						
Fracture critical inspection Not needed [N]		Fracture critical in:	nspection date						
Other special inspection	Not needed [N]	pection date							