

HistoricBridges.org - National Bridge Inventory Data Sheet

2010 Inventory

The National Bridge Inventory contains data submitted by state transportation departments to the Federal Highway Administration in coded format.

Form Interface Design: www.historicbridges.org. Data Conversion Assistance By www.bridgehunter.com. None of the involved parties make any guarantee of accuracy.

Basic Information

Michigan [26]	Huron County [063]	Brookfield [10940]	SEC. 28-29 BROOKFIELD TWP	43-41-56 = 43.698889	083-18-58 = - 83.316111
32303H00010B010	Highway agency district 4	Owner County Highway Agency [02]	Maintenance responsibility	County Highway Agency [02]	
Route 0		POBANZ ROAD	Toll On free road [3]	Features intersected COLUMBIA DRAIN	
Design - main	Steel [3]	Design - approach		Kilometerpoint	319.8 km = 198.3 mi
1	Stringer/Multi-beam or girder [02]	0	Other [00]	Year built	1927
				Year reconstructed	N/A [0000]
				Skew angle	0
				Structure Flared	
				Historical significance	Bridge is not eligible for the NRHP. [5]
Total length	8.5 m = 27.9 ft	Length of maximum span	8 m = 26.2 ft	Deck width, out-to-out	6.2 m = 20.3 ft
Inventory Route, Total Horizontal Clearance	5.9 m = 19.4 ft	Curb or sidewalk width - left	0 m = 0.0 ft	Curb or sidewalk width - right	0 m = 0.0 ft
Deck structure type	Concrete Cast-in-Place [1]				
Type of wearing surface	Monolithic Concrete (concurrently placed with structural deck) [1]				
Deck protection					
Type of membrane/wearing surface					

Weight Limits

Bypass, detour length	Method to determine inventory rating	Load Factor(LF) [1]	Inventory rating	24.5 metric ton = 27.0 tons
1.1 km = 0.7 mi	Method to determine operating rating	Load Factor(LF) [1]	Operating rating	41 metric ton = 45.1 tons
	Bridge posting	10.0 - 19.9 % below [3]	Design Load	M 13.5 / H 15 [2]

Functional Details

Average Daily Traffic	20	Average daily truck traffi		%	Year	2009	Future average daily traffic	80	Year	2029
Road classification	Local (Rural) [09]		Lanes on structure	2		Approach roadway width	9.1 m = 29.9 ft			
Type of service on bridge	Highway [1]		Direction of traffic	2 - way traffic [2]		Bridge median				
Parallel structure designation	No parallel structure exists. [N]									
Type of service under bridge	Waterway [5]		Lanes under structure	0		Navigation control				
Navigation vertical clearanc	0 = N/A		Navigation horizontal clearance	0 = N/A						
Minimum navigation vertical clearance, vertical lift bridge						Minimum vertical clearance over bridge roadway	99.99 m = 328.1 ft			
Minimum lateral underclearance reference feature	Feature not a highway or railroad [N]									
Minimum lateral underclearance on right	99.9 = Unlimited					Minimum lateral underclearance on left	0 = N/A			
Minimum Vertical Underclearance	0 = N/A		Minimum vertical underclearance reference feature	Feature not a highway or railroad [N]						
Appraisal ratings - underclearances	N/A [N]									

Repair and Replacement Plans

Type of work to be performed

Work done by

Bridge improvement cost

Roadway improvement cost

Length of structure improvement

Total project cost

Year of improvement cost estimate

Border bridge - state

Border bridge - percent responsibility of other state

Border bridge - structure number

Inspection and Sufficiency

Structure status	<input type="text" value="Posted for load [P]"/>	Appraisal ratings - structural	<input type="text" value="Somewhat better than minimum adequacy to tolerate being left in place as is [5]"/>
Condition ratings - superstructure	<input type="text" value="Satisfactory [6]"/>	Appraisal ratings - roadway alignment	<input type="text" value="Equal to present minimum criteria [6]"/>
Condition ratings - substructure	<input type="text" value="Fair [5]"/>	Appraisal ratings - deck geometry	<input type="text" value="Somewhat better than minimum adequacy to tolerate being left in place as is [5]"/>
Condition ratings - deck	<input type="text" value="Satisfactory [6]"/>		
Scour	<input [u]"="" been="" evaluated="" for="" foundation="" has="" not="" scour.="" that="" type="text" unknown\"="" value="Bridge with \"/>		
Channel and channel protection	<input type="text" value="Banks are protected or well vegetated. River control devices such as spur dikes and embankment protection are not required or are in a stable condition. [8]"/>		
Appraisal ratings - water adequacy	<input type="text" value="Equal to present desirable criteria [8]"/>	Status evaluation	<input type="text"/>
Pier or abutment protection	<input type="text"/>	Sufficiency rating	<input type="text" value="72.8"/>
Culverts	<input type="text" value="Not applicable. Used if structure is not a culvert. [N]"/>		
Traffic safety features - railings	<input type="text"/>		
Traffic safety features - transitions	<input type="text"/>		
Traffic safety features - approach guardrail	<input type="text"/>		
Traffic safety features - approach guardrail ends	<input type="text"/>		
Inspection date	<input type="text" value="October 2009 [1009]"/>	Designated inspection frequency	<input type="text" value="24"/> Months
Underwater inspection	<input type="text" value="Not needed [N]"/>	Underwater inspection date	<input type="text"/>
Fracture critical inspection	<input type="text" value="Not needed [N]"/>	Fracture critical inspection date	<input type="text"/>
Other special inspection	<input type="text" value="Not needed [N]"/>	Other special inspection date	<input type="text"/>