The National Bridge Inventory contains data submitted by state transportion departments to the Federal Highway Administration in coded format.

Form Interface Design: www.historicbridges.org. Data Conversion Assistance By www.bridgehunter.com. None of the involved parties make any guarantee of accuracy.

Basic Information							46-20-40 =	085-57-00 = -
Michigan [26]	Schoolcraft County [153]		Seney [72500]	IN SENEY			46.344444	85.950000
75200032000B010 Highway agency district 1		Owner County Highwa	wner County Highway Agency [02] Maintena		eresponsibility	County Highway Agency [02]		
Route 0 FOX RIVER RD P450			Toll On fi	ree road [3]	Features intersed	cted FOX RIVER	2	
Design - Main Steel [3] Stringer/Multi-	beam or girder [02]	Design - approach O Other	r [00]	Kilometerpoint Year built 193 Skew angle 2 Historical signif	0 Structure F	constructed N/A	[0000] he NRHP. [5]	
Total length 24.3 m = 79.7 ft Length of maximum span 12.2 m = 40.0 ft Deck width, out-to-out 11.1 m = 36.4 ft Bridge roadway width, curb-to-curb 9.1 m = 29.9 ft O m = 0.0 ft Curb or sidewalk width - left O m = 0.0 ft								
Deck structure type Concrete Cast-in-Place								
Type of wearing surface Bituminous [6]								
Deck protection								
Type of membrane/wear	ing surface							
Weight Limits								
Bypass, detour length 0.3 km = 0.2 mi Method to determine inventory rating Method to determine operating rating		Load Factor(LF) [1] Load Factor(LF) [1]		Inventory rating Operating rating	32.7 metric ton 32.7 metric ton			
Bridge posting Equal to or above legal loads [5]					5 18+Mod / HS 20			

Functional Details							
Average Daily Traffic 182 Average daily tru	ck traffi 0 % Year 1999 Future average daily traffic 219 Year 2009						
Road classification Major Collector (Rural) [07]	Lanes on structure 2 Approach roadway width 8.5 m = 27.9 ft						
Type of service on bridge Highway [1]	Direction of traffic 2 - way traffic [2] Bridge median						
Parallel structure designation No parallel structure exists. [N]							
Type of service under bridge Waterway [5]	Lanes under structure 0 Navigation control						
Navigation vertical clearanc 0 = N/A	Navigation horizontal clearance 0 = N/A						
Minimum navigation vertical clearance, vertical lift bridge Minimum vertical clearance over bridge roadway 99.99 m = 328.1 ft							
Minimum lateral underclearance reference feature Feature not a highway or railroad [N]							
Minimum lateral underclearance on right 99.9 = Unlimited Minimum lateral underclearance on left 0 = N/A							
Minimum Vertical Underclearance 0 = N/A Minimum vertical underclearance reference feature Feature not a highway or railroad [N]							
Appraisal ratings - underclearances N/A [N]							
Repair and Replacement Plans							
Type of work to be performed	Work done by						
	Bridge improvement cost Roadway improvement cost						
	Length of structure improvement Total project cost						
	Year of improvement cost estimate						
	Border bridge - state Border bridge - percent responsibility of other state						
	Border bridge - structure number						

Inspection and Sufficiency									
Structure status Open, no restriction [A]		Appraisal ratings - structural	Equal to present minimum criteria [6]						
Condition ratings - superstructur	Satisfactory [6]	Appraisal ratings - roadway alignment	Equal to present desirable criteria [8]						
Condition ratings - substructure	Good [7]	Appraisal ratings -	Equal to present minimum criteria [6]						
Condition ratings - deck	Good [7]	deck geometry							
Scour		Bridge foundations determined to be stable for the assessed or calculated scour condition. [8]							
Channel and channel protection	Bank is beginning to slump. If minor stream bed movement	Bank is beginning to slump. River control devices and embankment protection have widespread minor damage. There is minor stream bed movement evident. Debris is restricting the channel slightly. [6]							
Appraisal ratings - water adequae	Equal to present desirable cri	iteria [8]	Status evaluation						
Pier or abutment protection			Sufficiency rating 97						
Culverts Not applicable. Used if structure is not a culvert. [N]									
Traffic safety features - railings									
Traffic safety features - transition	ns								
Traffic safety features - approach	n guardrail								
Traffic safety features - approach guardrail ends									
Inspection date July 2009 [0709] Designated inspection frequency 24 Months									
Underwater inspection	Not needed [N]	Underwater inspec	ection date						
Fracture critical inspection Not needed [N]		Fracture critical in:	nspection date						
Other special inspection	Not needed [N]	pection date							