HistoricBridges.org - National Bridge Inventory Data Sheet

The National Bridge Inventory contains data submitted by state transportion departments to the Federal Highway Administration in coded format.

Form Interface Design: www.historicbridges.org. Data Conversion Assistance By www.bridgehunter.com. None of the involved parties make any guarantee of accuracy.

Basic Information							44-54-42 =	093-09-12 = -
Minnesota [27] Ramsey County [123]		3]	St. Paul [58000] 0.2 MI W OF JCT TH 5		44.911667	93.153333		
62075 Highway agency distric		cy district	Owner		Maintenance responsibility			
Route 51	PED	WALKWAY	Toll	On free road [3]	Features intersected	ed TH 51(MONT	REAL)	
Design - Concrete main	e [1]	Design - approach		Kilometerpoint Year built 192	0 km = 0.0 mi 7 Year reco	nstructed		
Arch - Deck [11]				Skew angle Historical signific	Structure Fla			
Total length 74.4 r	m = 244.1 ft Ler	ngth of maximum s	oan 26.2 m = 86.0 ft	Deck width, ou		Bridge roadv	vay width, curb-to-	curb
Inventory Route, To Deck structure type Type of wearing sur Deck protection		26.1 m = 85.6 ft	Curb or side	ewalk width - left		Curb or sidev	valk width - right	
Type of membrane/	wearing surface							
Weight Limits								
Bypass, detour length 0 km = 0.0 mi Method to determine inventory r		, i			Inventory rating Operating rating			
	Bridge posting				Design Load			

Functional Details									
Average Daily Traffic 9600 Average daily tr	uck traffi 2 % Year 2008 Fu	ture average daily traffic	Year						
Road classification Minor Arterial (Urban) [16]		Approach roadway width							
Type of service on bridge Pedestrian-bicycle [3]	affic [2]	Bridge median							
Parallel structure designation No parallel structure	e exists. [N]								
Type of service under bridge Highway, with or without	ut ped Lanes under structure 4	Navigation control							
Navigation vertical clearance Navigation horizontal clearance									
Minimum navigation vertical clearance, vertical lift bridge Minimum vertical clearance over bridge roadway									
Minimum lateral underclearance reference feature									
Minimum lateral underclearance on right		Minimum lateral undercleara	ance on left						
Minimum Vertical Underclearance	Minimum vertical und	derclearance reference featur	re						
Appraisal ratings - underclearances									
Danair and Danlagament Dlane									
Repair and Replacement Plans Type of work to be performed.	Work done by								
Type of work to be performed	Work done by								
	Bridge improvement cost	Roadway impro	ovement cost						
	Length of structure improvement	Tota	al project cost						
	Year of improvement cost estimate								
	Border bridge - state	Borde	er bridge - percent responsibility of other state						
	Border bridge - structure number								

Inspection and Sufficiency								
Structure status	Appraisal ratings - structural							
	Appraisal ratings -							
Condition ratings - superstructur	roadway alignment							
Condition ratings - substructure	Appraisal ratings -							
Condition ratings - deck	deck geometry							
Scour								
Channel and channel protection								
Charmer and charmer protection								
Appraisal ratings - water adequacy	Status evaluation							
	Status evaluation							
Pier or abutment protection	Sufficiency rating							
	Sufficiency rating							
Culverts								
Traffic safety features - railings								
Traffic safety features - transitions								
Traffic safety features - approach guardrail								
Traffic safety features - approach guardrail ends								
Inspection date	Designated inspection frequency Months							
Underwater inspection Underwater inspection date								
Fracture critical inspection	Fracture critical inspection date							
Other special inspection Other special inspection date								