HistoricBridges.org - National Bridge Inventory Data Sheet

2011 Inventory

The National Bridge Inventory contains data submitted by state transportion departments to the Federal Highway Administration in coded format. Form Interface Design: www.historicbridges.org. Data Conversion Assistance By www.bridgehunter.com. None of the involved parties make any guarantee of accuracy.

Basic Information							40-25-42 =	082-47-42 = -
Ohio [39]	Morrow County [117]	Harmony [33600]	.2 MI.E.INT.CR26 & T	R191		40.428333	82.795000
5930634	Highway agen	cy district 6	Owner County Highwa	ay Agency [02]	Maintenance	responsibility	County Highway	Agency [02]
Route #Num!	TR19	1	Toll On f	ree road [3] F	eatures intersec	ted BIG WALNU	T CREEK	
Design - Aluminum, Iron [9]	Wrought Iron or Cast ru [10]	Design - approach 0 Other	· [00]	Kilometerpoint0 kYear built#Num!Skew angle0Historical significance	Structure FI	ared for the state of the state		
Total length 14.6 m	= 47.9 ft Ler	ngth of maximum sp	an 14 m = 45.9 ft	Deck width, out-to-o	ut 4.3 m = 14.1	ft Bridge road	way width, curb-to-	curb 4.2 m = 13.8 ft
Inventory Route, Total Horizontal Clearance 4.2 m = 13.8 ft			Curb or sidewalk width - left 0 m = 0.0 ft Curb or			Curb or side	walk width - right	0 m = 0.0 ft
Deck structure type	V	Vood or Timber [8]						
Type of wearing surfa	ve V	Vood or Timber [7]						
Deck protection								
Type of membrane/w	Type of membrane/wearing surface							
Weight Limits								
Bypass, detour lengt	h Method to determ	nine inventory rating	Load Factor(LF) [1]	Inv	entory rating	4.9 metric ton = 5	5.4 tons	
0.5 km = 0.3 mi	Method to determ	nine operating rating			erating rating	7.8 metric ton = 8	3.6 tons	
	Bridge posting		L	De	sign Load			

Functional Details				
Average Daily Traffic 150 Average daily traffic	uck traffi 2 % Year 1992 Future average daily traffic 208 Year 2027			
Road classification Local (Rural) [09]	Lanes on structure1Approach roadway width6.7 m = 22.0 ft			
Type of service on bridge Highway [1]	Direction of traffic One lane bridge for 2 - way traffic [3] Bridge median			
Parallel structure designation No parallel structure	e exists. [N]			
Type of service under bridge Waterway [5]	Lanes under structure 0 Navigation control			
Navigation vertical clearanc 0 = N/A	Navigation horizontal clearance 0 = N/A			
Minimum navigation vertical clearance, vertical lift bri	dge Minimum vertical clearance over bridge roadway 99.99 m = 328.1 ft			
Minimum lateral underclearance reference feature F	eature not a highway or railroad [N]			
Minimum lateral underclearance on right $0 = N/A$	Minimum lateral underclearance on left 0 = N/A			
Minimum Vertical Underclearance 0 = N/A	Minimum vertical underclearance reference feature Feature not a highway or railroad [N]			
Appraisal ratings - underclearances N/A [N]				
Repair and Replacement Plans				
Type of work to be performed	Work done by			
	Bridge improvement cost Roadway improvement cost			
	Length of structure improvement Total project cost			
	Year of improvement cost estimate			
Border bridge - state Border bridge - percent responsibility of other state				
	Border bridge - structure number			

Inspection and Sufficiency							
Structure status Posted for lo	Appraisal ratings - structural	Basically intolerable requiring high priority of replacement [2]					
Condition ratings - superstructur			Appraisal ratings - Somewhat better than minimum adequacy to tolerate being is [5]				
Condition ratings - substructure	Poor [4]	Appraisal ratings -	Basically intolerable requiring high priority of replacement [2]				
Condition ratings - deck	Good [7]	deck geometry					
Scour	Bridge foundations determined required. [4]	to be stable for assesse	d or calculated scour	conditions; field review indicate	es action is		
Channel and channel protection	Bank protection is being erode channel. [5]	ed. River control devices	and/or embankment h	nave major damage. Trees and	d rush restrict the		
Appraisal ratings - water adequacy Equal to present minimum		eria [6] Status evaluation Structura		evaluation Structurally defici	ent [1]		
Pier or abutment protection			Sufficier	ncy rating 20.5			
Culverts Not applicable. Used if structure is not a culvert. [N]							
Traffic safety features - railings							
Traffic safety features - transition	IS						
Traffic safety features - approach	n guardrail						
Traffic safety features - approach	n guardrail ends						
Inspection date November 20	010 [1110] Designated inspec	ction frequency 12	Months				
Underwater inspection	Not needed [N]	Underwater inspec	tion date				
Fracture critical inspection	Fracture critical ins	Fracture critical inspection date November 2009 [1109]					
Other special inspection	Not needed [N]	Other special inspection date					

Unit of Measure: Englis Structure File Number 5 Sufficiency Rating: 20.5	5930634			Bridge Inventory Information Inventory Bridge Number:MRW T0191 01006 13 ON BIG WALNUT CREEK			Report Date 08/21/2012 BM-191 Page: 1 of 2 BR. Type WROUGHT IRON / TRUSS / THRU Date of Last Inventory Update: 03/20/2012	
District: 06 County MORROW (2)FIPS Code: HARMONY TWP (9) Direction of Traffic: ONE LANE FOR 2-WAY TRAFFIC (10) Temporary: N			(101) Location: .2 MI.E.INT.CR26 & TR191 (103) Route On Bridge: TOWNSHIP (11)Truck Network: N			(102) Facility Carried: TR191 (104) Route Under Bridge: NON-HIGHWAY 2)Parallel: N		
(95) Insp: COUNTY (96)	 Maint: COUNTY (97) Routine: COUNT	Y	(100) Type Serv: (On): HIGHWAY			nder): WATERWAY	
Inventory Route Data				(63) Main Spans Number: 1	Type: WROUGHT IRON / T	RUSS / THRU		
(3) Route On/Under: ON	N	Hwy Sys: COUNTY/	TOWNSHIP HIGHWAY	Approach Spans Number: 0 Type: NONE / NONE / NONE		E		
Route No.: T0191 D	Dir:	Des: MAINLINE	Pref:	Total Spans: 1	(65) Max Span: 46 Ft	(6	66) Overall Leng: 48 Ft	
(4) Feature Intersected:	BIG WALNUT CR	EEK		(70) Substructure	(71) Foundation and Scour I	nformation		
	/lileage: 01006	Special Desig: 13		Abut-Rear Matl: CONCRETE AND STONE	Type: GRAVITY	Fi	nd: UNKNOWN (OR OLDER BRIDGE BEING ADDED)	
(6) Avg. Daily Traffic(AD		(7) ADT Year: 1992		Abut-Fwd Matl: STONE	Type: GRAVITY	Fi	nd: UNKNOWN (OR OLDER BRIDGE BEING ADDED)	
(8) Truck Traf: 3 (1	14) NHS: NO - X	(15) Corridor: N			Type: NONE	Fi	nd: NONE/NOT APPLICABLE (SUCH AS CULVERTS)	
(16) Functional Class: L	OCAL ROAD-RURAL	(19) \$	Strahnt: Not Applicable	Pier-Other Matl: NONE	Type: NONE	Fi	nd: NONE/NOT APPLICABLE (SUCH AS CULVERTS)	
	Intersecte	d Route Data		Pier-Other Matl: NONE	Type: NONE	Fi	nd: NONE/NOT APPLICABLE (SUCH AS CULVERTS)	
(22) Route On/Under:		Hwy Sys:		No of Piers Predominate: NN	Other: NN	0	ther: NN	
Route No.: D	Dir:	Des:	Pref:	(86) Stream Velocity: UUU	(74) Scour: STABLE: ACTIO	ON REQUIRED T	TO PROTECT FND	
(23) Feature Intersected				(189) Dive: N Freq: 0	Probe: Y Freq: 12	(7	75) Chan Prot: NONE	
	/lileage:	Special Desig:		(189) Date of last Dive Insp:	(152) Drainage Area: UUU S	Sq Mi		
(25) Avg. Daily Traffic(A	ADT): 0	(26) ADT Year:			Clearance Un	der the Bridge		
· · ·	28) NHS: -	(29) Corridor:		(156) Min. Horiz Under Clear:	NC: 0.0 Ft	C	ard: 0.0 Ft	
(30) Functional Class:		(36) \$	Strahnt: Not Applicable	(157) Prac Max Vrt Under Clear:	0.0 Ft			
		On the Bridge			NC: 0.0 Ft	C	ard: 0.0 Ft	
(154) Min Hriz on Bridge		NC: 0.0 Ft	Card: 13.9 Ft	(78) Min Lat Under Clear:	NC: 0.0 / 0.0 Ft	C	ard: 0.0 / 0.0 Ft	
(155) Prac Max Vert On	0	9999.9 Ft		Load Rating Inform	ation		(88-89) Appraisal	
(67) Min Vrt Clr On Brg:	:	NC: 0.0 Ft	Card: 9999.9 Ft	(48) Design Load: UNKNOWN [DEFAULT]		(Including calcula	ated Items)	
(80) Min Latl Clr:		NC: 0.0 / 0.0 Ft	Card: 0.0 / 0.0 Ft	(83) Operating: 4 Ton				
(81) Vrt Clr Lft:		0.0 Ft		Inventory: 4 Ton				
		Information		Ohio Percent of Legal Load 30		(88) Waterway A	dequacy 6	
(38) Bypass Length: 03			7 7 14			(89) Approach Al	lignment 5	
(39) Latitude: 40 Deg 25		Longitude: 82 Deg 4				Calc Gen Apprais	sal: 3	
(40) Toll: ON FREE RO		(12) Majar Dahahilita	ALANA 04/04/4070	(85) Rate Soft: COMBINATION Analyzed by: ALP Calc Deck (
(41) Date Built: 07/01/1 9 (43) No. Lanes On: 1	900	(42) Major Rehabilita No. Lanes Under: 0	alion: 01/01/19/6			Calc Undercleara	ance: N	
(44) Horiz Curve: Deg. I	Min	(45) Skew: 0 Deg			Approach	Information		
(49) App. Rdw Width: 22		(50) Brg. Rdw Width	· 13 9 Ft	(109) Approach Guardrail: NONE				
(51) Deck Width: 14.1 F		Deck Area: 678 Sq.		(110) Approach Pavement: GRAVEL (111) Grade Culvert Information			OR	
(52) Median Type: NON								
(53) Bridge Median: NO				(131) Culvert Type: NONE/NOT APPLICBL	E	(127) Length: 0.0		
(54) Sidewalks:		(left) 0 Ft	(right) 0 Ft			(130) Headwalls:	walls: NONE	
(55) Type Curb or Sidev	walks:		(nformation		
(Left) Matl: NONE		Type: NONE		(121) Main Member N/A (CULVERTS, TRUS	SSES, ETC.)		(122) Moment Plate: NONE	
(Right) Matl: NONE		Type: NONE		(169) Expansion Joint: NONE				
(56) Flared: N		(57) Composite: nor	n-composite	(124) Bearing Devices: SLIDING (OTHER)/N				
(58) Railing: STEEL POST & STEEL PANEL (DECORATIVE)			(126) Navigation: Control- N	Vert Clr: 0.0 Ft		Horiz Clear:: 0.0 Ft		
(59) Deck Drainage: OVER THE SIDE (W/O DRIP STRIP)			(193) Spec Insp: N	Freq: 0		Date:		
(60) Deck Type: LAMINATED TIMBER STRIP			(188) Fracture Critical Insp: Y Freq: 24			Date: 2010-08-12		
(61) Deck Protection: External: NONE			(138) Long Member: TWO TRUSSES (RIVETED)			(135) Hinges: NOT APPLICABLE		
Internal: NONE				(141) Structural Steel Memb: NONE			(139) Framing: NONE	
(62) Wearing Surface: T	TIMBER			Pay W/t: 0 payinds			Railing: OTHER Point: NONE	
Thickness: 0.0 in (1	119) Date of Weari	ng Surface:		Pay Wt: 0 pounds	Prime Loc: UNKNOWN		Paint: NONE	
Slope Protection: NONE	E-NATURAL PROT	ECTION(GRASS,BL	JSHES)	Bridge Dedicated Name:				
L								

Unit of Measure: English Structure File Number 593 Sufficiency Rating: 20.5 S	30634			Inventory Bridge Nu	ventory Information umber:MRW T0191 01006 WALNUT CREEK	13		BR. Type W	3/21/2012 BM-191 Page: 2 of 2 /ROUGHT IRON/TRUSS/THRU Inventory Update: 03/20/2012
		General Information (C	Continued)				Original Plans Informat	ion	
() Hist Significance: NO				(69) NBIS: Y	(142) Fabricator:				
() Hist Builder: MASSIL		COMPANY Hist B	uild Year: 1895	(00)	(143) Contractor:				
(69) Hist Type: PRATT (P					(144) Ohio Original Construction Project No.:				
(161) Special Features (se					() Microfilm Reel:				
(105) Border Bridge State					(151) Standard Drawing:				
(100) Boldor Bridge Clais		Improvements		Programming Info	, , , , , , , , , , , , , , , , , , ,				
(90) Type Work: -	Proposoa	Improvemento			Aperture Cards: Orig: N Re				
(30) Type Work				PID Status:	Plan Information Available	: 1PLAN INFORMA			
(90) Length: Ft				PID Date:		o / M	(153) Repair Projects	~	
			i i i i i i i i i i i i i i i i i i i	PID Dale.	1. / 020	2. / M	MM	3.	
(90) Bridge Cost (\$1000s)	,				4.	5.		6.	
(90) Roadway Cost (\$100	,	(00) \			7.	8.		9.	
(90) Total Project Cost (\$1	,	(90) Y		~~	10.				
(91) Future ADT (On Bridg	0,	(92) T	ear of Future ADT: 20						
Inspection Sum	mary	Dailiana.	(I-69) Survey Iten	ns T CURRENT STANDARDS		Utilities	(4C1) Light		al Features
(I-8) Deck:	7	Railings: Transitions:			. ,	N	(161) Lighti	0	N
()	3			T CURRENT STANDARDS	Gas:	N	Fenci	0	N
(I-42) Substructure:		Guardrail:		T CURRENT STANDARDS	Sanitary Sewer:	N		-Screen:	N
(I-50) Culvert:		Rail Ends:		CURRENT STANDARDS	Telephone:	N		h-Guard:	N
· · ·	5	In Depth:		T CURRENT STANDARDS	TV Cable:	N	Catw		N
()		Fracture Critical:	N NONE N/A		Water:	N		-Feat:	N
(I-66) General Appraisial:		Scour Critical:	N NONE N/A		Other:	Ν	(184) Signs		N
(I-66) Operational Status:		Critical Findings:	N NONE N/A				-	-Under:	N
		Insp. Update Date:	03/13/2012				(162) Fence		0.0 Ft
(94) Desig Insp Freq:	12 Months						(163) Noise	e Barr:	N
<u> </u>									
		<u> </u>			1				
SFNs Replacing this retired bridge: -									
SFNs That where replaced by this bridge:									
This bridge was retired an	nd copied to:								
The bridge was copied fro	•				INV Field Bridge Marker:		MRW-T019	1-01006-13	
Ŭ a					INT Field Bridge Marker:				
					INT Flora Bridge Marker.				

PONTIS CoRe elements and Condition States

Condition State Percents(*)								
2 3 4	5							
(*) Percentages Should add to 100%								
uld	add to 1							

STATE OF OHIO DEPARTMENT OF TRANSPORTATION BRIDGE INSPECTION REPORT

BR-86 REV 02-95 5 9 3 0 6 3 4 1 Structure File Number 7	Bridge Number MRW T019 CO ROUTE		1006 <u>13</u> HARMONY TWP <u>Date Built 07/01/1900 - 197</u>	<u>8</u>
District 06 Bridge Type WROUGHT IRON/T	RUSS/THRU	Ту	pe Service <u>1</u> <u>15 BIG WALNUT CREEK</u> <u>MRW</u>	
DECK 1. Floor	Out/Out 14.1 2-LAMINATED TIMBER STRIP	1	2. Wearing Surface 7-TIMBER 41	1
3. Curbs, Sidewalks, Walkways	N-NONE 9		W.S. Date = 4. Median 42	
5. Railing	6-STEEL POST & STEEL PAN 10	3	6. Drainage 1-OVER THE SIDE (W/O DRI 43	2
7. Expansion Joints	N-NONE 11		8. Summary 44	7
SUPERSTRUCTURE	MAX.SPAN=46	2		T
9. Alignment	12 TOT.LGTH=48	2	10. Beams/Girders/Slab N-N/A (CULVERTS, TRUSSES 45	_
11. Diaphragms or Crossframes	13		12. Joists/Stringers 46	3
13. Floor Beams	14	3	14. Floor Beam Connections 47	2
15. Verticals	15	2	16. Diagonals 48	3
17. End Posts	16	3	18. Top Chord 49	3
19. Lower Chord	17	2	20. Lower Lateral Bracing 50	
21. Top Lateral Bracing	18		22. Sway Bracing 51	
23. Portals	19		A-SLIDING (OTHER) 24. Bearing Devices N-NONE 52	3
25. Arch				
	20		26. Arch Columns or Hangers 53 TYPE = N-NONE)
27. Spandrel Walls	21		28. Protective Coating System DATE = 01/01/1950 54	-
29. Pins/Hangers/Hinges	22	Е	30. Fatigue Prone Connections 55	3
31. Live Load Response	23		32. Summary 56	_
SUBSTRUCTURE	1-STONE	3	PIERS=0 SPANS = 1	2
33. Abutments	3-CONCRETE AND STONE 24		34. Abutment Seats 57	-
35. Piers	TYPE = N-NONE 25		36. Pier Seats 58 ABUTMENT:=UNKNOWN / UNKNOWN	_
37. Backwalls	26	2	38. Wingwalls 59	
39. Fenders and Dolphins	27		40. Scour 4-STABLE: ACTION REQUIRE 60 1 3	3
41. Slope Protection	N-NONE 28		42. Summary DIVE DT=N/A 62	1
CULVERTS 43. General	29		44. Alignment 63	
45. Shape	30		46. Seams 64	
47. Headwalls or Endwalls	31		48. Scour 65	
49.	32		50. Summary 66	٦
CHANNEL		3	N-NONE	_
51. Alignment	33	-	52. Protection 67	_
53. Waterway Adequacy	34	2	54. Summary 68	5
APPROACHES 55. Pavement	4-GRAVEL 35	2	56. Approach Slabs 69	
57. Guardrail	N-NONE 36		58. Relief Joints 70	
59. Embankment	BRDG.WIDTH=13.9 37	3	60. Summary PCT.LEGAL=30 71	1
GENERAL			ROUTINE.RESP: 3-COUNTY	2
61. Navigation Lights	38 MVC ON=9999 UND=0000		62. Warning Signs MAINT.RESP: 3-COUNTY 72	
63. Sign Supports	39		64. Utilities 73	AT
65. Vertical Clearance	40	Ν	66. General Appraisal & Operational Status3F	<i>,</i>
67. INSPECTED BY			68. REVIEWED BY	
SIGNED		G	Image: signed Image: s]
DOT 2852	76 PE 78 INITIALS	د		1
DECK AREA 678	Date $\begin{bmatrix} 1 & 2 & 2 & 0 & 1 \\ 86 & 91 \end{bmatrix}$		0 0 0 0 1 1 Date 0 0 1 2 92 69 Survey 99 100 105	ļ

BRIDGE INSPECTION REPORT						
BR-86 REV 02-95						
5 9 3 0 6 3 4 1 Structure File Number 7 CO	T0191 01006 13 ROUTE UNIT	Date Built 07/01/1900 - 1978				
District <u>06</u> Bridge Type WROUGHT IRON/TRUSS/THRU Type Service <u>1</u> <u>1</u> <u>5</u> <u>BIG WALNUT CREEK</u>						
00 NO REMARKS FOUND FOR THIS INSPECTION.						

STATE OF OHIO DEPARTMENT OF TRANSPORTATION