HistoricBridges.org - National Bridge Inventory Data Sheet

The National Bridge Inventory contains data submitted by state transportion departments to the Federal Highway Administration in coded format.

Form Interface Design: www.historicbridges.org. Data Conversion Assistance By www.bridgehunter.com. None of the involved parties make any guarantee of accuracy.

Basic Information				41-40-52 =	085-57-24 = -		
Indiana [18]	Elkhart County [039]	Elkhart [20728]	00.30 E OF RICHMOND DR	41.681111	85.956667		
2000157	Highway agency district 2	Owner County Highway	y Agency [02] Maintenanc	e responsibility County Highway	Agency [02]		
Route 0	MIDDLEBURY ST	Toll On fre	ee road [3] Features interse	cted ELKHART RIVER			
Design - Concrete [1] main Arch - Deck	Design - approach [11] O Oth	er [00]	Skew angle 0 Structure	econstructed 1985 Flared is not eligible for the NRHP. [5]			
Total length 48.8 m = 160.1 ft Length of maximum span 15.2 m = 49.9 ft Deck width, out-to-out 17.5 m = 57.4 ft Bridge roadway width, curb-to-curb 12.8 m = 42.0 ft Inventory Route, Total Horizontal Clearance 12.8 m = 42.0 ft Curb or sidewalk width - left 2.1 m = 6.9 ft Deck structure type Concrete Cast-in-Place [1]							
Type of wearing surface Bituminous [6] Deck protection Type of membrane/wearing surface							
Weight Limits Bypass, detour length 0.2 km = 0.1 mi	Method to determine inventory ration Method to determine operating ration	No rating analysis pe	, ,	32.4 metric ton = 35.6 tons 40.5 metric ton = 44.6 tons			
Bridge posting Equal to or above legal loads [5]			Design Load				

Functional Details								
Average Daily Traffic 8620 Average daily tr	uck traffi 5 % Year 2011 Future average daily traffic 14840 Year 2031							
Road classification Minor Arterial (Urban) [16]	Lanes on structure 2 Approach roadway width 12.2 m = 40.0 ft							
Type of service on bridge Highway-pedestrian [5]	Direction of traffic 2 - way traffic [2] Bridge median							
Parallel structure designation No parallel structure	e exists. [N]							
Type of service under bridge Waterway [5]	Lanes under structure 0 Navigation control							
Navigation vertical clearance 0 = N/A Navigation horizontal clearance 0 = N/A								
Minimum navigation vertical clearance, vertical lift bridge Minimum vertical clearance over bridge roadway 99.99 m = 328.1 ft								
Minimum lateral underclearance reference feature Feature not a highway or railroad [N]								
Minimum lateral underclearance on right 0 = N/A Minimum lateral underclearance on left 0 = N/A								
Minimum Vertical Underclearance 0 = N/A Minimum vertical underclearance reference feature Feature not a highway or railroad [N]								
Appraisal ratings - underclearances N/A [N]								
Repair and Replacement Plans								
Type of work to be performed	Work done by							
	Bridge improvement cost 0 Roadway improvement cost 0							
	Length of structure improvement 0 m = 0.0 ft Total project cost 0							
	Year of improvement cost estimate							
	Border bridge - state Border bridge - percent responsibility of other state							
	Border bridge - structure number							

Inspection and Sufficiency							
Structure status Open, no restriction [A]		Appraisal ratings - structural	Somewhat better than minimum adequacy to tolerate being left in place as is [5]				
Condition ratings - superstructur [5]		Appraisal ratings - roadway alignment	Equal to present desirable criteria [8]				
Condition ratings - substructure	Fair [5]	Appraisal ratings - deck geometry	Somewhat better than minimum adequacy to tolerate being left in place as is [5]				
Condition ratings - deck	Not Applicable [N]						
Scour	Bridge foundations determine	Bridge foundations determined to be stable for the assessed or calculated scour condition. [8]					
Channel and channel protection	Bank is beginning to slump. F minor stream bed movement	Bank is beginning to slump. River control devices and embankment protection have widespread minor damage. There is minor stream bed movement evident. Debris is restricting the channel slightly. [6]					
Appraisal ratings - water adequace	Equal to present desirable cri	iteria [8]	Status evaluation				
Pier or abutment protection			Sufficiency rating 84.1				
Culverts Not applicable. Used	if structure is not a culvert. [N]						
Traffic safety features - railings							
Traffic safety features - transition	NS						
Traffic safety features - approach	n guardrail						
Traffic safety features - approach guardrail ends							
Inspection date November 2010 [1110] Designated inspection frequency 24 Months							
Underwater inspection	Not needed [N]	Underwater inspec	ction date				
Fracture critical inspection	Not needed [N]	Fracture critical inspection date					
Other special inspection	Not needed [N]	Other special insp	ection date				