HistoricBridges.org - National Bridge Inventory Data Sheet

The National Bridge Inventory contains data submitted by state transportion departments to the Federal Highway Administration in coded format.

Form Interface Design: www.historicbridges.org. Data Conversion Assistance By www.bridgehunter.com. None of the involved parties make any guarantee of accuracy.

Basic Information						40-10-13 =	078-44-47 = -
Pennsylvania [42]	ia [42] Somerset County [111]		Ogle [56352]	3 MI.SW.OF OGLETOWN		40.170278	78.746389
31879 Highway agency district 9		Owner County Highway	Owner County Highway Agency [02] Maintenance responsibility		County Highway Agency [02]		
Route 0	T8	316 (CRUMB RD)	Toll On fre	ee road [3] Features	intersected CLEAR SHADE	CREEK	
Design - Steel [3] main 1 Truss - Th	ru [10]	Design - approach 0 Other	· [00]	Skew angle 0 Stru	mi Year reconstructed N/A [000 cture Flared Bridge is eligible for the NRH	-	
Total length 14.9 m Inventory Route, Total		Length of maximum sp	an 14.3 m = 46.9 ft Curb or sidewalk w	Deck width, out-to-out 3.6 m		y width, curb-to-c	3.3 m = 10.8 ft 0.1 m = 0.3 ft
Deck structure type		Wood or Timber [8]				J	
Type of wearing surface Wood or Timber [7]		Wood or Timber [7]					
Deck protection Type of membrane/w	earing surface						
Weight Limits							
Bypass, detour length Method to determine inventory rating		Load Factor(LF) [1]	Inventory ra	9 metric ton = 9.9 to	ons		
1.4 km = 0.9 mi Method to determine operating rating		Load Factor(LF) [1]	Operating r	15 metric ton = 16.5 tons			
	Bridge posting)		Design Loa	d		

Functional Details									
Average Daily Traffic 25 Average daily tr	uck traffi % Year 2011 Future average daily traffic 32 Year 2011								
Road classification Local (Rural) [09]	Lanes on structure 1 Approach roadway width 4.6 m = 15.1 ft								
Type of service on bridge Highway [1]	Direction of traffic One lane bridge for 2 - way traffic [3] Bridge median								
Parallel structure designation No parallel structure	e exists. [N]								
Type of service under bridge Waterway [5]	Lanes under structure 0 Navigation control								
Navigation vertical clearanc 0 = N/A	Navigation horizontal clearance 0 = N/A								
Minimum navigation vertical clearance, vertical lift bridge Minimum vertical clearance over bridge roadway 10 m = 32.8 ft									
Minimum lateral underclearance reference feature Fe	eature not a highway or railroad [N]								
Minimum lateral underclearance on right 0 = N/A Minimum lateral underclearance on left 0 = N/A									
Minimum Vertical Underclearance 0 = N/A	Minimum vertical underclearance reference feature Feature not a highway or railroad [N]								
Appraisal ratings - underclearances N/A [N]									
Repair and Replacement Plans									
Type of work to be performed	Work done by Work to be done by contract [1]								
Replacement of bridge or other structure because of substandard load carrying capacity or substantial	Bridge improvement cost 0 Roadway improvement cost 0								
bridge roadway geometry. [31]	Length of structure improvement 19 m = 62.3 ft Total project cost 1000								
	Year of improvement cost estimate								
	Border bridge - state Border bridge - percent responsibility of other state								
	Border bridge - structure number								

Inspection and Sufficiency									
Structure status Posted for loa	ad [P]	Appraisal ratings - structural	Basically intolerable requiring high priority of replacement [2]						
Condition ratings - superstructure	Poor [4]	Appraisal ratings - Meets minimum tolerable limits to be left in place as is [4 roadway alignment							
Condition ratings - substructure	Poor [4]	Appraisal ratings -	Basically intolerable requ						
Condition ratings - deck	Good [7]	deck geometry							
Scour	Bridge is scour critical; bridg	Bridge is scour critical; bridge foundations determined to be unstable. [3]							
Channel and channel protection	Bank protection is being ero channel. [5]	Bank protection is being eroded. River control devices and/or embankment have major damage. Trees and rush restrict the channel. [5]							
Appraisal ratings - water adequacy	Equal to present minimum of	riteria [6]	Status evalua	Structurally deficient [1]					
Pier or abutment protection			Sufficiency ra	ating 19.7					
Culverts Not applicable. Used it	f structure is not a culvert. [N]								
Traffic safety features - railings					J				
Traffic safety features - transitions	Inpected features	npected feature meets currently acceptable standards. [1]							
Traffic safety features - approach	guardrail								
Traffic safety features - approach	guardrail ends								
Inspection date March 2011 [0311] Designated inspection frequency 24 Months									
Underwater inspection Not needed [N] Underwater inspection date									
· ·	Jnknown [N00]	Fracture critical inspection date							
Other special inspection	Every year [Y12]	Other special insp	ection date February	2012 [0212]					