The National Bridge Inventory contains data submitted by state transportion departments to the Federal Highway Administration in coded format.

Form Interface Design: www.historicbridges.org. Data Conversion Assistance By www.bridgehunter.com. None of the involved parties make any guarantee of accuracy.

Basic Information						39-51-14 =	080-11-58 = -	
Pennsylvania [42]	reene County [059]	Franklin [27408] FRA		FRANKLIN TOWNSHIP			80.199444	
307205048920320 Highway agency district 12		Owner County Highway	wner County Highway Agency [02]		responsibility	County Highway A	Agency [02]	
Route #Num! TOWNSHIP ROAD 489 Toll On free road [3] Features intersected SMITH CREEK								
Design - Concrete [1] main 1 Arch - Deck [7]	Design - approach 1] Other	[00]	Kilometerpoint 0 km Year built 1919 Skew angle 0 Historical significance	Structure Fla		[0000] not determinable at t	his time. [4]	
Total length 9.8 m = 32.2 ft Length of maximum span 9.4 m = 30.8 ft Deck width, out-to-out 4.3 m = 14.1 ft Bridge roadway width, curb-to-curb 3.7 m = 12.1 ft Inventory Route, Total Horizontal Clearance 3.9 m = 12.8 ft Curb or sidewalk width - left 0 m = 0.0 ft Curb or sidewalk width - right 0 m = 0.0 ft								
Deck structure type	0 III = 0.0 II		Curb or side	waik width - right	0 III - 0.0 II			
Type of wearing surface Bituminous [6]								
Deck protection								
Type of membrane/wearing surface								
Weight Limits								
Bypass, detour length Method to determine inventory rating		No rating analysis pe	erformed [5] Inve	ntory rating	24.5 metric ton	= 27.0 tons		
0.1 km = 0.1 mi	Method to determine operating rating	No rating analysis pe	erformed [5] Ope	rating rating	41.7 metric ton :	= 45.9 tons		
Bridge posting Equal to or above legal loads [5]			Desi	ign Load				

Functional Details							
Average Daily Traffic 41 Average daily tr	uck traffi 5 % Year 1993 Future average daily traffic 50 Year 1992						
Road classification Local (Rural) [09]	Lanes on structure 1 Approach roadway width 4.3 m = 14.1 ft						
Type of service on bridge Highway [1]	Direction of traffic One lane bridge for 2 - way traffic [3] Bridge median						
Parallel structure designation No parallel structure	e exists. [N]						
Type of service under bridge Waterway [5]	Lanes under structure 0 Navigation control						
Navigation vertical clearanc 0 = N/A	Navigation horizontal clearance 0 = N/A						
Minimum navigation vertical clearance, vertical lift bridge 0 m = 0.0 ft Minimum vertical clearance over bridge roadway 99.99 m = 328.1 ft							
Minimum lateral underclearance reference feature Feature not a highway or railroad [N]							
Minimum lateral underclearance on right 0 = N/A Minimum lateral underclearance on left 0 = N/A							
Minimum Vertical Underclearance 0 = N/A Minimum vertical underclearance reference feature Feature not a highway or railroad [N]							
Appraisal ratings - underclearances N/A [N]							
Repair and Replacement Plans							
Type of work to be performed	Work done by Work to be done by contract [1]						
Other structural work, including hydraulic replacements. [38]	Bridge improvement cost 0 Roadway improvement cost 0						
replacements. [50]	Length of structure improvement 17.1 m = 56.1 ft Total project cost 0						
	Year of improvement cost estimate						
	Border bridge - state Border bridge - percent responsibility of other state						
	Border bridge - structure number						

Inspection and Sufficiency									
Structure status Open, no res	striction [A]	Appraisal ratings - structural	Meets minimum tolerable limits to be left in place as is [4]						
Condition ratings - superstructur	Condition ratings - superstructur Fair [5]		Equal to present desirable criteria [8]						
Condition ratings - substructure	Poor [4]	Appraisal ratings -	Meets minimum tolerable limits to be left in place as is [4]						
Condition ratings - deck	Satisfactory [6]	deck geometry							
Scour	Bridge foundations determined required. [4]	Bridge foundations determined to be stable for assessed or calculated scour conditions; field review indicates action is required. [4]							
Channel and channel protection	Bank and embankment protect debris are in the channel. [4]	Bank and embankment protection is severely undermined. River control devices have severe damage. Large deposits of debris are in the channel. [4]							
Appraisal ratings - water adequac	Better than present minimum	Better than present minimum criteria [7]		Structurally deficient [1]					
Pier or abutment protection				48.8					
Culverts Not applicable. Used	if structure is not a culvert. [N]								
Traffic safety features - railings									
Traffic safety features - transitions									
Traffic safety features - approach guardrail									
Traffic safety features - approach guardrail ends									
Inspection date October 2008 [1008] Designated inspection frequency 24 Months									
Underwater inspection	Not needed [N]	Underwater inspec							
·	Not needed [N]	Fracture critical in:							
Other special inspection Not needed [N] Other special inspection date									