

The National Bridge Inventory contains data submitted by state transportation departments to the Federal Highway Administration in coded format.
 Form Interface Design: www.historicbridges.org. Data Conversion Assistance By www.bridgehunter.com. None of the involved parties make any guarantee of accuracy.

Basic Information

Michigan [26]	Branch County [023]	Union [81280]	SEC. 15-16 UNION TWP.	42-02-17 = 42.038056	085-07-09 = - 85.119167
12316H00033B010	Highway agency district 5	Owner County Highway Agency [02]	Maintenance responsibility	County Highway Agency [02]	
Route 0	CLAY ROAD	Toll On free road [3]	Features intersected	UNION DRAIN #2	
Design - main Steel [3]	Design - approach	Kilometerpoint 108.1 km = 67.0 mi	Year built 1930	Year reconstructed N/A [0000]	
1	Stringer/Multi-beam or girder [02]	0 Other [00]	Skew angle 0	Structure Flared	
			Historical significance	Bridge is not eligible for the NRHP. [5]	
Total length 8 m = 26.2 ft	Length of maximum span 6.7 m = 22.0 ft	Deck width, out-to-out 4.3 m = 14.1 ft	Bridge roadway width, curb-to-curb	4.3 m = 14.1 ft	
Inventory Route, Total Horizontal Clearance 4.2 m = 13.8 ft	Curb or sidewalk width - left 0 m = 0.0 ft	Curb or sidewalk width - right	0 m = 0.0 ft		
Deck structure type	Concrete Cast-in-Place [1]				
Type of wearing surface	Monolithic Concrete (concurrently placed with structural deck) [1]				
Deck protection					
Type of membrane/wearing surface					

Weight Limits

Bypass, detour length 0.6 km = 0.4 mi	Method to determine inventory rating	Load Factor(LF) [1]	Inventory rating	8.6 metric ton = 9.5 tons
	Method to determine operating rating	Load Factor(LF) [1]	Operating rating	18.2 metric ton = 20.0 tons
Bridge posting		Design Load	M 13.5 / H 15 [2]	

Functional Details

Average Daily Traffic	53	Average daily truck traffi	5	%	Year	2004	Future average daily traffic	92	Year	2024
Road classification	Major Collector (Rural) [07]		Lanes on structure	2		Approach roadway width	6.1 m = 20.0 ft			
Type of service on bridge	Highway [1]		Direction of traffic	2 - way traffic [2]		Bridge median				
Parallel structure designation	No parallel structure exists. [N]									
Type of service under bridge	Waterway [5]		Lanes under structure	0		Navigation control				
Navigation vertical clearanc	0 = N/A		Navigation horizontal clearance	0 = N/A						
Minimum navigation vertical clearance, vertical lift bridge			Minimum vertical clearance over bridge roadway	99.99 m = 328.1 ft						
Minimum lateral underclearance reference feature	Feature not a highway or railroad [N]									
Minimum lateral underclearance on right	0 = N/A				Minimum lateral underclearance on left	0 = N/A				
Minimum Vertical Underclearance	0 = N/A		Minimum vertical underclearance reference feature	Feature not a highway or railroad [N]						
Appraisal ratings - underclearances	N/A [N]									

Repair and Replacement Plans

Type of work to be performed	Work done by	Work to be done by contract [1]								
Replacement of bridge or other structure because of substandard load carrying capacity or substantial bridge roadway geometry. [31]	Bridge improvement cost	156000	Roadway improvement cost	15000						
	Length of structure improvement	10 m = 32.8 ft		Total project cost	190000					
	Year of improvement cost estimate									
	Border bridge - state				Border bridge - percent responsibility of other state					
	Border bridge - structure number									

Inspection and Sufficiency

Structure status	Posted for load [P]	Appraisal ratings - structural	Basically intolerable requiring high priority of replacement [2]
Condition ratings - superstructure	Serious [3]	Appraisal ratings - roadway alignment	Basically intolerable requiring high priority of corrective action [3]
Condition ratings - substructure	Poor [4]	Appraisal ratings - deck geometry	Basically intolerable requiring high priority of replacement [2]
Condition ratings - deck	Satisfactory [6]		
Scour	Bridge is scour critical; bridge foundations determined to be unstable. [3]		
Channel and channel protection	Bank and embankment protection is severely undermined. River control devices have severe damage. Large deposits of debris are in the channel. [4]		
Appraisal ratings - water adequacy	Meets minimum tolerable limits to be left in place as is [4]	Status evaluation	Structurally deficient [1]
Pier or abutment protection		Sufficiency rating	19.2
Culverts	Not applicable. Used if structure is not a culvert. [N]		
Traffic safety features - railings			
Traffic safety features - transitions			
Traffic safety features - approach guardrail			
Traffic safety features - approach guardrail ends			
Inspection date	October 2009 [1009]	Designated inspection frequency	12 Months
Underwater inspection	Not needed [N]	Underwater inspection date	
Fracture critical inspection	Not needed [N]	Fracture critical inspection date	
Other special inspection	Not needed [N]	Other special inspection date	