

HistoricBridges.org - National Bridge Inventory Data Sheet

2012 Inventory

The National Bridge Inventory contains data submitted by state transportation departments to the Federal Highway Administration in coded format.

Form Interface Design: www.historicbridges.org. Data Conversion Assistance By www.bridgehunter.com. None of the involved parties make any guarantee of accuracy.

Basic Information

California [06]	San Joaquin County [077]	Unknown [00000]	10-SJ-004-.01	37-53-27 = 37.890833	121-34-12 = - 121.570000
29 0045	Highway agency district 10	Owner State Highway Agency [01]	Maintenance responsibility	State Highway Agency [01]	
Route 4		STATE ROUTE 4	Toll On free road [3]	Features intersected OLD RIVER	
Design - main	Steel [3]	Design - approach	Steel [3]	Kilometerpoint	1 km = 0.6 mi
2	Movable - Swing [17]	2	Truss - Thru [10]	Year built	1915
				Year reconstructed	1978
				Skew angle	0
				Structure Flared	
				Historical significance	Bridge is eligible for the NRHP. [2]
Total length	160.9 m = 527.9 ft	Length of maximum span	40.2 m = 131.9 ft	Deck width, out-to-out	6.6 m = 21.7 ft
				Bridge roadway width, curb-to-curb	5.9 m = 19.4 ft
Inventory Route, Total Horizontal Clearance	5.9 m = 19.4 ft	Curb or sidewalk width - left	0.2 m = 0.7 ft	Curb or sidewalk width - right	0.2 m = 0.7 ft
Deck structure type	Concrete Cast-in-Place [1]				
Type of wearing surface					
Deck protection					
Type of membrane/wearing surface					

Weight Limits

Bypass, detour length	Method to determine inventory rating	Load Factor(LF) [1]	Inventory rating	22.4 metric ton = 24.6 tons
5.1 km = 3.2 mi	Method to determine operating rating	Load Factor(LF) [1]	Operating rating	34.7 metric ton = 38.2 tons
	Bridge posting	Equal to or above legal loads [5]	Design Load	M 13.5 / H 15 [2]

Functional Details

Average Daily Traffic	8200	Average daily truck traffi	11	%	Year	2009	Future average daily traffic	19791	Year	2033
Road classification	Minor Arterial (Rural) [06]		Lanes on structure	2		Approach roadway width	8.8 m = 28.9 ft			
Type of service on bridge	Highway [1]		Direction of traffic	2 - way traffic [2]		Bridge median				
Parallel structure designation	No parallel structure exists. [N]									
Type of service under bridge	Waterway [5]		Lanes under structure	0		Navigation control	Navigation control on waterway (bridge permit required). [1]			
Navigation vertical clearanc	4.6 m = 15.1 ft		Navigation horizontal clearance	32.9 m = 107.9 ft						
Minimum navigation vertical clearance, vertical lift bridge			Minimum vertical clearance over bridge roadway	4.72 m = 15.5 ft						
Minimum lateral underclearance reference feature	Feature not a highway or railroad [N]									
Minimum lateral underclearance on right	0 = N/A					Minimum lateral underclearance on left	0 = N/A			
Minimum Vertical Underclearance	0 = N/A		Minimum vertical underclearance reference feature	Feature not a highway or railroad [N]						
Appraisal ratings - underclearances	N/A [N]									

Repair and Replacement Plans

Type of work to be performed	Work done by	Work to be done by contract [1]		
Replacement of bridge or other structure because of substandard load carrying capacity or substantial bridge roadway geometry. [31]	Bridge improvement cost	2447000	Roadway improvement cost	489000
	Length of structure improvement	160.9 m = 527.9 ft	Total project cost	4111000
	Year of improvement cost estimate	2010		
	Border bridge - state		Border bridge - percent responsibility of other state	
	Border bridge - structure number			

Inspection and Sufficiency

Structure status	Posted for other load-capacity restriction [R]	Appraisal ratings - structural	Meets minimum tolerable limits to be left in place as is [4]
Condition ratings - superstructure	Poor [4]	Appraisal ratings - roadway alignment	Basically intolerable requiring high priority of corrective action [3]
Condition ratings - substructure	Satisfactory [6]	Appraisal ratings - deck geometry	Basically intolerable requiring high priority of replacement [2]
Condition ratings - deck	Satisfactory [6]		
Scour	Bridge with "unknown" foundation that has not been evaluated for scour. [U]		
Channel and channel protection	Bank protection is in need of minor repairs. River control devices and embankment protection have a little minor damage. Banks and/or channel have minor amounts of drift. [7]		
Appraisal ratings - water adequacy	Equal to present desirable criteria [8]	Status evaluation	Structurally deficient [1]
Pier or abutment protection	In place and functioning [2]	Sufficiency rating	22.7
Culverts	Not applicable. Used if structure is not a culvert. [N]		
Traffic safety features - railings			
Traffic safety features - transitions			
Traffic safety features - approach guardrail			
Traffic safety features - approach guardrail ends			
Inspection date	April 2011 [0411]	Designated inspection frequency	24 Months
Underwater inspection	Unknown [Y60]	Underwater inspection date	May 2010 [0510]
Fracture critical inspection	Every two years [Y24]	Fracture critical inspection date	April 2012 [0412]
Other special inspection	Not needed [N]	Other special inspection date	