

HistoricBridges.org - National Bridge Inventory Data Sheet

2011 Inventory

The National Bridge Inventory contains data submitted by state transportation departments to the Federal Highway Administration in coded format.

Form Interface Design: www.historicbridges.org. Data Conversion Assistance By www.bridgehunter.com. None of the involved parties make any guarantee of accuracy.

Basic Information

Connecticut [09]	Fairfield County [001]	Fairfield [26620]	3 MI WEST OF ROUTE 58	41-11-36 = 41.193333	073-17-54 = - 73.298333
737	Highway agency district	3	Owner	State Highway Agency [01]	Maintenance responsibility
State Highway Agency [01]					
Route	0		CONGRESS STREET #1	Toll	On free road [3]
				Features intersected	ROUTE 15
Design - main	Concrete [1]	Design - approach		Kilometerpoint	363.6 km = 225.4 mi
1	Frame [07]	0	Other [00]	Year built	1938
				Year reconstructed	N/A [0000]
				Skew angle	7
				Structure Flared	
				Historical significance	Bridge is on the NRHP. [1]
Total length	21.9 m = 71.9 ft	Length of maximum span	19.2 m = 63.0 ft	Deck width, out-to-out	11 m = 36.1 ft
				Bridge roadway width, curb-to-curb	9.1 m = 29.9 ft
Inventory Route, Total Horizontal Clearance	9.1 m = 29.9 ft	Curb or sidewalk width - left	0.2 m = 0.7 ft	Curb or sidewalk width - right	0.2 m = 0.7 ft
Deck structure type	Not applicable [N]				
Type of wearing surface	Not applicable (applies only to structures with no deck) [N]				
Deck protection	Not applicable (applies only to structures with no deck) [N]				
Type of membrane/wearing surface	Not applicable (applies only to structures with no deck) [N]				

Weight Limits

Bypass, detour length	Method to determine inventory rating	Allowable Stress(AS) [2]	Inventory rating	86.4 metric ton = 95.0 tons
1.3 km = 0.8 mi	Method to determine operating rating	Allowable Stress(AS) [2]	Operating rating	89.1 metric ton = 98.0 tons
	Bridge posting	Equal to or above legal loads [5]	Design Load	

Functional Details

Average Daily Traffic	1162	Average daily truck traffi	7	%	Year	2010	Future average daily traffic	581	Year	2029
Road classification	Local (Urban) [19]		Lanes on structure	2		Approach roadway width	6.4 m = 21.0 ft			
Type of service on bridge	Highway [1]		Direction of traffic	2 - way traffic [2]		Bridge median				
Parallel structure designation	No parallel structure exists. [N]									
Type of service under bridge	Highway, with or without ped		Lanes under structure	4		Navigation control	Not applicable, no waterway. [N]			
Navigation vertical clearanc	0 = N/A		Navigation horizontal clearance	0 = N/A						
Minimum navigation vertical clearance, vertical lift bridge	0 m = 0.0 ft					Minimum vertical clearance over bridge roadway	99.99 m = 328.1 ft			
Minimum lateral underclearance reference feature	Highway beneath structure [H]									
Minimum lateral underclearance on right	0.9 m = 3.0 ft					Minimum lateral underclearance on left	30.4 m = 99.7 ft			
Minimum Vertical Underclearance	3.89 m = 12.8 ft		Minimum vertical underclearance reference feature	Highway beneath structure [H]						
Appraisal ratings - underclearances	Basically intolerable requiring high priority of corrective action [3]									

Repair and Replacement Plans

Type of work to be performed	Work done by	Work to be done by owner's forces [2]			
Other structural work, including hydraulic replacements. [38]	Bridge improvement cost	1000	Roadway improvement cost	1000	
	Length of structure improvement	0.1 m = 0.3 ft		Total project cost	2000
	Year of improvement cost estimate				
	Border bridge - state		Border bridge - percent responsibility of other state		
	Border bridge - structure number				

Inspection and Sufficiency

Structure status	Open, no restriction [A]	Appraisal ratings - structural	Equal to present minimum criteria [6]
Condition ratings - superstructure	Satisfactory [6]	Appraisal ratings - roadway alignment	Equal to present desirable criteria [8]
Condition ratings - substructure	Satisfactory [6]	Appraisal ratings - deck geometry	Somewhat better than minimum adequacy to tolerate being left in place as is [5]
Condition ratings - deck	Not Applicable [N]		
Scour	Bridge not over waterway. [N]		
Channel and channel protection	Not applicable. [N]		
Appraisal ratings - water adequacy	N/A [N]	Status evaluation	Functionally obsolete [2]
Pier or abutment protection		Sufficiency rating	88.5
Culverts	Not applicable. Used if structure is not a culvert. [N]		
Traffic safety features - railings	Inspected feature meets currently acceptable standards. [1]		
Traffic safety features - transitions			
Traffic safety features - approach guardrail			
Traffic safety features - approach guardrail ends			
Inspection date	February 2010 [0210]	Designated inspection frequency	24 Months
Underwater inspection	Not needed [N]	Underwater inspection date	
Fracture critical inspection	Not needed [N]	Fracture critical inspection date	
Other special inspection	Not needed [N]	Other special inspection date	