

HistoricBridges.org - National Bridge Inventory Data Sheet

2011 Inventory

The National Bridge Inventory contains data submitted by state transportation departments to the Federal Highway Administration in coded format.

Form Interface Design: www.historicbridges.org. Data Conversion Assistance By www.bridgehunter.com. None of the involved parties make any guarantee of accuracy.

Basic Information

Connecticut [09]	Fairfield County [001]	New Canaan [50580]	1.0 MI S OF ROUTE 106	41-07-00 = 41.116667	073-31-06 = - 73.518333
708	Highway agency district 3	Owner State Highway Agency [01]	Maintenance responsibility	State Highway Agency [01]	
Route 0		PONUS RIDGE ROAD	Toll On free road [3]	Features intersected ROUTE 15	
Design - main	Concrete [1]	Design - approach		Kilometerpoint	53.1 km = 32.9 mi
1	Frame [07]	0	Other [00]	Year built	1937
				Year reconstructed	N/A [0000]
				Skew angle	14
				Structure Flared	
				Historical significance	Bridge is on the NRHP. [1]
Total length	19.8 m = 65.0 ft	Length of maximum span	19.8 m = 65.0 ft	Deck width, out-to-out	10.8 m = 35.4 ft
Inventory Route, Total Horizontal Clearance	9.1 m = 29.9 ft	Curb or sidewalk width - left	0.3 m = 1.0 ft	Curb or sidewalk width - right	0.3 m = 1.0 ft
Deck structure type	Not applicable [N]				
Type of wearing surface	Not applicable (applies only to structures with no deck) [N]				
Deck protection	Not applicable (applies only to structures with no deck) [N]				
Type of membrane/wearing surface	Not applicable (applies only to structures with no deck) [N]				

Weight Limits

Bypass, detour length	Method to determine inventory rating	Load Factor(LF) [1]	Inventory rating	80.8 metric ton = 88.9 tons
0.3 km = 0.2 mi	Method to determine operating rating	Load Factor(LF) [1]	Operating rating	99.9 metric ton = 109.9 tons
	Bridge posting	Equal to or above legal loads [5]	Design Load	M 18 / H 20 [4]

Functional Details

Average Daily Traffic	2280	Average daily truck traffi	3	%	Year	2009	Future average daily traffic	1140	Year	2029
Road classification	Minor Arterial (Urban) [16]		Lanes on structure	2		Approach roadway width	7 m = 23.0 ft			
Type of service on bridge	Highway [1]		Direction of traffic	2 - way traffic [2]		Bridge median				
Parallel structure designation	No parallel structure exists. [N]									
Type of service under bridge	Highway, with or without ped		Lanes under structure	4		Navigation control	Not applicable, no waterway. [N]			
Navigation vertical clearanc	0 = N/A		Navigation horizontal clearance	0 = N/A						
Minimum navigation vertical clearance, vertical lift bridge	0 m = 0.0 ft					Minimum vertical clearance over bridge roadway	99.99 m = 328.1 ft			
Minimum lateral underclearance reference feature	Highway beneath structure [H]									
Minimum lateral underclearance on right	0.9 m = 3.0 ft					Minimum lateral underclearance on left	0.5 m = 1.6 ft			
Minimum Vertical Underclearance	3.86 m = 12.7 ft		Minimum vertical underclearance reference feature	Highway beneath structure [H]						
Appraisal ratings - underclearances	Basically intolerable requiring high priority of corrective action [3]									

Repair and Replacement Plans

Type of work to be performed	Work done by	Work to be done by owner's forces [2]			
Other structural work, including hydraulic replacements. [38]	Bridge improvement cost	1000	Roadway improvement cost	1000	
	Length of structure improvement	0.1 m = 0.3 ft		Total project cost	2000
	Year of improvement cost estimate				
	Border bridge - state		Border bridge - percent responsibility of other state		
	Border bridge - structure number				

Inspection and Sufficiency

Structure status	Open, no restriction [A]	Appraisal ratings - structural	Somewhat better than minimum adequacy to tolerate being left in place as is [5]
Condition ratings - superstructure	Fair [5]	Appraisal ratings - roadway alignment	Equal to present minimum criteria [6]
Condition ratings - substructure	Good [7]	Appraisal ratings - deck geometry	Meets minimum tolerable limits to be left in place as is [4]
Condition ratings - deck	Not Applicable [N]		
Scour	Bridge not over waterway. [N]		
Channel and channel protection	Not applicable. [N]		
Appraisal ratings - water adequacy	N/A [N]	Status evaluation	Functionally obsolete [2]
Pier or abutment protection		Sufficiency rating	75.8
Culverts	Not applicable. Used if structure is not a culvert. [N]		
Traffic safety features - railings			
Traffic safety features - transitions			
Traffic safety features - approach guardrail			
Traffic safety features - approach guardrail ends			
Inspection date	July 2010 [0710]	Designated inspection frequency	24 Months
Underwater inspection	Not needed [N]	Underwater inspection date	
Fracture critical inspection	Not needed [N]	Fracture critical inspection date	
Other special inspection	Not needed [N]	Other special inspection date	