## HistoricBridges.org - National Bridge Inventory Data Sheet

The National Bridge Inventory contains data submitted by state transportion departments to the Federal Highway Administration in coded format.

Form Interface Design: www.historicbridges.org. Data Conversion Assistance By www.bridgehunter.com. None of the involved parties make any guarantee of accuracy.

Basic Information						28-32-38.40 =	081-21-29.85	
Florida [12] Orange County [095]		Orlando [53000] 0.6 mi E of Summerlin Ave		Ave	28.544000	= -81.358292		
755806 Highway agency district: 5		Owner City or Municip	Owner City or Municipal Highway Agency [04] Maintenance responsibility			City or Municipal Highway Agency [04]		
Route 0	Washi	ngton St.	Toll On fr	Toll On free road [3] Features intersected Fern Creek				
Design - Concrete [1 and a sign of the sig		Design - approach  O Othe	r [00]	Kilometerpoint 0 km Year built 1926 Skew angle 0	n = 0.0 mi  Year reconstructed  Structure Flared	N/A [0000]		
Total length 18.3 m	= 60.0 ft Len	gth of maximum sp	oan 6.1 m = 20.0 ft	Historical significance  Deck width, out-to-ou	<u> </u>	ligible for the NRHP. [3] e roadway width, curb-to-cu	urb 7.3 m = 24.0 ft	
				vidth - left 1.5 m = 4.9	ft Curb (	or sidewalk width - right	1.5 m = 4.9 ft	
Type of wearing surfa	ce Ot	ther [9]						
Type of membrane/we	earing surface							
Weight Limits								
Bypass, detour length 0.3 km = 0.2 mi	Bypass, detour length  0.3 km = 0.2 mi  Method to determine inventory rating  Method to determine operating rating				, 3	c ton = 29.9 tons c ton = 36.0 tons		
	Bridge posting	Equal to or above I	egal loads [5]	Des	ign Load			

Functional Details								
Average Daily Traffic 1192 Average daily to	ruck traffi 5 % Year 2013 Future average daily traffic 1383 Year 2033							
Road classification Minor Arterial (Urban) [16]	Lanes on structure 2 Approach roadway width 7.3 m = 24.0 ft							
Type of service on bridge Highway-pedestrian [5]	Direction of traffic 2 - way traffic [2]  Bridge median							
Parallel structure designation No parallel structure								
Type of service under bridge Waterway [5]	Lanes under structure 0 Navigation control							
Navigation vertical clearanc 0 = N/A	Navigation horizontal clearance 0 = N/A							
Minimum navigation vertical clearance, vertical lift bridge 0 m = 0.0 ft Minimum vertical clearance over bridge roadway 99.99 m = 328.1 ft								
Minimum lateral underclearance reference feature F	eature not a highway or railroad [N]							
Minimum lateral underclearance on right 0 = N/A  Minimum lateral underclearance on left 0 = N/A								
Minimum Vertical Underclearance 0 = N/A Minimum vertical underclearance reference feature Feature not a highway or railroad [N]								
Appraisal ratings - underclearances N/A [N]								
Repair and Replacement Plans								
Type of work to be performed	Work done by							
	Bridge improvement cost 0 Roadway improvement cost 0							
	Length of structure improvement 0 m = 0.0 ft Total project cost 0							
	Year of improvement cost estimate							
	Border bridge - state Border bridge - percent responsibility of other state							
	Border bridge - structure number							

Inspection and Sufficiency								
Structure status Open, n	ure status Open, no restriction [A]		Appraisal ratings - structural	Equal to present minimum criteria [6]				
Condition ratings - superstructure	cture Good	d [7]	Appraisal ratings - roadway alignment	Better than present minimum criteria [7]				
Condition ratings - substructure Good		d [7]	Appraisal ratings - deck geometry	Meets minimum tolerable limits to be left in place as is [4]				
Condition ratings - deck	tings - deck Good [7]							
Scour		Bridge with "unknown" foundation that has not been evaluated for scour. [U]						
Channel and channel protection		Bank protection is in need of minor repairs. River control devices and embankment protection have a little minor damage.  Banks and/or channel have minor amounts of drift. [7]						
Appraisal ratings - water adequacy		Equal to present desirable of		Status evaluation				
Pier or abutment protection					Sufficiency rating	75.9		
Culverts Not applicable. U	sed if struc	cture is not a culvert. [N]						
Traffic safety features - railir	_							
Traffic safety features - trans						1		
Traffic safety features - appr	Ü							
Traffic safety features - appr								
Inspection date November 2017 [1117] Designated inspection frequency 24 Months								
Underwater inspection Not needed [N]			Underwater inspec				=	
Fracture critical inspection Not needed			Fracture critical ins	•	e		=	
Other special inspection	Not ne	eeded [N]	Other special inspe	ection date			_	