

The National Bridge Inventory contains data submitted by state transportation departments to the Federal Highway Administration in coded format.
 Form Interface Design: www.historicbridges.org. Data Conversion Assistance By www.bridgehunter.com. None of the involved parties make any guarantee of accuracy.

Basic Information

Georgia [13]	Forsyth County [117]	Unknown [00000]	FORSYTH-HALL CO LINE	34-18-44.41 = 34.312336	083-56-58.90 = -83.949694
11700100	Highway agency district 1	Owner State Highway Agency [01]	Maintenance responsibility	State Highway Agency [01]	
Route 53	BOLLING BRIDGE	Toll On free road [3]	Features intersected	CHESTATEE R (LK LANIER)	
Design - main 3	Steel continuous [4] Truss - Thru [10]	Design - approach 2	Steel [3] Stringer/Multi-beam or girder [02]	Kilometerpoint 78.6 km = 48.7 mi	Year built 1956 Year reconstructed N/A [0000]
			Skew angle 0	Structure Flared	
			Historical significance	Bridge is not eligible for the NRHP. [5]	
Total length	243.8 m = 799.9 ft	Length of maximum span	74.3 m = 243.8 ft	Deck width, out-to-out	9.2 m = 30.2 ft
Inventory Route, Total Horizontal Clearance	7.8 m = 25.6 ft	Curb or sidewalk width - left	0.4 m = 1.3 ft	Curb or sidewalk width - right	0.4 m = 1.3 ft
Deck structure type	Concrete Cast-in-Place [1]				
Type of wearing surface	Monolithic Concrete (concurrently placed with structural deck) [1]				
Deck protection	Unknown [8]				
Type of membrane/wearing surface					

Weight Limits

Bypass, detour length	Method to determine inventory rating	Allowable Stress(AS) [2]	Inventory rating	19.8 metric ton = 21.8 tons
1.9 km = 1.2 mi	Method to determine operating rating	Allowable Stress(AS) [2]	Operating rating	33.3 metric ton = 36.6 tons
Bridge posting	Equal to or above legal loads [5]	Design Load	MS 18 / HS 20 [5]	

Functional Details

Average Daily Traffic	10630	Average daily truck traffi	0	%	Year	2011	Future average daily traffic	15945	Year	2031
Road classification	Principal Arterial - Other (Rural) [02]		Lanes on structure	2		Approach roadway width	8 m = 26.2 ft			
Type of service on bridge	Highway [1]		Direction of traffic	2 - way traffic [2]		Bridge median				
Parallel structure designation	No parallel structure exists. [N]									
Type of service under bridge	Waterway [5]		Lanes under structure	0		Navigation control				
Navigation vertical clearanc	0 = N/A		Navigation horizontal clearance	0 = N/A						
Minimum navigation vertical clearance, vertical lift bridge	0 m = 0.0 ft				Minimum vertical clearance over bridge roadway	4.52 m = 14.8 ft				
Minimum lateral underclearance reference feature	Feature not a highway or railroad [N]									
Minimum lateral underclearance on right	0 = N/A				Minimum lateral underclearance on left	0 = N/A				
Minimum Vertical Underclearance	0 = N/A		Minimum vertical underclearance reference feature	Feature not a highway or railroad [N]						
Appraisal ratings - underclearances	N/A [N]									

Repair and Replacement Plans

Type of work to be performed	Work done by		Work to be done by contract [1]							
Replacement of bridge or other structure because of substandard load carrying capacity or substantial bridge roadway geometry. [31]	Bridge improvement cost	3126000	Roadway improvement cost	313000						
	Length of structure improvement	322.1 m = 1056.8 ft		Total project cost	4689000					
	Year of improvement cost estimate	2013								
	Border bridge - state					Border bridge - percent responsibility of other state				
	Border bridge - structure number									

Inspection and Sufficiency

Structure status	<input type="text" value="Open, no restriction [A]"/>	Appraisal ratings - structural	<input type="text" value="Somewhat better than minimum adequacy to tolerate being left in place as is [5]"/>
Condition ratings - superstructure	<input type="text" value="Fair [5]"/>	Appraisal ratings - roadway alignment	<input type="text" value="Equal to present minimum criteria [6]"/>
Condition ratings - substructure	<input type="text" value="Fair [5]"/>	Appraisal ratings - deck geometry	<input type="text" value="Basically intolerable requiring high priority of replacement [2]"/>
Condition ratings - deck	<input type="text" value="Fair [5]"/>		
Scour	<input [u]"="" been="" evaluated="" for="" foundation="" has="" not="" scour.="" that="" type="text" unknown\"="" value="Bridge with \"/>		
Channel and channel protection	<input type="text" value="Bank protection is in need of minor repairs. River control devices and embankment protection have a little minor damage. Banks and/or channel have minor amounts of drift. [7]"/>		
Appraisal ratings - water adequacy	<input type="text" value="Superior to present desirable criteria [9]"/>	Status evaluation	<input type="text" value="Functionally obsolete [2]"/>
Pier or abutment protection	<input type="text"/>	Sufficiency rating	<input type="text" value="39.5"/>
Culverts	<input type="text" value="Not applicable. Used if structure is not a culvert. [N]"/>		
Traffic safety features - railings	<input type="text"/>		
Traffic safety features - transitions	<input type="text"/>		
Traffic safety features - approach guardrail	<input type="text"/>		
Traffic safety features - approach guardrail ends	<input type="text" value="Inspected feature meets currently acceptable standards. [1]"/>		
Inspection date	<input type="text" value="August 2011 [0811]"/>	Designated inspection frequency	<input type="text" value="24"/> Months
Underwater inspection	<input type="text" value="Unknown [Y60]"/>	Underwater inspection date	<input type="text" value="July 2012 [0712]"/>
Fracture critical inspection	<input type="text" value="Every year [Y12]"/>	Fracture critical inspection date	<input type="text" value="September 2012 [0912]"/>
Other special inspection	<input type="text" value="Unknown [N00]"/>	Other special inspection date	<input type="text"/>