

The National Bridge Inventory contains data submitted by state transportation departments to the Federal Highway Administration in coded format.
 Form Interface Design: www.historicbridges.org. Data Conversion Assistance By www.bridgehunter.com. None of the involved parties make any guarantee of accuracy.

Basic Information

Illinois [17]	Cook County [031]	Chicago [14000]	501 W CERMAK	41-51-09 = 41.8	087-38-28 = -87.6
000016600727337	Highway agency district 1	Owner City or Municipal Highway Agency [04]	Maintenance responsibility City or Municipal Highway Agency [04]		
Route 1453	CERMAK RD	Toll On free road [3]	Features intersected S BR CHICAGO RIV		
Design - main Steel [3]	Design - approach Steel [3]	Kilometerpoint 2328.2 km = 1443.5 mi	Year built 1906	Year reconstructed 1997	
1	Movable - Bascule [16]	4	Stringer/Multi-beam or girder [02]	Skew angle 0	Structure Flared
				Historical significance Bridge is eligible for the NRHP. [2]	
Total length 102.7 m = 337.0 ft	Length of maximum span 65.8 m = 215.9 ft	Deck width, out-to-out 18.5 m = 60.7 ft	Bridge roadway width, curb-to-curb 11 m = 36.1 ft		
Inventory Route, Total Horizontal Clearance 10.9 m = 35.8 ft	Curb or sidewalk width - left 2.4 m = 7.9 ft	Curb or sidewalk width - right 2.4 m = 7.9 ft			
Deck structure type	Open Grating [3]				
Type of wearing surface	Other [9]				
Deck protection					
Type of membrane/wearing surface					

Weight Limits

Bypass, detour length 0 km = 0.0 mi	Method to determine inventory rating Allowable Stress(AS) [2]	Inventory rating 32.4 metric ton = 35.6 tons
	Method to determine operating rating Allowable Stress(AS) [2]	Operating rating 44.1 metric ton = 48.5 tons
Bridge posting Equal to or above legal loads [5]	Design Load MS 18 / HS 20 [5]	

Functional Details

Average Daily Traffic Average daily truck traffi % Year Future average daily traffic Year

Road classification Lanes on structure Approach roadway width

Type of service on bridge Direction of traffic Bridge median

Parallel structure designation

Type of service under bridge Lanes under structure Navigation control

Navigation vertical clearanc Navigation horizontal clearance

Minimum navigation vertical clearance, vertical lift bridge Minimum vertical clearance over bridge roadway

Minimum lateral underclearance reference feature

Minimum lateral underclearance on right Minimum lateral underclearance on left

Minimum Vertical Underclearance Minimum vertical underclearance reference feature

Appraisal ratings - underclearances

Repair and Replacement Plans

Type of work to be performed

Work done by

Bridge improvement cost Roadway improvement cost

Length of structure improvement Total project cost

Year of improvement cost estimate

Border bridge - state Border bridge - percent responsibility of other state

Border bridge - structure number

Inspection and Sufficiency

Structure status	<input type="text" value="Open, no restriction [A]"/>	Appraisal ratings - structural	<input type="text" value="Equal to present desirable criteria [8]"/>
Condition ratings - superstructure	<input type="text" value="Very Good [8]"/>	Appraisal ratings - roadway alignment	<input type="text" value="Better than present minimum criteria [7]"/>
Condition ratings - substructure	<input type="text" value="Very Good [8]"/>	Appraisal ratings - deck geometry	<input type="text" value="Basically intolerable requiring high priority of replacement [2]"/>
Condition ratings - deck	<input type="text" value="Very Good [8]"/>		
Scour	<input type="text" value="Bridge foundations determined to be stable for assessed or calculated scour condition. [5]"/>		
Channel and channel protection	<input type="text" value="There are no noticeable or noteworthy deficiencies which affect the condition of the channel. [9]"/>		
Appraisal ratings - water adequacy	<input type="text" value="Equal to present desirable criteria [8]"/>	Status evaluation	<input type="text" value="Functionally obsolete [2]"/>
Pier or abutment protection	<input type="text"/>	Sufficiency rating	<input type="text" value="76"/>
Culverts	<input type="text" value="Not applicable. Used if structure is not a culvert. [N]"/>		
Traffic safety features - railings	<input type="text" value="Inspected feature meets currently acceptable standards. [1]"/>		
Traffic safety features - transitions	<input type="text" value="Not applicable or a safety feature is not required. [N]"/>		
Traffic safety features - approach guardrail	<input type="text" value="Not applicable or a safety feature is not required. [N]"/>		
Traffic safety features - approach guardrail ends	<input type="text" value="Not applicable or a safety feature is not required. [N]"/>		
Inspection date	<input type="text" value="October 2007 [1007]"/>	Designated inspection frequency	<input type="text" value="24"/> Months
Underwater inspection	<input type="text" value="Unknown [Y60]"/>	Underwater inspection date	<input type="text" value="June 2009 [0609]"/>
Fracture critical inspection	<input type="text" value="Not needed [N]"/>	Fracture critical inspection date	<input type="text"/>
Other special inspection	<input type="text" value="Not needed [N]"/>	Other special inspection date	<input type="text"/>