

The National Bridge Inventory contains data submitted by state transportation departments to the Federal Highway Administration in coded format.
 Form Interface Design: www.historicbridges.org. Data Conversion Assistance By www.bridgehunter.com. None of the involved parties make any guarantee of accuracy.

Basic Information

Illinois [17]	Cook County [031]	Chicago [14000]	13500 S. INDIANA AVE	41-39-01 = 41.6	087-37-02 = -87.6
000016608126805	Highway agency district 1	Owner City or Municipal Highway Agency [04]	Maintenance responsibility	City or Municipal Highway Agency [04]	
Route 2906	INDIANA AVE	Toll On free road [3]	Features intersected LITTLE CALUMET RIVER		
Design - main Steel [3]	Design - approach Steel [3]	Kilometerpoint 94.9 km = 58.8 mi	Year built 1915	Year reconstructed 1977	
1 Truss - Thru [10]	2 Stringer/Multi-beam or girder [02]	Skew angle 0	Structure Flared		
		Historical significance Bridge is not eligible for the NRHP. [5]			
Total length 101.8 m = 334.0 ft	Length of maximum span 80.5 m = 264.1 ft	Deck width, out-to-out 15.4 m = 50.5 ft	Bridge roadway width, curb-to-curb 14.6 m = 47.9 ft		
Inventory Route, Total Horizontal Clearance 14.6 m = 47.9 ft	Curb or sidewalk width - left 1.9 m = 6.2 ft	Curb or sidewalk width - right 1.9 m = 6.2 ft			
Deck structure type	Open Grating [3]				
Type of wearing surface	Other [9]				
Deck protection					
Type of membrane/wearing surface					

Weight Limits

Bypass, detour length 0.3 km = 0.2 mi	Method to determine inventory rating Allowable Stress(AS) [2]	Inventory rating 32.4 metric ton = 35.6 tons
	Method to determine operating rating Allowable Stress(AS) [2]	Operating rating 44.1 metric ton = 48.5 tons
Bridge posting Equal to or above legal loads [5]	Design Load MS 18 / HS 20 [5]	

Functional Details

Average Daily Traffic Average daily truck traffi % Year Future average daily traffic Year

Road classification Lanes on structure Approach roadway width

Type of service on bridge Direction of traffic Bridge median

Parallel structure designation

Type of service under bridge Lanes under structure Navigation control

Navigation vertical clearanc Navigation horizontal clearance

Minimum navigation vertical clearance, vertical lift bridge Minimum vertical clearance over bridge roadway

Minimum lateral underclearance reference feature

Minimum lateral underclearance on right Minimum lateral underclearance on left

Minimum Vertical Underclearance Minimum vertical underclearance reference feature

Appraisal ratings - underclearances

Repair and Replacement Plans

Type of work to be performed

Work done by

Bridge improvement cost Roadway improvement cost

Length of structure improvement Total project cost

Year of improvement cost estimate

Border bridge - state Border bridge - percent responsibility of other state

Border bridge - structure number

Inspection and Sufficiency

Structure status	Open, no restriction [A]	Appraisal ratings - structural	Meets minimum tolerable limits to be left in place as is [4]
Condition ratings - superstructure	Poor [4]	Appraisal ratings - roadway alignment	Equal to present desirable criteria [8]
Condition ratings - substructure	Satisfactory [6]	Appraisal ratings - deck geometry	Basically intolerable requiring high priority of replacement [2]
Condition ratings - deck	Poor [4]		
Scour	Bridge foundations determined to be stable for the assessed or calculated scour condition. [8]		
Channel and channel protection	Bank is beginning to slump. River control devices and embankment protection have widespread minor damage. There is minor stream bed movement evident. Debris is restricting the channel slightly. [6]		
Appraisal ratings - water adequacy	Superior to present desirable criteria [9]	Status evaluation	Structurally deficient [1]
Pier or abutment protection		Sufficiency rating	48.5
Culverts	Not applicable. Used if structure is not a culvert. [N]		
Traffic safety features - railings	Inspected feature meets currently acceptable standards. [1]		
Traffic safety features - transitions	Inspected feature meets currently acceptable standards. [1]		
Traffic safety features - approach guardrail	Inspected feature meets currently acceptable standards. [1]		
Traffic safety features - approach guardrail ends	Inspected feature meets currently acceptable standards. [1]		
Inspection date	November 2009 [1109]	Designated inspection frequency	24 Months
Underwater inspection	Unknown [Y60]	Underwater inspection date	December 2007 [1207]
Fracture critical inspection	Not needed [N]	Fracture critical inspection date	
Other special inspection	Not needed [N]	Other special inspection date	