

The National Bridge Inventory contains data submitted by state transportation departments to the Federal Highway Administration in coded format.
 Form Interface Design: www.historicbridges.org. Data Conversion Assistance By www.bridgehunter.com. None of the involved parties make any guarantee of accuracy.

Basic Information

Illinois [17]	Iroquois County [075]	Ridgeland [63901]	1.5 MI E. TR 22C	40-41-07 = 40.6	088-02-22 = -88.0
38533209156	Highway agency district 3	Owner Town or Township Highway Agency [03]	Maintenance responsibility	Town or Township Highway Agency [03]	
Route 247	TR 247	Toll On free road [3]	Features intersected TRIB TO SPRING CR		
Design - main Steel [3]	Design - approach Steel [3]	Kilometerpoint 226.9 km = 140.7 mi	Year built 1904	Year reconstructed #Num!	
2	Truss - Thru [10]	1	Stringer/Multi-beam or girder [02]	Skew angle 0	Structure Flared
		Historical significance Bridge is not eligible for the NRHP. [5]			
Total length 29.4 m = 96.5 ft	Length of maximum span 15.1 m = 49.5 ft	Deck width, out-to-out 4.3 m = 14.1 ft	Bridge roadway width, curb-to-curb 4.3 m = 14.1 ft		
Inventory Route, Total Horizontal Clearance 4.2 m = 13.8 ft	Curb or sidewalk width - left 0 m = 0.0 ft	Curb or sidewalk width - right 0 m = 0.0 ft			
Deck structure type	Wood or Timber [8]				
Type of wearing surface	Wood or Timber [7]				
Deck protection					
Type of membrane/wearing surface					

Weight Limits

Bypass, detour length 0.5 km = 0.3 mi	Method to determine inventory rating	Allowable Stress(AS) [2]	Inventory rating	0 metric ton = 0.0 tons
	Method to determine operating rating	Allowable Stress(AS) [2]	Operating rating	0 metric ton = 0.0 tons
	Bridge posting		Design Load	

Functional Details

Average Daily Traffic Average daily truck traffi % Year Future average daily traffic Year

Road classification Lanes on structure Approach roadway width

Type of service on bridge Direction of traffic Bridge median

Parallel structure designation

Type of service under bridge Lanes under structure Navigation control

Navigation vertical clearanc Navigation horizontal clearance

Minimum navigation vertical clearance, vertical lift bridge Minimum vertical clearance over bridge roadway

Minimum lateral underclearance reference feature

Minimum lateral underclearance on right Minimum lateral underclearance on left

Minimum Vertical Underclearance Minimum vertical underclearance reference feature

Appraisal ratings - underclearances

Repair and Replacement Plans

Type of work to be performed

Work done by

Bridge improvement cost Roadway improvement cost

Length of structure improvement Total project cost

Year of improvement cost estimate

Border bridge - state Border bridge - percent responsibility of other state

Border bridge - structure number

Inspection and Sufficiency

Structure status

Bridge closed to all traffic [K]

Appraisal ratings -
structural

Condition ratings - superstructure

Appraisal ratings -
roadway alignment

Condition ratings - substructure

Appraisal ratings -
deck geometry

Condition ratings - deck

Scour

Bridge foundations determined to be stable for assessed or calculated scour condition. [5]

Channel and channel protection

Bank protection is being eroded. River control devices and/or embankment have major damage. Trees and rush restrict the channel. [5]

Appraisal ratings - water adequacy

Status evaluation

Structurally deficient [1]

Pier or abutment protection

Sufficiency rating

16.8

Culverts

Not applicable. Used if structure is not a culvert. [N]

Traffic safety features - railings

Inspected feature meets currently acceptable standards. [1]

Traffic safety features - transitions

Inspected feature meets currently acceptable standards. [1]

Traffic safety features - approach guardrail

Inspected feature meets currently acceptable standards. [1]

Traffic safety features - approach guardrail ends

Inspected feature meets currently acceptable standards. [1]

Inspection date

October 2010 [1010]

Designated inspection frequency

24

Months

Underwater inspection

Not needed [N]

Underwater inspection date

Fracture critical inspection

Not needed [N]

Fracture critical inspection date

Other special inspection

Not needed [N]

Other special inspection date