

The National Bridge Inventory contains data submitted by state transportation departments to the Federal Highway Administration in coded format.
 Form Interface Design: www.historicbridges.org. Data Conversion Assistance By www.bridgehunter.com. None of the involved parties make any guarantee of accuracy.

Basic Information

Indiana [18]	Ripley County [137]	Unknown [00000]	00.01 S OF FLATROCK ROAD	39-09-58 = 39.166111	085-26-11 = - 85.436389
6900134	Highway agency district 5	Owner County Highway Agency [02]	Maintenance responsibility	County Highway Agency [02]	
Route 50	CR 960W	Toll On free road [3]	Features intersected	FLATROCK CREEK	
Design - main Steel [3]	Design - approach	Kilometerpoint 0 km = 0.0 mi	Year built 1920	Year reconstructed #Num!	
1	Stringer/Multi-beam or girder [02]	0	Other [00]	Skew angle 0	Structure Flared
			Historical significance	Bridge is not eligible for the NRHP. [5]	
Total length 7.9 m = 25.9 ft	Length of maximum span 7.3 m = 24.0 ft	Deck width, out-to-out 6.1 m = 20.0 ft	Bridge roadway width, curb-to-curb	5.5 m = 18.0 ft	
Inventory Route, Total Horizontal Clearance 5.5 m = 18.0 ft	Curb or sidewalk width - left 0 m = 0.0 ft	Curb or sidewalk width - right	0 m = 0.0 ft		
Deck structure type	Concrete Cast-in-Place [1]				
Type of wearing surface	Bituminous [6]				
Deck protection					
Type of membrane/wearing surface					

Weight Limits

Bypass, detour length 0.2 km = 0.1 mi	Method to determine inventory rating	No rating analysis performed [5]	Inventory rating	17.1 metric ton = 18.8 tons
	Method to determine operating rating	No rating analysis performed [5]	Operating rating	31.5 metric ton = 34.7 tons
Bridge posting	00.1 - 09.9 % below [4]	Design Load		

Functional Details

Average Daily Traffic Average daily truck traffi % Year Future average daily traffic Year

Road classification Lanes on structure Approach roadway width

Type of service on bridge Direction of traffic Bridge median

Parallel structure designation

Type of service under bridge Lanes under structure Navigation control

Navigation vertical clearanc Navigation horizontal clearance

Minimum navigation vertical clearance, vertical lift bridge Minimum vertical clearance over bridge roadway

Minimum lateral underclearance reference feature

Minimum lateral underclearance on right Minimum lateral underclearance on left

Minimum Vertical Underclearance Minimum vertical underclearance reference feature

Appraisal ratings - underclearances

Repair and Replacement Plans

Type of work to be performed

Work done by

Bridge improvement cost Roadway improvement cost

Length of structure improvement Total project cost

Year of improvement cost estimate

Border bridge - state Border bridge - percent responsibility of other state

Border bridge - structure number

Inspection and Sufficiency

Structure status

Posted for load [P]

Appraisal ratings -
structural

Somewhat better than minimum adequacy to tolerate being left in place as is [5]

Condition ratings - superstructure

Fair [5]

Appraisal ratings -
roadway alignment

Somewhat better than minimum adequacy to tolerate being left in place as is [5]

Condition ratings - substructure

Satisfactory [6]

Appraisal ratings -
deck geometry

Basically intolerable requiring high priority of corrective action [3]

Condition ratings - deck

Fair [5]

Scour

Bridge foundations determined to be stable for assessed or calculated scour condition. [5]

Channel and channel protection

Banks are protected or well vegetated. River control devices such as spur dikes and embankment protection are not required or are in a stable condition. [8]

Appraisal ratings - water adequacy

Equal to present minimum criteria [6]

Status evaluation

Functionally obsolete [2]

Pier or abutment protection

Sufficiency rating

48.5

Culverts

Not applicable. Used if structure is not a culvert. [N]

Traffic safety features - railings

Traffic safety features - transitions

Traffic safety features - approach guardrail

Traffic safety features - approach guardrail ends

Inspection date

November 2010 [1110]

Designated inspection frequency

24

Months

Underwater inspection

Not needed [N]

Underwater inspection date

Fracture critical inspection

Not needed [N]

Fracture critical inspection date

Other special inspection

Not needed [N]

Other special inspection date