

HistoricBridges.org - National Bridge Inventory Data Sheet

2019 Inventory

The National Bridge Inventory contains data submitted by state transportation departments to the Federal Highway Administration in coded format.

Form Interface Design: www.historicbridges.org. Data Conversion Assistance By www.bridgehunter.com. None of the involved parties make any guarantee of accuracy.

Basic Information

Indiana [18]	Washington County [175]	Unknown [00000]	00.80 SW of MOUNT Rd	38-41-01.03 = 38.683619	085-55-38.09 = -85.927247
8800033	Highway agency district: 5	Owner County Highway Agency [02]	Maintenance responsibility	County Highway Agency [02]	
Route 0		ELK CREEK RD	Toll On free road [3]	Features intersected ELK CREEK	
Design - main	Concrete [1]	Design - approach		Kilometerpoint	0 km = 0.0 mi
1	Arch - Deck [11]	0	Other [00]	Year built	1915
				Year reconstructed	N/A [0000]
				Skew angle	0
				Structure Flared	
				Historical significance	Bridge is eligible for the NRHP. [2]
Total length	22.9 m = 75.1 ft	Length of maximum span	18.8 m = 61.7 ft	Deck width, out-to-out	5.6 m = 18.4 ft
Inventory Route, Total Horizontal Clearance	4.7 m = 15.4 ft	Curb or sidewalk width - left	0 m = 0.0 ft	Curb or sidewalk width - right	0 m = 0.0 ft
Deck structure type	Not applicable [N]				
Type of wearing surface	Not applicable (applies only to structures with no deck) [N]				
Deck protection	Not applicable (applies only to structures with no deck) [N]				
Type of membrane/wearing surface	Not applicable (applies only to structures with no deck) [N]				

Weight Limits

Bypass, detour length	Method to determine inventory rating		Inventory rating	17.2 metric ton = 18.9 tons
0.3 km = 0.2 mi	Method to determine operating rating		Operating rating	22.7 metric ton = 25.0 tons
	Bridge posting	Equal to or above legal loads [5]	Design Load	

Functional Details

Average Daily Traffic	112	Average daily truck traffi	7	%	Year	2012	Future average daily traffic	152	Year	2032
Road classification	Local (Rural) [09]		Lanes on structure	1		Approach roadway width	5.5 m = 18.0 ft			
Type of service on bridge	Highway [1]		Direction of traffic	One lane bridge for 2 - way traffic [3]		Bridge median				
Parallel structure designation	No parallel structure exists. [N]									
Type of service under bridge	Waterway [5]		Lanes under structure	0		Navigation control				
Navigation vertical clearanc	0 = N/A		Navigation horizontal clearance	0 = N/A						
Minimum navigation vertical clearance, vertical lift bridge						Minimum vertical clearance over bridge roadway	99.99 m = 328.1 ft			
Minimum lateral underclearance reference feature	Feature not a highway or railroad [N]									
Minimum lateral underclearance on right	0 = N/A					Minimum lateral underclearance on left	0 = N/A			
Minimum Vertical Underclearance	0 = N/A		Minimum vertical underclearance reference feature	Feature not a highway or railroad [N]						
Appraisal ratings - underclearances	N/A [N]									

Repair and Replacement Plans

Type of work to be performed	Work done by	Work to be done by contract [1]		
Replacement of bridge or other structure because of substandard load carrying capacity or substantial bridge roadway geometry. [31]	Bridge improvement cost	225000	Roadway improvement cost	150000
	Length of structure improvement	31.1 m = 102.0 ft	Total project cost	375000
	Year of improvement cost estimate	2012		
	Border bridge - state		Border bridge - percent responsibility of other state	
	Border bridge - structure number			

Inspection and Sufficiency

Structure status	Posted for other load-capacity restriction [R]	Appraisal ratings - structural	Meets minimum tolerable limits to be left in place as is [4]
Condition ratings - superstructure	Poor [4]	Appraisal ratings - roadway alignment	Basically intolerable requiring high priority of corrective action [3]
Condition ratings - substructure	Poor [4]	Appraisal ratings - deck geometry	Basically intolerable requiring high priority of replacement [2]
Condition ratings - deck	Not Applicable [N]		
Scour	Bridge foundations determined to be stable for assessed or calculated scour condition. [5]		
Channel and channel protection	Bank protection is in need of minor repairs. River control devices and embankment protection have a little minor damage. Banks and/or channel have minor amounts of drift. [7]		
Appraisal ratings - water adequacy	Superior to present desirable criteria [9]	Status evaluation	Structurally deficient [1]
Pier or abutment protection		Sufficiency rating	30.6
Culverts	Not applicable. Used if structure is not a culvert. [N]		
Traffic safety features - railings			
Traffic safety features - transitions			
Traffic safety features - approach guardrail			
Traffic safety features - approach guardrail ends			
Inspection date	July 2018 [0718]	Designated inspection frequency	12 Months
Underwater inspection	Not needed [N]	Underwater inspection date	
Fracture critical inspection	Not needed [N]	Fracture critical inspection date	
Other special inspection	Not needed [N]	Other special inspection date	