

The National Bridge Inventory contains data submitted by state transportation departments to the Federal Highway Administration in coded format.  
 Form Interface Design: www.historicbridges.org. Data Conversion Assistance By www.bridgehunter.com. None of the involved parties make any guarantee of accuracy.

**Basic Information**

Indiana [18]	Carroll County [015]	Unknown [00000]	00.62 E SR 75	40-36-29.99 = 40.608331	086-31-42.01 = -86.528336
28910	Highway agency district: 4	Owner State Highway Agency [01]	Maintenance responsibility	State Highway Agency [01]	
Route 218	SR 218	Toll On free road [3]	Features intersected	PAINT CREEK	
Design - main Concrete [1]	Design - approach Other [00]	Kilometerpoint	1039.4 km = 644.4 mi		
1	Arch - Deck [11]	Year built	1940	Year reconstructed	N/A [0000]
		Skew angle	15	Structure Flared	
		Historical significance	Bridge is eligible for the NRHP. [2]		
Total length	38.7 m = 127.0 ft	Length of maximum span	19.8 m = 65.0 ft	Deck width, out-to-out	9.4 m = 30.8 ft
Bridge roadway width, curb-to-curb	8.5 m = 27.9 ft		Inventory Route, Total Horizontal Clearance	8.5 m = 27.9 ft	
Curb or sidewalk width - left	0.2 m = 0.7 ft		Curb or sidewalk width - right	0.2 m = 0.7 ft	
Deck structure type	Not applicable [N]				
Type of wearing surface	Bituminous [6]				
Deck protection					
Type of membrane/wearing surface					

**Weight Limits**

Bypass, detour length	Method to determine inventory rating	Load Factor(LF) [1]	Inventory rating	68 metric ton = 74.8 tons
0.2 km = 0.1 mi	Method to determine operating rating	Load Factor(LF) [1]	Operating rating	89.8 metric ton = 98.8 tons
Bridge posting	Equal to or above legal loads [5]		Design Load	M 18 / H 20 [4]

### Functional Details

Average Daily Traffic  Average daily truck traffi  % Year  Future average daily traffic  Year

Road classification  Lanes on structure  Approach roadway width

Type of service on bridge  Direction of traffic  Bridge median

Parallel structure designation

Type of service under bridge  Lanes under structure  Navigation control

Navigation vertical clearanc  Navigation horizontal clearance

Minimum navigation vertical clearance, vertical lift bridge  Minimum vertical clearance over bridge roadway

Minimum lateral underclearance reference feature

Minimum lateral underclearance on right  Minimum lateral underclearance on left

Minimum Vertical Underclearance  Minimum vertical underclearance reference feature

Appraisal ratings - underclearances

### Repair and Replacement Plans

Type of work to be performed

Work done by

Bridge improvement cost  Roadway improvement cost

Length of structure improvement  Total project cost

Year of improvement cost estimate

Border bridge - state  Border bridge - percent responsibility of other state

Border bridge - structure number

## Inspection and Sufficiency

Structure status	<input type="text" value="Open, no restriction [A]"/>	Appraisal ratings - structural	<input type="text" value="Somewhat better than minimum adequacy to tolerate being left in place as is [5]"/>
Condition ratings - superstructure	<input type="text" value="Fair [5]"/>	Appraisal ratings - roadway alignment	<input type="text" value="Somewhat better than minimum adequacy to tolerate being left in place as is [5]"/>
Condition ratings - substructure	<input type="text" value="Satisfactory [6]"/>	Appraisal ratings - deck geometry	<input type="text" value="Somewhat better than minimum adequacy to tolerate being left in place as is [5]"/>
Condition ratings - deck	<input type="text" value="Satisfactory [6]"/>		
Scour	<input type="text" value="Bridge foundations determined to be stable for the assessed or calculated scour condition. [8]"/>		
Channel and channel protection	<input type="text" value="Bank protection is in need of minor repairs. River control devices and embankment protection have a little minor damage. Banks and/or channel have minor amounts of drift. [7]"/>		
Appraisal ratings - water adequacy	<input type="text" value="Equal to present desirable criteria [8]"/>	Status evaluation	<input type="text"/>
Pier or abutment protection	<input type="text"/>	Sufficiency rating	<input type="text" value="79.3"/>
Culverts	<input type="text" value="Not applicable. Used if structure is not a culvert. [N]"/>		
Traffic safety features - railings	<input type="text"/>		
Traffic safety features - transitions	<input type="text" value="Inspected feature meets currently acceptable standards. [1]"/>		
Traffic safety features - approach guardrail	<input type="text" value="Inspected feature meets currently acceptable standards. [1]"/>		
Traffic safety features - approach guardrail ends	<input type="text" value="Inspected feature meets currently acceptable standards. [1]"/>		
Inspection date	<input type="text" value="April 2014 [0414]"/>	Designated inspection frequency	<input type="text" value="24"/> Months
Underwater inspection	<input type="text" value="Not needed [N]"/>	Underwater inspection date	<input type="text"/>
Fracture critical inspection	<input type="text" value="Not needed [N]"/>	Fracture critical inspection date	<input type="text"/>
Other special inspection	<input type="text" value="Not needed [N]"/>	Other special inspection date	<input type="text"/>