

The National Bridge Inventory contains data submitted by state transportation departments to the Federal Highway Administration in coded format.  
 Form Interface Design: www.historicbridges.org. Data Conversion Assistance By www.bridgehunter.com. None of the involved parties make any guarantee of accuracy.

**Basic Information**

Iowa [19]	Boone County [015]	Unknown [00000]	852504	42-11-40 = 42.194444	093-46-30 = - 93.775000
78120	Highway agency district 1	Owner County Highway Agency [02]	Maintenance responsibility	County Highway Agency [02]	
Route 0	FM	Toll On free road [3]	Features intersected	BR SQUAW CREEK	
Design - main Concrete [1]	Design - approach	Kilometerpoint 0 km = 0.0 mi	Year built 1916	Year reconstructed N/A [0000]	
1	Arch - Thru [12]	0 Other [00]	Skew angle 0	Structure Flared	
			Historical significance	Bridge is eligible for the NRHP. [2]	
Total length 26.8 m = 87.9 ft	Length of maximum span 18.3 m = 60.0 ft	Deck width, out-to-out 5.5 m = 18.0 ft	Bridge roadway width, curb-to-curb	5.2 m = 17.1 ft	
Inventory Route, Total Horizontal Clearance 4.9 m = 16.1 ft	Curb or sidewalk width - left 0 m = 0.0 ft	Curb or sidewalk width - right	0 m = 0.0 ft		
Deck structure type	Concrete Cast-in-Place [1]				
Type of wearing surface	Monolithic Concrete (concurrently placed with structural deck) [1]				
Deck protection					
Type of membrane/wearing surface					

**Weight Limits**

Bypass, detour length 0.6 km = 0.4 mi	Method to determine inventory rating	No rating analysis performed [5]	Inventory rating	9 metric ton = 9.9 tons
	Method to determine operating rating	No rating analysis performed [5]	Operating rating	13.5 metric ton = 14.9 tons
	Bridge posting		Design Load	

### Functional Details

Average Daily Traffic	35	Average daily truck traffi	0	%	Year	2007	Future average daily traffic	58	Year	2028
Road classification	Minor Collector (Rural) [08]		Lanes on structure	2		Approach roadway width	6.7 m = 22.0 ft			
Type of service on bridge	Highway [1]		Direction of traffic	One lane bridge for 2 - way traffic [3]		Bridge median				
Parallel structure designation	No parallel structure exists. [N]									
Type of service under bridge	Waterway [5]		Lanes under structure	0		Navigation control				
Navigation vertical clearanc	0 = N/A		Navigation horizontal clearance	0 = N/A						
Minimum navigation vertical clearance, vertical lift bridge	0 m = 0.0 ft				Minimum vertical clearance over bridge roadway	99.99 m = 328.1 ft				
Minimum lateral underclearance reference feature	Feature not a highway or railroad [N]									
Minimum lateral underclearance on right	0 = N/A				Minimum lateral underclearance on left	0 = N/A				
Minimum Vertical Underclearance	0 = N/A		Minimum vertical underclearance reference feature	Feature not a highway or railroad [N]						
Appraisal ratings - underclearances	N/A [N]									

### Repair and Replacement Plans

Type of work to be performed	Work done by		Work to be done by contract [1]	
Replacement of bridge or other structure because of substandard load carrying capacity or substantial bridge roadway geometry. [31]	Bridge improvement cost	297000	Roadway improvement cost	30000
	Length of structure improvement	34.5 m = 113.2 ft	Total project cost	446000
	Year of improvement cost estimate	2008		
	Border bridge - state		Border bridge - percent responsibility of other state	
	Border bridge - structure number			

## Inspection and Sufficiency

Structure status	<input type="text" value="Posted for load [P]"/>	Appraisal ratings - structural	<input type="text" value="Basically intolerable requiring high priority of replacement [2]"/>
Condition ratings - superstructure	<input type="text" value="Poor [4]"/>	Appraisal ratings - roadway alignment	<input type="text" value="Meets minimum tolerable limits to be left in place as is [4]"/>
Condition ratings - substructure	<input type="text" value="Poor [4]"/>	Appraisal ratings - deck geometry	<input type="text" value="N/A [N]"/>
Condition ratings - deck	<input type="text" value="Poor [4]"/>		
Scour	<input type="text" value="Bridge foundations determined to be stable for the assessed or calculated scour condition. [8]"/>		
Channel and channel protection	<input type="text" value="Bank and embankment protection is severely undermined. River control devices have severe damage. Large deposits of debris are in the channel. [4]"/>		
Appraisal ratings - water adequacy	<input type="text" value="Somewhat better than minimum adequacy to tolerate being left in place as is [5]"/>	Status evaluation	<input type="text" value="Structurally deficient [1]"/>
Pier or abutment protection	<input type="text"/>	Sufficiency rating	<input type="text" value="22.4"/>
Culverts	<input type="text" value="Not applicable. Used if structure is not a culvert. [N]"/>		
Traffic safety features - railings	<input type="text"/>		
Traffic safety features - transitions	<input type="text"/>		
Traffic safety features - approach guardrail	<input type="text"/>		
Traffic safety features - approach guardrail ends	<input type="text"/>		
Inspection date	<input type="text" value="June 2008 [0608]"/>	Designated inspection frequency	<input type="text" value="24"/> Months
Underwater inspection	<input type="text" value="Unknown [N00]"/>	Underwater inspection date	<input type="text"/>
Fracture critical inspection	<input type="text" value="Unknown [N00]"/>	Fracture critical inspection date	<input type="text"/>
Other special inspection	<input type="text" value="Unknown [N00]"/>	Other special inspection date	<input type="text"/>