

# HistoricBridges.org - National Bridge Inventory Data Sheet

2019 Inventory

The National Bridge Inventory contains data submitted by state transportation departments to the Federal Highway Administration in coded format.

Form Interface Design: www.historicbridges.org. Data Conversion Assistance By www.bridgehunter.com. None of the involved parties make any guarantee of accuracy.

## Basic Information

Iowa [19]	Fayette County [065]	Unknown [00000]	93073003	42-50-16.59 = 4	091-42-43.74 = -9
151070	Highway agency district: 0	Owner	County Highway Agency [02]	Maintenance responsibility	County Highway Agency [02]
Route 0		FOX RD.	Toll	On free road [3]	Features intersected
					VOLGA RIVER
Design - main	Steel [3]	Design - approach		Kilometerpoint	287.9 km = 178.5 mi
1	Truss - Thru [10]	0	Other [00]	Year built	1905
				Year reconstructed	N/A [0000]
				Skew angle	45
				Structure Flared	
				Historical significance	Bridge is possibly eligible for the NRHP. [3]
Total length	53.3 m = 174.9 ft	Length of maximum span	53.3 m = 174.9 ft	Deck width, out-to-out	4.5 m = 14.8 ft
				Bridge roadway width, curb-to-curb	4.5 m = 14.8 ft
Inventory Route, Total Horizontal Clearance	4.4 m = 14.4 ft	Curb or sidewalk width - left	0 m = 0.0 ft	Curb or sidewalk width - right	0 m = 0.0 ft
Deck structure type	Wood or Timber [8]				
Type of wearing surface	Gravel [8]				
Deck protection					
Type of membrane/wearing surface					

## Weight Limits

Bypass, detour length	Method to determine inventory rating	Allowable Stress(AS) [2]	Inventory rating	3.7 metric ton = 4.1 tons
1.4 km = 0.9 mi	Method to determine operating rating	Allowable Stress(AS) [2]	Operating rating	7 metric ton = 7.7 tons
	Bridge posting		Design Load	

### Functional Details

Average Daily Traffic	15	Average daily truck traffi	0	%	Year	2017	Future average daily traffic	15	Year	2037
Road classification	Local (Rural) [09]		Lanes on structure	1		Approach roadway width	7.3 m = 24.0 ft			
Type of service on bridge	Highway [1]		Direction of traffic	One lane bridge for 2 - way traffic [3]		Bridge median				
Parallel structure designation	No parallel structure exists. [N]									
Type of service under bridge	Waterway [5]		Lanes under structure	0		Navigation control				
Navigation vertical clearanc	0 = N/A		Navigation horizontal clearance	0 = N/A						
Minimum navigation vertical clearance, vertical lift bridge	0 m = 0.0 ft					Minimum vertical clearance over bridge roadway	4.85 m = 15.9 ft			
Minimum lateral underclearance reference feature	Feature not a highway or railroad [N]									
Minimum lateral underclearance on right	0 = N/A					Minimum lateral underclearance on left	0 = N/A			
Minimum Vertical Underclearance	0 = N/A		Minimum vertical underclearance reference feature	Feature not a highway or railroad [N]						
Appraisal ratings - underclearances	N/A [N]									

### Repair and Replacement Plans

Type of work to be performed	Work done by	Work to be done by contract [1]		
Replacement of bridge or other structure because of substandard load carrying capacity or substantial bridge roadway geometry. [31]	Bridge improvement cost	235000	Roadway improvement cost	75000
	Length of structure improvement	213 m = 698.9 ft	Total project cost	
	Year of improvement cost estimate			
	Border bridge - state		Border bridge - percent responsibility of other state	
	Border bridge - structure number			

## Inspection and Sufficiency

Structure status	<input type="text" value="Posted for load [P]"/>	Appraisal ratings - structural	<input type="text" value="Basically intolerable requiring high priority of replacement [2]"/>
Condition ratings - superstructure	<input type="text" value="Fair [5]"/>	Appraisal ratings - roadway alignment	<input type="text" value="Basically intolerable requiring high priority of corrective action [3]"/>
Condition ratings - substructure	<input type="text" value="Fair [5]"/>	Appraisal ratings - deck geometry	<input type="text" value="Equal to present minimum criteria [6]"/>
Condition ratings - deck	<input type="text" value="Fair [5]"/>		
Scour	<input type="text" value="Bridge foundations determined to be stable for the assessed or calculated scour condition. [8]"/>		
Channel and channel protection	<input type="text" value="Bank is beginning to slump. River control devices and embankment protection have widespread minor damage. There is minor stream bed movement evident. Debris is restricting the channel slightly. [6]"/>		
Appraisal ratings - water adequacy	<input type="text" value="Equal to present desirable criteria [8]"/>	Status evaluation	<input type="text" value="Structurally deficient [1]"/>
Pier or abutment protection	<input type="text"/>	Sufficiency rating	<input type="text" value="20.9"/>
Culverts	<input type="text" value="Not applicable. Used if structure is not a culvert. [N]"/>		
Traffic safety features - railings	<input type="text"/>		
Traffic safety features - transitions	<input type="text"/>		
Traffic safety features - approach guardrail	<input type="text"/>		
Traffic safety features - approach guardrail ends	<input type="text"/>		
Inspection date	<input type="text" value="October 2017 [1017]"/>	Designated inspection frequency	<input type="text" value="24"/> Months
Underwater inspection	<input type="text" value="Not needed [N]"/>	Underwater inspection date	<input type="text"/>
Fracture critical inspection	<input type="text" value="Every two years [Y24]"/>	Fracture critical inspection date	<input type="text" value="October 2017 [1017]"/>
Other special inspection	<input type="text" value="Not needed [N]"/>	Other special inspection date	<input type="text"/>