

The National Bridge Inventory contains data submitted by state transportation departments to the Federal Highway Administration in coded format.
 Form Interface Design: www.historicbridges.org. Data Conversion Assistance By www.bridgehunter.com. None of the involved parties make any guarantee of accuracy.

Basic Information

Iowa [19]	Clinton County [045]	Unknown [00000]	#Num!	41-49-58.88 = 4	090-48-39.97 = -9
121690	Highway agency district: 0	Owner	County Highway Agency [02]	Maintenance responsibility	County Highway Agency [02]
Route 0		235TH STREET	Toll	On free road [3]	Features intersected
					WAPSIPINICON RIVER
Design - main	Steel [3]	Design - approach	Steel [3]	Kilometerpoint	676.1 km = 419.2 mi
2	Girder and floorbeam system [03]	6	Stringer/Multi-beam or girder [02]	Year built	1930
				Year reconstructed	N/A [0000]
				Skew angle	0
				Structure Flared	
				Historical significance	Bridge is not eligible for the NRHP. [5]
Total length	128 m = 420.0 ft	Length of maximum span	25 m = 82.0 ft	Deck width, out-to-out	8.2 m = 26.9 ft
				Bridge roadway width, curb-to-curb	7.3 m = 24.0 ft
Inventory Route, Total Horizontal Clearance	7.2 m = 23.6 ft	Curb or sidewalk width - left	0 m = 0.0 ft	Curb or sidewalk width - right	0 m = 0.0 ft
Deck structure type	Concrete Cast-in-Place [1]				
Type of wearing surface	Monolithic Concrete (concurrently placed with structural deck) [1]				
Deck protection					
Type of membrane/wearing surface					

Weight Limits

Bypass, detour length	Method to determine inventory rating	Allowable Stress(AS) [2]	Inventory rating	0 metric ton = 0.0 tons
1 km = 0.6 mi	Method to determine operating rating	Allowable Stress(AS) [2]	Operating rating	0 metric ton = 0.0 tons
	Bridge posting		Design Load	M 13.5 / H 15 [2]

Functional Details

Average Daily Traffic Average daily truck traffi % Year Future average daily traffic Year

Road classification Lanes on structure Approach roadway width

Type of service on bridge Direction of traffic Bridge median

Parallel structure designation

Type of service under bridge Lanes under structure Navigation control

Navigation vertical clearanc Navigation horizontal clearance

Minimum navigation vertical clearance, vertical lift bridge Minimum vertical clearance over bridge roadway

Minimum lateral underclearance reference feature

Minimum lateral underclearance on right Minimum lateral underclearance on left

Minimum Vertical Underclearance Minimum vertical underclearance reference feature

Appraisal ratings - underclearances

Repair and Replacement Plans

Type of work to be performed

Work done by

Bridge improvement cost Roadway improvement cost

Length of structure improvement Total project cost

Year of improvement cost estimate

Border bridge - state Border bridge - percent responsibility of other state

Border bridge - structure number

Inspection and Sufficiency

Structure status

Bridge closed to all traffic [K]

Appraisal ratings -
structural

Condition ratings - superstructure

Serious [3]

Appraisal ratings -
roadway alignment

Condition ratings - substructure

Good [7]

Appraisal ratings -
deck geometry

Condition ratings - deck

Serious [3]

Scour

Bridge foundations determined to be stable for the assessed or calculated scour condition. [8]

Channel and channel protection

Bank protection is in need of minor repairs. River control devices and embankment protection have a little minor damage. Banks and/or channel have minor amounts of drift. [7]

Appraisal ratings - water adequacy

Better than present minimum criteria [7]

Status evaluation

Structurally deficient [1]

Pier or abutment protection

Sufficiency rating

30.8

Culverts

Not applicable. Used if structure is not a culvert. [N]

Traffic safety features - railings

Traffic safety features - transitions

Traffic safety features - approach guardrail

Traffic safety features - approach guardrail ends

Inspection date

January 2017 [0117]

Designated inspection frequency

24

Months

Underwater inspection

Unknown [Y60]

Underwater inspection date

October 2013 [1013]

Fracture critical inspection

Every two years [Y24]

Fracture critical inspection date

January 2017 [0117]

Other special inspection

Not needed [N]

Other special inspection date