# **Kansas Historic Resources Inventory**

Printed: 06/30/2016



107-0000-00099 Mine Creek Bridge -- UNGEHEUER RD Mound City vicinity





#### **LOCATION:**

County: Linn

Address: -- UNGEHEUER RD

Address Remarks: 6 miles E & 0.5 mile S of Mound City

City: Mound City vicinity

Zip:

Parcel ID:

Legal Description: NE 1/4 of SE 1/4 of SE 1/4 of Section 7 Township 22S Range

25E

**Legal Description Remarks:** 

Latitude, Longitude 1: 38.141376 -94.695343

Latitude, Longitude 2: Latitude, Longitude 3: Latitude, Longitude 4:

Datum: WGS84

## **DESCRIPTION:**

Historic Name: Mine Creek Bridge

**Alternate Name:** 

**Historic Function:** Transportation

Subcategory: Road-Related (Vehicular)

**Historic Function Remarks:** 

Present Function: Transportation

**Subcategory:** Road-Related (Vehicular)

**Present Function Remarks:** 

Residential/Commercial/Religious Style:

**Secondary Style:** 

Barn Type: Not Applicable

Bridge Type: Marsh Arch (Rainbow)

Landscape Type:

Physical Description/Remarks: Fixed Marsh (Rainbow) Arch bridge

Plan Form: Rectangle

Commercial Building Type: Not Applicable

Roof Form: Not Applicable

Stories: 1

Condition: Fair

Principal Material: Concrete

Condition Remarks: reinforced concrete

Architect/Designer/Builder: Marsh Engineering Company (James B. Marsh)

Year of Construction: 1927

Certainty: Documented

Date Notes: Contract let to Maxwell Construction Company April 1927; Completed

October 9, 1927

**General Remarks:** 

**Ancillary Structures:** 

**Ancillary Structure Remarks:** 

### **REGISTER STATUS:**

Listed in State Register: Yes

Date of State Listing: 11/20/1982

Listed in National Register: Yes

**Date of National Listing:** 03/10/1983

**Historic District:** 

Demolished:

Date Demolished (if applicable):

**Potentially Eligible for National Register:** 

**Register Status Remarks:** 

Thematic Nomination (MPDF): Rainbow Arch Bridges of Kansas

**National Historic Landmark:** 

## **SURVEY INFORMATION:**

Survey 1

Survey Project Name: Kansas - KDOT/Historic Bridge Inventory - Marsh (Rainbow) Arch Bridges (1980s)

**Sequence Number:** 54-TA-1

Surveyed By: Larry Jochims & Michael Snell

**Survey Date:** 01/01/1980

#### **IMAGES & DOCUMENTS**







Mine Creek Bridge. 2009.

Mine Creek Bridge. 2009.

**United States Department of the Interior National Park Service** 

# National Register of Historic Places Inventory—Nomination Form

For NPS use only
received
date entered

See instructions in How to Complete National Register Forms
Type all entries—complete applicable sections

1. Nam	le			202020
historic Min	e Creek Bridge			
ind/or common	Mine Creek Bridge			
2. Loca	ation			
street & number	6 miles east and	.5 miles south of	Mound City	N/A not for publication
city, town Mou	nd City	_x_ vicinity of	-00mg. Solichel district	Et
state Kansas	code	20 county	Linn	code 107
3. Cl <u>as</u>	sification			
Category district building(s) _X_ structure site object	Ownership  X public private both Public Acquisition in process being considered N/A	Status occupied unoccupied work in progress Accessible yes: restricted x yes: unrestricted no	Present Use agriculture commercial educational entertainment government industrial military	museum park private residence religious scientific transportation other:
4. Own	er of Proper	ty		
name Linn C	ounty			-
street & number	Courthouse			
city, town Moun	d City	N <b>/A</b> _ vicinity of	sta	te Kansas
5. Loca	ation of Lega	al Descripti	on	
courthouse, regi	stry of deeds, etc. Registe	ar of Doods		
street & number	Linn County Courth			
city, town Moun	•	10450	sta	te Kansas
	resentation	in Existing		Kansas
Invento	ry of Marsh Arch Bri	ldges		l eligible?yes _X_no
Adilada	Department of Transı	ortation mod mod p.		
date 1980		-		state county loca
depository for su	urvey records Kansas St	ate Historical Soc	ciety	
city, town Top	eka		sta	te Kansas

# 7. Description

Condition		Check one	Check one	
excellent	deteriorated	unaltered	_X_ original site	
X_ good fair	ruins unexposed	_x_ altered	moved date	

# Describe the present and original (if known) physical appearance

The Mine Creek bridge east of Mound City is a 110 foot long reinforced concrete "rainbow arch" (or "Marsh arch"). It spans Mine Creek on old highway 69 about one mile east of new 69. The structure's 20 foot wide roadway has been periodically resurfaced but this has not significantly compromised its integrity. Marsh's plans allowed for whatever filling material, between the bridge deck curbs, that locality might desire. The bridge's arches show evidence of the removal of the thru struts.

The bridge's footings lie approximately 22 feet below grade and the low water level is approximately 16 feet below grade.

The best description of a rainbow arch span is contained in James Marsh's 1911 patent application. The bridge consists of ". . . two abutments (which could be piers), a pair of arches disposed between and springing from the abutments, the floor carried by and between the arches and reaching from one abutment to the other where it alines with the parapets or rails along opposite sides of the floor line." The original patents called for slideable wear plates to be moulded into the concrete where the bridge floor came into contact with the beams and abutments. This is of importance as one of the main benefits of this design was to allow for the expansion and contraction of the reinforced concrete bridge under varying conditions of temperature and moisture.

There were two basic rainbow arch designs, fixed and tied. The original patent application describes the fixed type such as the Mine Creek bridge, in which case the arch flowed below the bridge deck and was "fixed" directly into the abutment. This massive abutment (or pier) resisted both the horizontal and the vertical thrust of the arch. In a tied design the arch did not flow below the deck line and was not fixed directly into the abutment. It was secured atop the abutment or pier by the use of steel rocker or expansion rocker bearings. Vertical thrust was resisted by the pier and bearing, while horizontal thrust was resisted by the addition of a lower chord.

# 8. Significance

Period prehistoric 1400–1499 1500–1599 1600–1699 1700–1799 1800–1899 1900–	Areas of Significance—C  archeology-prehistoric  archeology-historic  agriculture  architecture  art  commerce  communications		landscape architecture law literature military music philosophy politics/government	religion science sculpture social/ humanitarian theater x transportation other (specify)
Specific dates	1927	Builder/Architect James	s B. Marsh, Engineer	

Statement of Significance (in one paragraph)

The Mine Creek bridge east of Mound City, Kansas retains its integrity of location, design, setting, material, feeling, and association. It is associated with the life of James B. Marsh, pioneer in steel and concrete bridge construction. It embodies the distinctive characteristics of a type and method of construction that is no longer used and, as such, may yield information important to the history of engineering. Although 72 rainbow arches are known to exist in Kansas they are quickly becoming an endangered species due to the ever-changing needs of modern transportation. The Mine Creek bridge, however, has a good chance for survival as the construction of new highway 69 has rerouted much of the bridge's original traffic.

James Barney Marsh was born in 1856 at North Lake, Wisconsin. He went to Iowa at the age of 18 to enter preparatory school at Fredericksburg. Marsh graduated in 1882 from Iowa State College of Agriculture and Mechanical Arts in Ames, with a B.M.E. degree. In March of 1883 he began his professional career in the Des Moines office of the King Bridge Company of Cleveland, Ohio. With King, Marsh was involved in the design, sales and actual erection of metal bridges. While he continued to work with the King Company, he also became head of the Northern Agency for the Kansas City Bridge and Iron Company. In this capacity, he both designed and superintended the actual construction work done by the company. By March of 1889, Marsh had become general western agent and contracting engineer for the King Bridge Company and was placed in charge of the general western office in Des Moines. In the spring of 1896, he formed his own company, the Marsh Bridge Company, and was its sole proprietor. In private practice as a contracting engineer, Marsh was able to more fully develop his own designs. He also constructed the designs he developed, usually using steel as a medium. At the turn of the century, Marsh initiated the use of both concrete and steel in his bridge design. In April of 1904, the Marsh Bridge Company was reorganized as the Marsh Engineering Company.

It was not until the introduction of the "rainbow arch" by Marsh, that Kansas made widespread use of reinforced concrete spans for major stream crossings. Marsh canvassed the midwest, selling his arches in direct competition with the steel trusses at that time.

Bids for 21 miles of paying on the Short Line highway (old 69) were opened on March 31, 1927. This paying project included the building of four bridges for which the Maxwell Construction Company received the contracts for a total bid of \$36,484. Among these bridges was the Mine Creek rainbow arch which made up nearly half of the total with a cost of \$15,037.60.

# UNITED STATES DEPARTMENT OF THE INTERIOR NATIONAL PARK SERVICE

FOR NPS USE ONLY
RECEIVED
DATE ENTERED

# NATIONAL REGISTER OF HISTORIC PLACES INVENTORY -- NOMINATION FORM

CONTINUATION SHEET

ITEM NUMBER 8 PAGE

## 8. Significance

Maxwell began work almost immediately and by June 9, 1927 the Pleasanton Observer-Enterprise reported the Mine Creek bridge to be "progressing in fine shape." All of the footings had been completed and work on the piers had begun.

On August 4, 1927 the Observer-Enterprise wrote:

"The rainbow arch bridge over Mine Creek is receiving the praise of all those who have viewed it, although only the steel arches are in place, a mere skeleton of the beautiful bridge that will soon span the creek."

Progress continued and by September 15, 1927, all of the bridges were completed with the exception of the Mine Creek bridge which still lacked its flooring.

The bridge was completed on October 9, 1927 and the <u>Observer-Enterprise</u> reported that it "presents a most pleasing appearance as it stands, solidly rooted in the banks of the stream with its massive light gray arches rising above the trafficway."

#### 9. Bibliography

- "Paving Contracts to be Let in March," Pleasanton Observer-Enterprise, January 20, 1927,
- "Commissioners to Advertise for Bids," Pleasanton Observer-Enterprise, March 3, 1927, p. 1, c. 1.
- "Notice to Bridge Contractors," Mound City Republican, March 3, 1927, p. 4, c. 2.
- "Post Mortem of Paving Contracts," Pleasanton Observer-Enterprise, April 7, 1927,
  - p. 1, c. 1.
- "Contracts for 21 Miles Let at Cost of \$575,965.23," Mound City Republican, April 7, 1927, p. 1, c. 1.
- "Pleasanton Soon to be 'Up-Town' City," Pleasanton Observer-Enterprise, June 9, 1927,
- p. 1, c. 1.
  "Bridge Work Goes Along Nicely," Pleasanton Observer-Enterprise, August 4, 1927, p. 1, c. 2.
- "Maxwell Complete Bridge," Pleasanton Observer-Enterprise, August 18, 1927, p. 1, c. 5.
- "Work on Roads Progressing Fast," Pleasanton Observer-Enterprise, September 15, 1927,
- p. 1, c. 3.
  "Paving Through County Nears Completion," Pleasanton Observer-Enterprise, September 22, 1927,
- p. 1, c. 6.
  "A Dream About to Become a Reality," Pleasanton Observer-Enterprise, October 13, 1927, p. 1, c. 1.
- Nichols, C.S., Comp. <u>Directory of Graduates of Division of Engineering</u>, Iowa State College of Agriculture and Mechanical Arts, Ames, Iowa.

The Alumnus of Iowa State. Alumni Association of Iowa State College, Ames. Volume XXXII, #1, July 1936.

Form: No. 10-300a they 10-741

UNITED STATES DEPARTMENT OF THE INTERIOR NATIONAL PARK SERVICE

FOR NPS USE ONLY

RECEIVED

# NATIONAL REGISTER OF HISTORIC PLACES INVENTORY -- NOMINATION FORM

DATE ENTERED

CONTINUATION SHEET

ITEM NUMBER

PAGE 2

# 9. Bibliography continued


Marsh, James B., <u>Specification of Letters Patent</u>, Number 1,035,026, patented August 6, 1912, United States Patent Office, Washington, D.C.

Plans and files. Design Department, Kansas Department of Transportation, Topeka, Kansas Microfilm Roll #26, frame 514+.

# 9. Major Bibliographical References


See Continuation Sheet, Item #9.

10. Geographi	cal Data		
Acreage of nominated property Quadrangle_namePleasant JMT References			Quadrangle scale 1:24,000
	2 2 2 6 4 0 orthing	B Zone	Easting Northing
		D	
		F L	
		н 🔃	
erbal boundary description	and justification		
nat property on and over ount City, Kansas. S7,	which the brid T22S, R25E. Inc	ge is built, 6 ludes bridge s	miles east and .5 miles south of uperstructure plus supporting abutme
ist all states and counties fo	or properties overl	apping state or c	ounty boundaries
tate N/A	code	county	code
ate	code	county	code
1. Form Prep	ared Rw		
rganization Kansas State H treet & number 10th and Jac			elephone (012) 200 2072
	eson streets	16	elephone (913) 296-2973
ity or town Topeka			tate Kansas
<b>12. State Histo</b>	oric Prese	ervation	Officer Certification
he evaluated significance of this	property within the s	state is:	
national	_X state	local	
	erty for inclusion in th	ne National Register	oric Preservation Act of 1966 (Public Law 89– r and certify that it has been evaluated rvice.
tate Historic Preservation Office	rsignature		
tle			date
For NPS use only	Track was very		
I hereby certify that this pro	perty is included in if	ne National Register	
	produce and		date
Keeper of the National Register	ər		
Attest:			date
Chief of Registration			may are roughly like the property of the section of



The following photographs were taken by Larry Jochims and Michael Snell on March 17, 1982 east of Mound City, Kansas. Photograph negatives are located at the Kansas State Historical Society, Topeka, Kansas.

Mine Creek Bridge From original Plans.





Mine Creek Bridge West side looking southeast.

Mine Creek Bridge South approach looking north.






Mine Creek Bridge North approach looking south.



Mine Creek Bridge West side looking northeast.

Mine Creek Bridge East arch looking northeast.





Mine Creek Bridge East side of north approach looking west showing old abutment.



Mine Creek Bridge West arch looking northwest.



Mine Creek Bridge West arch looking west. Evidence of overhead thru strut removal.

