## HistoricBridges.org - National Bridge Inventory Data Sheet

The National Bridge Inventory contains data submitted by state transportion departments to the Federal Highway Administration in coded format.

Form Interface Design: www.historicbridges.org. Data Conversion Assistance By www.bridgehunter.com. None of the involved parties make any guarantee of accuracy.

Basic Informa	nation										29-43-39.36 =	090-35-55.68
Louisiana [22] Lafourche Parish [057]			Raceland	Raceland [63155] .01 MI EAST OF LA 1					29.727600	= -90.598800		
22900050700011 Highway agency district: 2			Owner	Owner State Highway Agency [01]			Maintena	nce respons	sibility	State Highway Age	ncy [01]	
Route 182 LA0182					Toll On free road [3] Features intersected BAYOU LA			YOU LAF	OURCHE			
		Design - approach Steel [3]		Madii baaya ay sinday [02]		1936	km = 2.0 mi	i r reconstruct	ted 1956			
		0 5	Stringer/Multi-beam or girder [02]		Skew angle	Skew angle 0 Structure Flared  Bridge is eligible for the NRHP. [2]						
Total length 73.2 m = 240.2 ft Length of maximum span 21.6 m = 70.9 ft Deck width, out-to-out 10.9 m = 35.8 ft Bridge roadway width, curb-to-curb 7.3 m = 24.0 ft												
Inventory Route, Total Horizontal Clearance 7.3 m = 24.0 ft Curb or sidewalk width - left 1.5 m = 4.9 ft Curb or sidewalk width - right							1.5 m = 4.9 ft					
Deck structure	re type	Op	en Grating [3]									
Type of wearing	ing surface											
Deck protection												
Type of membrane/wearing surface												
Weight Limits	ts											
Bypass, detour length Method to determine inventory rating			ting Allo	Allowable Stress(AS) [2] In			ntory rating	27.2 m	etric ton =	= 29.9 tons		
0.2 km = 0.1 mi  Method to determine operating rating			ting Allo	Allowable Stress(AS) [2]			rating rating	g 38.1 m	etric ton =	41.9 tons		
	В	Bridge posting (	00.1 - 09.9 %	below [4]			Des	ign Load	M 13.5 / H 1	15 [2]		

Functional Details							
Average Daily Traffic 7800 Average daily t	ruck traffi 13 % Year 2016 Fu	uture average daily traffic	11700 Year 2036				
Road classification Collector (Urban) [17]	Lanes on structure 2		Approach roadway width 12.5 m = 41.0 ft				
Type of service on bridge Highway [1]	Direction of traffic 2 - way to	traffic [2]	Bridge median				
Parallel structure designation No parallel structu	re exists. [N]						
Type of service under bridge Waterway [5]	Lanes under structure 0	Navigation control	Navigation control on waterway (bridge permit required). [1]				
Navigation vertical clearance 17.4 m = 57.1 ft Navigation horizontal clearance 18.9 m = 62.0 ft							
Minimum navigation vertical clearance, vertical lift br	dge 8 m = 26.2 ft	Minimum vertical clear	ance over bridge roadway 5.18 m = 17.0 ft				
Minimum lateral underclearance reference feature F	eature not a highway or railroad [N]						
Minimum lateral underclearance on right 0 = N/A		Minimum lateral underclearance on left 0 = N/A					
Minimum Vertical Underclearance 0 = N/A	Minimum Vertical Underclearance   0 = N/A   Minimum vertical underclearance reference feature   Feature not a highway or railroad [N]						
Appraisal ratings - underclearances N/A [N]							
Repair and Replacement Plans							
Type of work to be performed							
Replacement of bridge or other structure because of	3						
substandard load carrying capacity or substantial	Bridge improvement cost 702000		provement cost				
bridge roadway geometry. [31]	Length of structure improvement	82.3 m = 270.0 ft	Total project cost 1053000				
	Year of improvement cost estimate	2016					
	Border bridge - state	Bo	order bridge - percent responsibility of other state				
	Border bridge - structure number						

Inspection and Sufficiency									
Structure status Posted for lo	ad [P]	Appraisal ratings - structural	Somewhat better than minimum adequacy to tolerate being left in place as is [5]						
Condition ratings - superstructure	Fair [5]	Appraisal ratings - roadway alignment	Equal to present desirable criteria [8]						
Condition ratings - substructure	Satisfactory [6]	Appraisal ratings -	Basically intolerable requiring high priority of replacement [2]						
Condition ratings - deck	Satisfactory [6]	deck geometry							
Scour	Bridge foundations determine	d to be stable for the asse	sessed or calculated scour condition. [8]						
Channel and channel protection	Bank protection is in need of Banks and/or channel have m	Bank protection is in need of minor repairs. River control devices and embankment protection have a little minor damage.  Banks and/or channel have minor amounts of drift. [7]							
Appraisal ratings - water adequac	y Better than present minimum	criteria [7]	Status evaluation Functionally obsolete [2]						
Pier or abutment protection	In place but in a deteriorated	condition [3]	Sufficiency rating 56.9						
Culverts Not applicable. Used	if structure is not a culvert. [N]								
Traffic safety features - railings									
Traffic safety features - transition	S								
Traffic safety features - approach	n guardrail								
Traffic safety features - approach	guardrail ends								
Inspection date December 20	Designated inspe	ection frequency 24	4 Months						
Underwater inspection	Not needed [N]	Underwater inspec	ection date						
Fracture critical inspection	Every two years [Y24]	Fracture critical ins	nspection date December 2017 [1217]						
Other special inspection	Every year [Y12]	Other special inspe	pection date December 2018 [1218]						