

The National Bridge Inventory contains data submitted by state transportation departments to the Federal Highway Administration in coded format.
 Form Interface Design: www.historicbridges.org. Data Conversion Assistance By www.bridgehunter.com. None of the involved parties make any guarantee of accuracy.

Basic Information

Maine [23] Cumberland County [005] Naples [48085] TOWNLINE 43-57-33 = 43.959167 070-33-59 = - 70.566389

0187 Highway agency district 1 Owner Town or Township Highway Agency [03] Maintenance responsibility Town or Township Highway Agency [03]

Route 0 OLD RTE. 302 Toll On free road [3] Features intersected CROOKED RIVER

Design - main Concrete [1] Design - approach Other [00] Kilometerpoint 38.6 km = 23.9 mi

2 Tee beam [04] 0 Other [00] Year built 1922 Year reconstructed N/A [0000]

Skew angle 0 Structure Flared

Historical significance Bridge is not eligible for the NRHP. [5]

Total length 33.2 m = 108.9 ft Length of maximum span 15.2 m = 49.9 ft Deck width, out-to-out 7 m = 23.0 ft Bridge roadway width, curb-to-curb 6.1 m = 20.0 ft

Inventory Route, Total Horizontal Clearance 6.1 m = 20.0 ft Curb or sidewalk width - left 0.2 m = 0.7 ft Curb or sidewalk width - right 0.2 m = 0.7 ft

Deck structure type Concrete Cast-in-Place [1]

Type of wearing surface Bituminous [6]

Deck protection

Type of membrane/wearing surface

Weight Limits

Bypass, detour length 0.2 km = 0.1 mi Method to determine inventory rating Allowable Stress(AS) [2] Inventory rating 64.4 metric ton = 70.8 tons

Method to determine operating rating Allowable Stress(AS) [2] Operating rating 89.8 metric ton = 98.8 tons

Bridge posting Design Load M 18 / H 20 [4]

Functional Details

Average Daily Traffic Average daily truck traffi % Year Future average daily traffic Year

Road classification Lanes on structure Approach roadway width

Type of service on bridge Direction of traffic Bridge median

Parallel structure designation

Type of service under bridge Lanes under structure Navigation control

Navigation vertical clearanc Navigation horizontal clearance

Minimum navigation vertical clearance, vertical lift bridge Minimum vertical clearance over bridge roadway

Minimum lateral underclearance reference feature

Minimum lateral underclearance on right Minimum lateral underclearance on left

Minimum Vertical Underclearance Minimum vertical underclearance reference feature

Appraisal ratings - underclearances

Repair and Replacement Plans

Type of work to be performed

Work done by

Bridge improvement cost Roadway improvement cost

Length of structure improvement Total project cost

Year of improvement cost estimate

Border bridge - state Border bridge - percent responsibility of other state

Border bridge - structure number

Inspection and Sufficiency

Structure status

Bridge closed to all traffic [K]

Appraisal ratings -
structural

Meets minimum tolerable limits to be left in place as is [4]

Condition ratings - superstructure

Poor [4]

Appraisal ratings -
roadway alignment

Equal to present desirable criteria [8]

Condition ratings - substructure

Poor [4]

Appraisal ratings -
deck geometry

Somewhat better than minimum adequacy to tolerate being left in place as is [5]

Condition ratings - deck

Poor [4]

Scour

Bridge is scour critical; bridge foundations determined to be unstable. [3]

Channel and channel protection

The channel has changed to the extent the bridge is near a state of collapse. [2]

Appraisal ratings - water adequacy

Superior to present desirable criteria [9]

Status evaluation

Structurally deficient [1]

Pier or abutment protection

Sufficiency rating

66

Culverts

Not applicable. Used if structure is not a culvert. [N]

Traffic safety features - railings

Traffic safety features - transitions

Traffic safety features - approach guardrail

Traffic safety features - approach guardrail ends

Inspection date

April 2009 [0409]

Designated inspection frequency

24

Months

Underwater inspection

Not needed [N]

Underwater inspection date

Fracture critical inspection

Not needed [N]

Fracture critical inspection date

Other special inspection

Not needed [N]

Other special inspection date