HistoricBridges.org - National Bridge Inventory Data Sheet

2010 Inventory

The National Bridge Inventory contains data submitted by state transportion departments to the Federal Highway Administration in coded format. Form Interface Design: www.historicbridges.org. Data Conversion Assistance By www.bridgehunter.com. None of the involved parties make any guarantee of accuracy.

Basic Information Michigan [26]	Wayne County [163]	Dearborn [21000]	IN DEARBORN	42-19-20 = 083-09-49 = - 42.322222 83.163611	
82182022000X060	Highway agency district:	Owner	Maintenance responsibility		
Route 94	CONRAIL(ABN C&O RR	Toll On fre	e road [3] Features intersected I-94		
Design - mainSteel [3]Girder and	floorbeam system [03]		Kilometerpoint3576.9 km = 2217.7 miYear built1943Year reconstructedSkew angleStructure FlaredHistorical significance		
Total length 71 m = 2	233.0 ft Length of maximum spa	n 17.9 m = 58.7 ft	Deck width, out-to-out Bridge roa	adway width, curb-to-curb	
Inventory Route, Total Horizontal Clearance 15.7 m = 51.5 ft Curb or sidewalk width - left Curb or sidewalk width - right Deck structure type Type of wearing surface Deck protection Type of membrane/wearing surface					
Weight Limits Bypass, detour length 0 km = 0.0 mi	 Method to determine inventory rating Method to determine operating rating Bridge posting 		Inventory rating Operating rating Design Load		

Functional Details	
Average Daily Traffic 98308 Ave	erage daily truck traffi 15 % Year 2007 Future average daily traffic Year
Road classification Principal Arterial -	Interstate (Urban) [11] Lanes on structure 0 Approach roadway width
Type of service on bridge	Direction of traffic 2 - way traffic [2] Bridge median
Parallel structure designation No particular	rallel structure exists. [N]
Type of service under bridge Highway,	with or without ped Lanes under structure 6 Navigation control
Navigation vertical clearanc	Navigation horizontal clearance
Minimum navigation vertical clearance, v	vertical lift bridge Minimum vertical clearance over bridge roadway
Minimum lateral underclearance reference	ce feature
Minimum lateral underclearance on right	Minimum lateral underclearance on left
Minimum Vertical Underclearance	Minimum vertical underclearance reference feature
Appraisal ratings - underclearances	
Densir and Denlacement Diana	
Repair and Replacement Plans	
Type of work to be performed	Work done by
	Bridge improvement cost Roadway improvement cost
	Length of structure improvement Total project cost
	Year of improvement cost estimate
	Border bridge - state Border bridge - percent responsibility of other state
	Border bridge - structure number

Inspection and Sufficiency	
Structure status	Appraisal ratings - structural
Condition ratings - superstructure	Appraisal ratings - roadway alignment
Condition ratings - substructure	Appraisal ratings -
Condition ratings - deck	deck geometry
Scour	
Channel and channel protection	
Appraisal ratings - water adequacy	Status evaluation
Pier or abutment protection	Sufficiency rating
Culverts	
Traffic safety features - railings	
Traffic safety features - transitions	
Traffic safety features - approach guardr	ail
Traffic safety features - approach guardr	ail ends
Inspection date	Designated inspection frequency Months
Underwater inspection	Underwater inspection date
Fracture critical inspection	Fracture critical inspection date
Other special inspection	Other special inspection date