

The National Bridge Inventory contains data submitted by state transportation departments to the Federal Highway Administration in coded format.
 Form Interface Design: www.historicbridges.org. Data Conversion Assistance By www.bridgehunter.com. None of the involved parties make any guarantee of accuracy.

Basic Information

Michigan [26] Genesee County [049] Burton [12060] BET DORT & CENTER RD 42-57-37 = 42.960278 083-38-36 = 83.643333

254101300032B01 Highway agency district 4 Owner City or Municipal Highway Agency [04] Maintenance responsibility City or Municipal Highway Agency [04]

Route 2002 MAPLE AVE Toll On free road [3] Features intersected THREAD RIVER

Design - main Steel [3] Design - approach Other [00] Kilometerpoint 768.1 km = 476.2 mi

1 Stringer/Multi-beam or girder [02] 0 Other [00] Year built 1929 Year reconstructed N/A [0000]

Skew angle 0 Structure Flared

Historical significance Bridge is not eligible for the NRHP. [5]

Total length 13.7 m = 44.9 ft Length of maximum span 13.4 m = 44.0 ft Deck width, out-to-out 10.8 m = 35.4 ft Bridge roadway width, curb-to-curb 9.1 m = 29.9 ft

Inventory Route, Total Horizontal Clearance 9.1 m = 29.9 ft Curb or sidewalk width - left 0.4 m = 1.3 ft Curb or sidewalk width - right 0.4 m = 1.3 ft

Deck structure type Concrete Cast-in-Place [1]

Type of wearing surface Bituminous [6]

Deck protection

Type of membrane/wearing surface

Weight Limits

Bypass, detour length 0.6 km = 0.4 mi Method to determine inventory rating Load Factor(LF) [1] Inventory rating 8.3 metric ton = 9.1 tons

Method to determine operating rating Load Factor(LF) [1] Operating rating 12.8 metric ton = 14.1 tons

Bridge posting Design Load MS 18 / HS 20 [5]

Functional Details

Average Daily Traffic	9214	Average daily truck traffi	5	%	Year	2006	Future average daily traffic	13692	Year	2026
Road classification	Minor Arterial (Urban) [16]		Lanes on structure	2		Approach roadway width	11.9 m = 39.0 ft			
Type of service on bridge	Highway [1]		Direction of traffic	2 - way traffic [2]		Bridge median				
Parallel structure designation	No parallel structure exists. [N]									
Type of service under bridge	Waterway [5]		Lanes under structure	0		Navigation control				
Navigation vertical clearanc	0 = N/A		Navigation horizontal clearance	0 = N/A						
Minimum navigation vertical clearance, vertical lift bridge			Minimum vertical clearance over bridge roadway	99.99 m = 328.1 ft						
Minimum lateral underclearance reference feature	Feature not a highway or railroad [N]									
Minimum lateral underclearance on right	99.9 = Unlimited				Minimum lateral underclearance on left	0 = N/A				
Minimum Vertical Underclearance	0 = N/A		Minimum vertical underclearance reference feature	Feature not a highway or railroad [N]						
Appraisal ratings - underclearances	N/A [N]									

Repair and Replacement Plans

Type of work to be performed	Work done by	Work to be done by contract [1]								
Replacement of bridge or other structure because of substandard load carrying capacity or substantial bridge roadway geometry. [31]	Bridge improvement cost	730000	Roadway improvement cost	160000						
	Length of structure improvement	22.6 m = 74.2 ft		Total project cost	570000					
	Year of improvement cost estimate	2007								
	Border bridge - state				Border bridge - percent responsibility of other state					
	Border bridge - structure number									

Inspection and Sufficiency

Structure status	<input type="text" value="Posted for load [P]"/>	Appraisal ratings - structural	<input type="text" value="Basically intolerable requiring high priority of replacement [2]"/>
Condition ratings - superstructure	<input type="text" value="Critical [2]"/>	Appraisal ratings - roadway alignment	<input type="text" value="Better than present minimum criteria [7]"/>
Condition ratings - substructure	<input type="text" value="Satisfactory [6]"/>	Appraisal ratings - deck geometry	<input type="text" value="Basically intolerable requiring high priority of corrective action [3]"/>
Condition ratings - deck	<input type="text" value="Poor [4]"/>		
Scour	<input type="text" value="Scour calculation/evaluation has not been made. [6]"/>		
Channel and channel protection	<input type="text" value="Bank is beginning to slump. River control devices and embankment protection have widespread minor damage. There is minor stream bed movement evident. Debris is restricting the channel slightly. [6]"/>		
Appraisal ratings - water adequacy	<input type="text" value="Better than present minimum criteria [7]"/>	Status evaluation	<input type="text" value="Structurally deficient [1]"/>
Pier or abutment protection	<input type="text"/>	Sufficiency rating	<input type="text" value="4"/>
Culverts	<input type="text" value="Not applicable. Used if structure is not a culvert. [N]"/>		
Traffic safety features - railings	<input type="text" value="Inspected feature meets currently acceptable standards. [1]"/>		
Traffic safety features - transitions	<input type="text" value="Inspected feature meets currently acceptable standards. [1]"/>		
Traffic safety features - approach guardrail	<input type="text" value="Inspected feature meets currently acceptable standards. [1]"/>		
Traffic safety features - approach guardrail ends	<input type="text" value="Inspected feature meets currently acceptable standards. [1]"/>		
Inspection date	<input type="text" value="August 2009 [0809]"/>	Designated inspection frequency	<input type="text" value="12"/> Months
Underwater inspection	<input type="text" value="Not needed [N]"/>	Underwater inspection date	<input type="text"/>
Fracture critical inspection	<input type="text" value="Not needed [N]"/>	Fracture critical inspection date	<input type="text"/>
Other special inspection	<input type="text" value="Not needed [N]"/>	Other special inspection date	<input type="text"/>