## HistoricBridges.org - National Bridge Inventory Data Sheet

2010 Inventory

The National Bridge Inventory contains data submitted by state transportion departments to the Federal Highway Administration in coded format.

Form Interface Design: www.historicbridges.org. Data Conversion Assistance By www.bridgehunter.com. None of the involved parties make any guarantee of accuracy.

Basic Information							42-43-09 =	084-32-17 = -
Michigan [26] Ingham County [065]		Lansing [460	Lansing [46000] IN THE CITY OF LANSING		42.719167	84.538056		
334385000145X01 Highway agency district		Owner	Owner Maintenance responsibility					
Route 2003	GRAN	ID TRUNK RR		Toll On free road [3]	Featu	res intersected PENNSYLV	'ANIA AVE	
Design - Steel [3] main Stringer/Mu	ılti-beam or girder [02]	Design - approach		Kilometerp Year built Skew angl Historical s	1928	m = 401.8 mi  Year reconstructed  Structure Flared		
Total length 20.1 m =	= 65.9 ft Len	gth of maximum sp	an 10 m = 32.8		th, out-to-out	Bridge road	dway width, curb-to-c	urb
Inventory Route, Total Horizontal Clearance 7.5 m = 24.6 ft  Deck structure type		Curb or sidewalk width - left		Curb or side	ewalk width - right			
Type of wearing surfact  Deck protection	ce							
Type of membrane/we	earing surface							
Weight Limits								
Bypass, detour length Method to determine inventory rating					Invento	ry rating		
0.3 km = 0.2 mi  Method to determine operating rating  Bridge posting					Operati	ng rating		
					Design	Load		

Functional Details								
Average Daily Traffic 25916 Average daily tr	uck traffi  % Year 1979 Future average daily traff	ic Year						
Road classification Minor Arterial (Urban) [16]	Approach roadway width							
Type of service on bridge Railroad [2]	Direction of traffic 2 - way traffic [2]	Bridge median						
Parallel structure designation No parallel structure	e exists. [N]							
Type of service under bridge Highway, with or without	ut ped Lanes under structure 4 Navigation control							
Navigation vertical clearanc Navigation horizontal clearance								
Minimum navigation vertical clearance, vertical lift bridge  Minimum vertical clearance over bridge roadway								
Minimum lateral underclearance reference feature								
Minimum lateral underclearance on right	Minimum lateral under	rclearance on left						
Minimum Vertical Underclearance	Minimum vertical underclearance reference	feature						
Appraisal ratings - underclearances								
Dancis and Danla compart Dlana								
Repair and Replacement Plans	Wadi daga hii							
Type of work to be performed	Work done by							
	Bridge improvement cost Roadway	improvement cost						
	Length of structure improvement	Total project cost						
	Year of improvement cost estimate							
	Border bridge - state	Border bridge - percent responsibility of other state						
	Border bridge - structure number							

Inspection and Sufficiency								
Structure status	Appraisal ratings - structural							
	Appraisal ratings -							
Condition ratings - superstructur	roadway alignment							
Condition ratings - substructure	Appraisal ratings -							
Condition ratings - deck	deck geometry deck geometry							
Scour								
Channel and channel protection								
F								
Appraisal ratings - water adequacy	Status evaluation							
	Status evaluation							
Pier or abutment protection	Sufficiency rating							
Culverts								
Traffic safety features - railings								
Traffic safety features - transitions								
Traffic safety features - approach guardrail								
Traffic safety features - approach guardrail ends								
Inspection date	Designated inspection frequency Months							
Underwater inspection	Underwater inspection date							
Fracture critical inspection	Fracture critical inspection date							
Other special inspection Other special inspection date								