HistoricBridges.org - National Bridge Inventory Data Sheet

2009 Inventory

The National Bridge Inventory contains data submitted by state transportion departments to the Federal Highway Administration in coded format.

Form Interface Design: www.historicbridges.org. Data Conversion Assistance By www.bridgehunter.com. None of the involved parties make any guarantee of accuracy.

Basic Information							43-13-00 =	086-15-34 = -
Michigan [26] Muskegon County [121]		1]	Mills [54320]	IN MUSKEGO	l (I-96 BS)		43.216667	86.259444
61161151000X020 Highway agency district:		Owner	Maintenance responsibility		responsibility			
Route 96	CSX RF	?	To	On free road [3]	Features intersected	ed I-96 BS		
Design - Main Steel [3] Girder and floorbeam system [03]		Design - approach		Kilometerpoint Year built 19		onstructed		
				Skew angle Historical signi				
Total length 63.7 m	= 209.0 ft Lengt	th of maximum spar	n 32 m = 105.0 f	ft Deck width, o	ut-to-out	Bridge roadwa	y width, curb-to-cu	urb
Inventory Route, Total Horizontal Clearance 15.3 m = 50.2 ft			Curb or s	idewalk width - left		Curb or sidewa	lk width - right	
Deck structure type								
Type of wearing surfa	ce							
Deck protection								
Type of membrane/we	earing surface							
Weight Limits								
Bypass, detour length Method to determine inventory rating					Inventory rating			
0.3 km = 0.2 mi Method to determine operating rating Bridge posting					Operating rating			
					Design Load			

Functional Details								
Average Daily Traffic 19188 Average daily tr	uck traffi 4 % Year 2007 Future average daily traffi	ic Year						
Road classification Other Principal Arterial (Urban)	Approach roadway width							
Type of service on bridge Railroad [2]	Bridge median							
Parallel structure designation No parallel structure	e exists. [N]							
Type of service under bridge Highway, with or without ped Lanes under structure 4 Navigation control								
Navigation vertical clearanc Navigation horizontal clearance								
Minimum navigation vertical clearance, vertical lift bridge Minimum vertical clearance over bridge roadway								
Minimum lateral underclearance reference feature								
Minimum lateral underclearance on right	Minimum lateral under	rclearance on left						
Minimum Vertical Underclearance Minimum vertical underclearance reference feature								
Appraisal ratings - underclearances								
Donois and Donlogoment Dlane								
Repair and Replacement Plans Tune of work to be performed.	Work done by							
Type of work to be performed	Work done by							
	Bridge improvement cost Roadway	improvement cost						
	Length of structure improvement	Total project cost						
	Year of improvement cost estimate							
	Border bridge - state	Border bridge - percent responsibility of other state						
	Border bridge - structure number							

Inspection and Sufficiency							
Structure status	Appraisal ratings - structural						
	Appraisal ratings -						
Condition ratings - superstructure	roadway alignment						
Condition ratings - substructure	Appraisal ratings -						
Condition ratings - deck	deck geometry						
Scour							
Channel and channel protection							
'							
Appraisal ratings - water adequacy	Status evaluation						
Pier or abutment protection	Sufficiency rating						
Culverts							
Traffic safety features - railings							
Traffic safety features - transitions							
Traffic safety features - approach guardrail							
Traffic safety features - approach guardrail ends							
Inspection date	Designated inspection frequency Months						
Underwater inspection	Underwater inspection date						
Fracture critical inspection	Fracture critical inspection date						
Other special inspection Other special inspection date							