## HistoricBridges.org - National Bridge Inventory Data Sheet

The National Bridge Inventory contains data submitted by state transportion departments to the Federal Highway Administration in coded format.

Form Interface Design: www.historicbridges.org. Data Conversion Assistance By www.bridgehunter.com. None of the involved parties make any guarantee of accuracy.

Basic Info	ormation											
Missouri [29]		Perry County [157]			Bois Bru	Bois Brule [06886] S 116 T 36 N		I R 11 E	11 E		37-48-51.94 =	3 089-47-46.81 = -8
13199			Highway agency district: 7			Owner County Highway Agency [02]			Maintenance	responsibility	County Highway A	Agency [02]
Route 31			COUNTY RD 212			Toll On free road [3]		Fea	atures intersec	ted DIVERSIO	N CHANNEL	
Design - Steel [3] main  1 Truss - Thru		ru [10]		approach	Steel [3] Stringer/Multi-be	eam or girder [02]		nt 305. 1930	8 km = 189.6 r Year red Structure Fl	onstructed N/A	<b>1</b> [0000]	
							nificance	Bridge is	not eligible for	the NRHP. [5]		
Total leng	th 30.5 m	= 100.	1 ft	Length of maxim	um span 18.3 m	= 60.0 ft	Deck width	, out-to-out	4.4 m = 14.4	ft Bridge roa	ndway width, curb-to-	curb 4.1 m = 13.5 ft
Inventory Route, Total Horizontal Clearance 4.1 m = 13.5			5 ft Cı	urb or sidewalk wi	idth - left 0	m = 0.0  ft		Curb or sid	lewalk width - right	0  m = 0.0  ft		
Deck struc	cture type			Wood or Timbe	r [8]							
Type of wearing surface Wood or Timber [7]				r [7]								
Deck protection												
Type of m	embrane/we	earing	surface									
Weight Li	mits											
1 3 km - 0.8 mi			Method to determine inventory rating					Inve	ntory rating	5.4 metric ton =	= 5.9 tons	
			ermine operating rating				Ope	erating rating 11.7 metric ton = 12.9 tons				
Bridge posting							Desi	ign Load M 9	/ H 10 [1]			

Functional Details							
Average Daily Traffic 15 Average daily tr	uck traffi 10 % Year 2017 Future average daily traffic 20 Year 2037						
Road classification Local (Rural) [09]	Lanes on structure 1 Approach roadway width 4.3 m = 14.1 ft						
Type of service on bridge Highway [1]	Direction of traffic One lane bridge for 2 - way traffic [3]  Bridge median						
Parallel structure designation No parallel structure	e exists. [N]						
Type of service under bridge Waterway [5]	Lanes under structure 0 Navigation control						
Navigation vertical clearanc 0 = N/A	Navigation horizontal clearance 0 = N/A						
Minimum navigation vertical clearance, vertical lift bri	Minimum vertical clearance over bridge roadway 99.99 m = 328.1 ft						
Minimum lateral underclearance reference feature	eature not a highway or railroad [N]						
Minimum lateral underclearance on right 0 = N/A  Minimum lateral underclearance on left 0 = N/A							
Minimum Vertical Underclearance 0 = N/A	Minimum vertical underclearance reference feature Feature not a highway or railroad [N]						
Appraisal ratings - underclearances N/A [N]							
Repair and Replacement Plans							
Type of work to be performed	Work done by Work to be done by contract [1]						
Replacement of bridge or other structure because of substandard load carrying capacity or substantial	Bridge improvement cost 284000 Roadway improvement cost 28000						
bridge roadway geometry. [31]	Length of structure improvement 3.9 m = 12.8 ft Total project cost 426000						
	Year of improvement cost estimate 2019						
	Border bridge - state  Border bridge - percent responsibility of other state						
	Border bridge - structure number						

Inspection and Sufficiency									
Structure status Posted for	load [P]	Appraisal ratings - structural	Basically intolerable requiring high priority of replacement [2]						
Condition ratings - superstructu	re Satisfactory [6]	Appraisal ratings - roadway alignment	Meets minimum tolerable limits to be left in place as is [4]						
Condition ratings - substructure	Satisfactory [6]	Appraisal ratings -	Somewhat better than minimum adequacy to tolerate being left in place as						
Condition ratings - deck	Satisfactory [6]	deck geometry	is [5]						
Scour	Bridge foundatio	Bridge foundations determined to be stable for the assessed or calculated scour condition. [8]							
Channel and channel protection		Bank protection is in need of minor repairs. River control devices and embankment protection have a little minor damage.  Banks and/or channel have minor amounts of drift. [7]							
Appraisal ratings - water adequ	Equal to presen	t minimum criteria [6]	Status evaluation Structurally deficient [1]						
Pier or abutment protection			Sufficiency rating 32.3						
	d if structure is not a culve	ert. [N]							
Traffic safety features - railings									
Traffic safety features - transit		Not applicable or a safety feature is no							
Traffic safety features - approx	ŭ.	Not applicable or a safety feature is no							
Traffic safety features - approx		Not applicable or a safety feature is no							
Inspection date January 1		ignated inspection frequency 24							
Underwater inspection	Not needed [N]	Underwater inspec							
Fracture critical inspection	Every two years [Y24]	Fracture critical ins							
Other special inspection	Not needed [N]	Other special insp	pection date						