

# HistoricBridges.org - National Bridge Inventory Data Sheet

2011 Inventory

The National Bridge Inventory contains data submitted by state transportation departments to the Federal Highway Administration in coded format.

Form Interface Design: www.historicbridges.org. Data Conversion Assistance By www.bridgehunter.com. None of the involved parties make any guarantee of accuracy.

## Basic Information

Missouri [29]	Saline County [195]	Arrow Rock [02062]	S 13 T 49 N R 20 W	39-01-33 = 39.025833	093-03-41 = - 93.061389
22330	Highway agency district 2	Owner County Highway Agency [02]	Maintenance responsibility	County Highway Agency [02]	
Route 351	COUNTY RD 225	Toll On free road [3]	Features intersected	SALT FK	
Design - main	Steel [3]	Design - approach		Kilometerpoint	80.5 km = 49.9 mi
1	Arch - Thru [12]	0	Other [00]	Year built #Num!	Year reconstructed N/A [0000]
				Skew angle 0	Structure Flared
				Historical significance	Bridge is eligible for the NRHP. [2]
Total length	30.5 m = 100.1 ft	Length of maximum span	30.5 m = 100.1 ft	Deck width, out-to-out	4.3 m = 14.1 ft
Inventory Route, Total Horizontal Clearance	4.3 m = 14.1 ft	Curb or sidewalk width - left	0 m = 0.0 ft	Curb or sidewalk width - right	0 m = 0.0 ft
Deck structure type	Corrugated Steel [6]				
Type of wearing surface	Bituminous [6]				
Deck protection					
Type of membrane/wearing surface					

## Weight Limits

Bypass, detour length	Method to determine inventory rating	Allowable Stress(AS) [2]	Inventory rating	4.5 metric ton = 5.0 tons
1 km = 0.6 mi	Method to determine operating rating	Allowable Stress(AS) [2]	Operating rating	8.1 metric ton = 8.9 tons
	Bridge posting		Design Load	

### Functional Details

Average Daily Traffic	15	Average daily truck traffi	10	%	Year	2010	Future average daily traffic	17	Year	2030
Road classification	Local (Rural) [09]		Lanes on structure	1		Approach roadway width	4.9 m = 16.1 ft			
Type of service on bridge	Highway [1]		Direction of traffic	One lane bridge for 2 - way traffic [3]		Bridge median				
Parallel structure designation	No parallel structure exists. [N]									
Type of service under bridge	Waterway [5]		Lanes under structure	0		Navigation control				
Navigation vertical clearanc	0 = N/A		Navigation horizontal clearance	0 = N/A						
Minimum navigation vertical clearance, vertical lift bridge						Minimum vertical clearance over bridge roadway	3.84 m = 12.6 ft			
Minimum lateral underclearance reference feature	Feature not a highway or railroad [N]									
Minimum lateral underclearance on right	0 = N/A					Minimum lateral underclearance on left	0 = N/A			
Minimum Vertical Underclearance	0 = N/A		Minimum vertical underclearance reference feature	Feature not a highway or railroad [N]						
Appraisal ratings - underclearances	N/A [N]									

### Repair and Replacement Plans

Type of work to be performed	Work done by	Work to be done by contract [1]		
Replacement of bridge or other structure because of substandard load carrying capacity or substantial bridge roadway geometry. [31]	Bridge improvement cost	284000	Roadway improvement cost	28000
	Length of structure improvement	3.9 m = 12.8 ft	Total project cost	426000
	Year of improvement cost estimate	2010		
	Border bridge - state		Border bridge - percent responsibility of other state	
	Border bridge - structure number			

## Inspection and Sufficiency

Structure status	Posted for load [P]	Appraisal ratings - structural	Basically intolerable requiring high priority of replacement [2]
Condition ratings - superstructure	Poor [4]	Appraisal ratings - roadway alignment	Basically intolerable requiring high priority of corrective action [3]
Condition ratings - substructure	Satisfactory [6]	Appraisal ratings - deck geometry	Basically intolerable requiring high priority of replacement [2]
Condition ratings - deck	Good [7]		
Scour	Bridge foundations determined to be stable for the assessed or calculated scour condition. [8]		
Channel and channel protection	Bank is beginning to slump. River control devices and embankment protection have widespread minor damage. There is minor stream bed movement evident. Debris is restricting the channel slightly. [6]		
Appraisal ratings - water adequacy	Equal to present minimum criteria [6]	Status evaluation	Structurally deficient [1]
Pier or abutment protection		Sufficiency rating	15.4
Culverts	Not applicable. Used if structure is not a culvert. [N]		
Traffic safety features - railings			
Traffic safety features - transitions	Not applicable or a safety feature is not required. [N]		
Traffic safety features - approach guardrail	Not applicable or a safety feature is not required. [N]		
Traffic safety features - approach guardrail ends	Not applicable or a safety feature is not required. [N]		
Inspection date	March 2010 [0310]	Designated inspection frequency	24 Months
Underwater inspection	Not needed [N]	Underwater inspection date	
Fracture critical inspection	Every two years [Y24]	Fracture critical inspection date	March 2010 [0310]
Other special inspection	Not needed [N]	Other special inspection date	