

The National Bridge Inventory contains data submitted by state transportation departments to the Federal Highway Administration in coded format.
 Form Interface Design: www.historicbridges.org. Data Conversion Assistance By www.bridgehunter.com. None of the involved parties make any guarantee of accuracy.

Basic Information

Missouri [29]	Ray County [177]	Orrick [54956]	S 27 T 51 N R 29 W	39-12-00.07 = 39.200019	094-08-32.68 = -94.142411
22820	Highway agency district: 3	Owner County Highway Agency [02]	Maintenance responsibility	City or Municipal Highway Agency [04]	
Route 376	W 60 ST	Toll On free road [3]	Features intersected	FISHING RVR	
Design - main Steel [3]	Design - approach Steel [3]	Kilometerpoint 128.7 km = 79.8 mi	Year built 1910	Year reconstructed N/A [0000]	
1 Truss - Thru [10]	4 Stringer/Multi-beam or girder [02]	Skew angle 0	Structure Flared		
		Historical significance	Bridge is possibly eligible for the NRHP. [3]		
Total length 70.7 m = 232.0 ft	Length of maximum span 48.8 m = 160.1 ft	Deck width, out-to-out 3.6 m = 11.8 ft	Bridge roadway width, curb-to-curb	3.6 m = 11.8 ft	
Inventory Route, Total Horizontal Clearance 3.6 m = 11.8 ft	Curb or sidewalk width - left 0 m = 0.0 ft	Curb or sidewalk width - right	0 m = 0.0 ft		
Deck structure type	Wood or Timber [8]				
Type of wearing surface	Wood or Timber [7]				
Deck protection					
Type of membrane/wearing surface					

Weight Limits

Bypass, detour length 1 km = 0.6 mi	Method to determine inventory rating	Allowable Stress(AS) [2]	Inventory rating	5.4 metric ton = 5.9 tons
	Method to determine operating rating	Allowable Stress(AS) [2]	Operating rating	9.9 metric ton = 10.9 tons
Bridge posting		Design Load		

Functional Details

Average Daily Traffic	30	Average daily truck traffi	10	%	Year	2013	Future average daily traffic	41	Year	2033
Road classification	Local (Rural) [09]		Lanes on structure	1		Approach roadway width	7.3 m = 24.0 ft			
Type of service on bridge	Highway [1]		Direction of traffic	One lane bridge for 2 - way traffic [3]		Bridge median				
Parallel structure designation	No parallel structure exists. [N]									
Type of service under bridge	Waterway [5]		Lanes under structure	0		Navigation control				
Navigation vertical clearanc	0 = N/A		Navigation horizontal clearance	0 = N/A						
Minimum navigation vertical clearance, vertical lift bridge						Minimum vertical clearance over bridge roadway	6.71 m = 22.0 ft			
Minimum lateral underclearance reference feature	Feature not a highway or railroad [N]									
Minimum lateral underclearance on right	0 = N/A					Minimum lateral underclearance on left	0 = N/A			
Minimum Vertical Underclearance	0 = N/A		Minimum vertical underclearance reference feature	Feature not a highway or railroad [N]						
Appraisal ratings - underclearances	N/A [N]									

Repair and Replacement Plans

Type of work to be performed	Work done by	Work to be done by contract [1]								
Replacement of bridge or other structure because of substandard load carrying capacity or substantial bridge roadway geometry. [31]	Bridge improvement cost	754000	Roadway improvement cost	75000						
	Length of structure improvement	8.1 m = 26.6 ft		Total project cost	1131000					
	Year of improvement cost estimate	2014								
	Border bridge - state					Border bridge - percent responsibility of other state				
	Border bridge - structure number									

Inspection and Sufficiency

Structure status	Posted for load [P]	Appraisal ratings - structural	Basically intolerable requiring high priority of replacement [2]
Condition ratings - superstructure	Fair [5]	Appraisal ratings - roadway alignment	Equal to present minimum criteria [6]
Condition ratings - substructure	Satisfactory [6]	Appraisal ratings - deck geometry	Basically intolerable requiring high priority of corrective action [3]
Condition ratings - deck	Excellent [9]		
Scour	Bridge foundations determined to be stable for the assessed or calculated scour condition. [8]		
Channel and channel protection	Bank protection is in need of minor repairs. River control devices and embankment protection have a little minor damage. Banks and/or channel have minor amounts of drift. [7]		
Appraisal ratings - water adequacy	Better than present minimum criteria [7]	Status evaluation	Structurally deficient [1]
Pier or abutment protection		Sufficiency rating	21.8
Culverts	Not applicable. Used if structure is not a culvert. [N]		
Traffic safety features - railings			
Traffic safety features - transitions	Not applicable or a safety feature is not required. [N]		
Traffic safety features - approach guardrail	Not applicable or a safety feature is not required. [N]		
Traffic safety features - approach guardrail ends	Not applicable or a safety feature is not required. [N]		
Inspection date	October 2013 [1013]	Designated inspection frequency	24 Months
Underwater inspection	Not needed [N]	Underwater inspection date	
Fracture critical inspection	Every two years [Y24]	Fracture critical inspection date	October 2013 [1013]
Other special inspection	Not needed [N]	Other special inspection date	