

HistoricBridges.org - National Bridge Inventory Data Sheet

2014 Inventory

The National Bridge Inventory contains data submitted by state transportation departments to the Federal Highway Administration in coded format.

Form Interface Design: www.historicbridges.org. Data Conversion Assistance By www.bridgehunter.com. None of the involved parties make any guarantee of accuracy.

Basic Information

New Jersey [34]	Passaic County [031]	Paterson [57000]	EAST OF JCT RT 20	40-56-01.45 = 40.933736	074-08-23.95 = -74.139986
1600009	Highway agency district: 1	Owner County Highway Agency [02]	Maintenance responsibility	County Highway Agency [02]	
Route 0		FIFTH AVENUE	Toll On free road [3]	Features intersected	PASSAIC RIVER
Design - main	Steel [3]	Design - approach		Kilometerpoint	0 km = 0.0 mi
2	Truss - Thru [10]	0	Other [00]	Year built	1905
				Year reconstructed	1967
				Skew angle	17
				Structure Flared	
				Historical significance	Bridge is eligible for the NRHP. [2]
Total length	82.3 m = 270.0 ft	Length of maximum span	40.8 m = 133.9 ft	Deck width, out-to-out	6.2 m = 20.3 ft
				Bridge roadway width, curb-to-curb	5.9 m = 19.4 ft
Inventory Route, Total Horizontal Clearance	5.9 m = 19.4 ft	Curb or sidewalk width - left	0 m = 0.0 ft	Curb or sidewalk width - right	1.8 m = 5.9 ft
Deck structure type	Open Grating [3]				
Type of wearing surface	Other [9]				
Deck protection					
Type of membrane/wearing surface					

Weight Limits

Bypass, detour length	Method to determine inventory rating	Load Factor(LF) [1]	Inventory rating	7.3 metric ton = 8.0 tons
0.3 km = 0.2 mi	Method to determine operating rating	Load Factor(LF) [1]	Operating rating	12.7 metric ton = 14.0 tons
	Bridge posting		Design Load	

Functional Details

Average Daily Traffic	2071	Average daily truck traffi	4	%	Year	2013	Future average daily traffic	2485	Year	2033
Road classification	Minor Arterial (Urban) [16]		Lanes on structure	2		Approach roadway width	12.2 m = 40.0 ft			
Type of service on bridge	Highway-pedestrian [5]		Direction of traffic	2 - way traffic [2]		Bridge median				
Parallel structure designation	No parallel structure exists. [N]									
Type of service under bridge	Waterway [5]		Lanes under structure	0		Navigation control				
Navigation vertical clearanc	0 = N/A		Navigation horizontal clearance	0 = N/A						
Minimum navigation vertical clearance, vertical lift bridge						Minimum vertical clearance over bridge roadway	3.87 m = 12.7 ft			
Minimum lateral underclearance reference feature	Feature not a highway or railroad [N]									
Minimum lateral underclearance on right	0 = N/A					Minimum lateral underclearance on left	0 = N/A			
Minimum Vertical Underclearance	0 = N/A		Minimum vertical underclearance reference feature	Feature not a highway or railroad [N]						
Appraisal ratings - underclearances	N/A [N]									

Repair and Replacement Plans

Type of work to be performed	Work done by	Work to be done by contract [1]		
Replacement of bridge or other structure because of substandard load carrying capacity or substantial bridge roadway geometry. [31]	Bridge improvement cost	5117000	Roadway improvement cost	363000
	Length of structure improvement	93 m = 305.1 ft	Total project cost	7674000
	Year of improvement cost estimate	2009		
	Border bridge - state		Border bridge - percent responsibility of other state	
	Border bridge - structure number			

Inspection and Sufficiency

Structure status	Posted for load [P]	Appraisal ratings - structural	Basically intolerable requiring high priority of replacement [2]
Condition ratings - superstructure	Poor [4]	Appraisal ratings - roadway alignment	Equal to present minimum criteria [6]
Condition ratings - substructure	Poor [4]	Appraisal ratings - deck geometry	Basically intolerable requiring high priority of replacement [2]
Condition ratings - deck	Satisfactory [6]		
Scour	Bridge is scour critical; bridge foundations determined to be unstable. [3]		
Channel and channel protection	Bank is beginning to slump. River control devices and embankment protection have widespread minor damage. There is minor stream bed movement evident. Debris is restricting the channel slightly. [6]		
Appraisal ratings - water adequacy	Equal to present desirable criteria [8]	Status evaluation	Structurally deficient [1]
Pier or abutment protection		Sufficiency rating	15.1
Culverts	Not applicable. Used if structure is not a culvert. [N]		
Traffic safety features - railings			
Traffic safety features - transitions			
Traffic safety features - approach guardrail			
Traffic safety features - approach guardrail ends			
Inspection date	August 2013 [0813]	Designated inspection frequency	24 Months
Underwater inspection	Not needed [N]	Underwater inspection date	
Fracture critical inspection	Every two years [Y24]	Fracture critical inspection date	August 2013 [0813]
Other special inspection	Every year [Y12]	Other special inspection date	August 2013 [0813]