

The National Bridge Inventory contains data submitted by state transportation departments to the Federal Highway Administration in coded format.
 Form Interface Design: www.historicbridges.org. Data Conversion Assistance By www.bridgehunter.com. None of the involved parties make any guarantee of accuracy.

Basic Information

New York [36]	Orleans County [073]	Albion [01044]	1.4 MI E JCT BRG C & SH98	43-14-55.40 = 43.248722	078-09-57.71 = -78.166031
4445100	Highway agency district: 45	Owner State Highway Agency [01]	Maintenance responsibility	State Highway Agency [01]	
Route 0	BUTTS ROAD	Toll On free road [3]	Features intersected	Canal Trailway, ERIE CAN	
Design - main 1	Steel [3] Truss - Thru [10]	Design - approach 2	Concrete [1] Slab [01]	Kilometerpoint 77.2 km = 47.9 mi	Year built 1912 Year reconstructed 2004
			Skew angle 0	Structure Flared	Yes, flared [1]
			Historical significance	Historical significance is not determinable at this time. [4]	
Total length	58.5 m = 191.9 ft	Length of maximum span	46 m = 150.9 ft	Deck width, out-to-out	5 m = 16.4 ft
Inventory Route, Total Horizontal Clearance	4.4 m = 14.4 ft	Curb or sidewalk width - left	0 m = 0.0 ft	Curb or sidewalk width - right	0 m = 0.0 ft
Deck structure type	Not applicable [N]				
Type of wearing surface	Integral Concrete (separate non-modified layer of concrete added to structural deck) [2]				
Deck protection	Not applicable (applies only to structures with no deck) [N]				
Type of membrane/wearing surface					

Weight Limits

Bypass, detour length	Method to determine inventory rating	Load Factor(LF) [1]	Inventory rating	25.4 metric ton = 27.9 tons
0.1 km = 0.1 mi	Method to determine operating rating	Load Factor(LF) [1]	Operating rating	42.6 metric ton = 46.9 tons
Bridge posting			Design Load	

Functional Details

Average Daily Traffic	846	Average daily truck traffi	2	%	Year	2016	Future average daily traffic	854	Year	2038
Road classification	Local (Urban) [19]		Lanes on structure	1		Approach roadway width	6.7 m = 22.0 ft			
Type of service on bridge	Highway [1]		Direction of traffic	One lane bridge for 2 - way traffic [3]		Bridge median				
Parallel structure designation	No parallel structure exists. [N]									
Type of service under bridge	Waterway [5]		Lanes under structure	0		Navigation control	Navigation control on waterway (bridge permit required). [1]			
Navigation vertical clearanc	999.9 m = 3280.7 ft			Navigation horizontal clearance	22.8 m = 74.8 ft					
Minimum navigation vertical clearance, vertical lift bridge						Minimum vertical clearance over bridge roadway	4.24 m = 13.9 ft			
Minimum lateral underclearance reference feature	Feature not a highway or railroad [N]									
Minimum lateral underclearance on right	0 = N/A					Minimum lateral underclearance on left	0 = N/A			
Minimum Vertical Underclearance	0 = N/A			Minimum vertical underclearance reference feature	Feature not a highway or railroad [N]					
Appraisal ratings - underclearances	N/A [N]									

Repair and Replacement Plans

Type of work to be performed	Work done by	Work to be done by contract [1]								
Widening of existing bridge with deck rehabilitation or replacement. [34]	Bridge improvement cost	2497000	Roadway improvement cost	1462000						
	Length of structure improvement	58.5 m = 191.9 ft		Total project cost	3959000					
	Year of improvement cost estimate	2018								
	Border bridge - state					Border bridge - percent responsibility of other state				
	Border bridge - structure number									

Inspection and Sufficiency

Structure status	Posted for load [P]	Appraisal ratings - structural	Equal to present minimum criteria [6]
Condition ratings - superstructure	Satisfactory [6]	Appraisal ratings - roadway alignment	Meets minimum tolerable limits to be left in place as is [4]
Condition ratings - substructure	Good [7]	Appraisal ratings - deck geometry	Basically intolerable requiring high priority of replacement [2]
Condition ratings - deck	Satisfactory [6]		
Scour	Bridge foundations determined to be stable for the assessed or calculated scour condition. [8]		
Channel and channel protection	Banks are protected or well vegetated. River control devices such as spur dikes and embankment protection are not required or are in a stable condition. [8]		
Appraisal ratings - water adequacy	Equal to present minimum criteria [6]	Status evaluation	Functionally obsolete [2]
Pier or abutment protection	Navigation protection not required [1]	Sufficiency rating	64.9
Culverts	Not applicable. Used if structure is not a culvert. [N]		
Traffic safety features - railings	Inspected feature meets currently acceptable standards. [1]		
Traffic safety features - transitions			
Traffic safety features - approach guardrail	Inspected feature meets currently acceptable standards. [1]		
Traffic safety features - approach guardrail ends			
Inspection date	August 2018 [0818]	Designated inspection frequency	12 Months
Underwater inspection	Not needed [N]	Underwater inspection date	
Fracture critical inspection	Every year [Y12]	Fracture critical inspection date	August 2018 [0818]
Other special inspection	Not needed [N]	Other special inspection date	