

The National Bridge Inventory contains data submitted by state transportation departments to the Federal Highway Administration in coded format.
 Form Interface Design: www.historicbridges.org. Data Conversion Assistance By www.bridgehunter.com. None of the involved parties make any guarantee of accuracy.

Basic Information

New York [36]	Tompkins County [109]	Ithaca [38088]	AT BUTTERMILK FALLS	42-24-36 = 42.410000	076-30-50 = - 76.513889
1050270	Highway agency district 36	Owner County Highway Agency [02]	Maintenance responsibility	County Highway Agency [02]	
Route 0	KING ROAD	Toll On free road [3]	Features intersected	BUTTERMILK CREEK	
Design - main Masonry [8]	Design - approach	Kilometerpoint 0 km = 0.0 mi	Year built 1929	Year reconstructed 1999	
1 Arch - Deck [11]	0 Other [00]	Skew angle 0	Structure Flared	Historical significance Bridge is not eligible for the NRHP. [5]	
Total length 21.3 m = 69.9 ft	Length of maximum span 20.1 m = 65.9 ft	Deck width, out-to-out 9.3 m = 30.5 ft	Bridge roadway width, curb-to-curb	8.1 m = 26.6 ft	
Inventory Route, Total Horizontal Clearance 8.1 m = 26.6 ft	Curb or sidewalk width - left 0 m = 0.0 ft	Curb or sidewalk width - right	0 m = 0.0 ft		
Deck structure type	Not applicable [N]				
Type of wearing surface	Bituminous [6]				
Deck protection	Not applicable (applies only to structures with no deck) [N]				
Type of membrane/wearing surface					

Weight Limits

Bypass, detour length 0.3 km = 0.2 mi	Method to determine inventory rating	No rating analysis performed [5]	Inventory rating	17.2 metric ton = 18.9 tons
	Method to determine operating rating	No rating analysis performed [5]	Operating rating	44.1 metric ton = 48.5 tons
Bridge posting	Equal to or above legal loads [5]	Design Load		

Functional Details

Average Daily Traffic	805	Average daily truck traffi	6	%	Year	2001	Future average daily traffic	1011	Year	2021
Road classification	Local (Rural) [09]		Lanes on structure	2		Approach roadway width	6 m = 19.7 ft			
Type of service on bridge	Highway [1]		Direction of traffic	2 - way traffic [2]		Bridge median				
Parallel structure designation	No parallel structure exists. [N]									
Type of service under bridge	Waterway [5]		Lanes under structure	0		Navigation control				
Navigation vertical clearanc	0 = N/A		Navigation horizontal clearance	0 = N/A						
Minimum navigation vertical clearance, vertical lift bridge			Minimum vertical clearance over bridge roadway	99.99 m = 328.1 ft						
Minimum lateral underclearance reference feature	Feature not a highway or railroad [N]									
Minimum lateral underclearance on right	99.9 = Unlimited				Minimum lateral underclearance on left	0 = N/A				
Minimum Vertical Underclearance	0 = N/A		Minimum vertical underclearance reference feature	Feature not a highway or railroad [N]						
Appraisal ratings - underclearances	N/A [N]									

Repair and Replacement Plans

Type of work to be performed	Work done by	Work to be done by contract [1]								
Widening of existing bridge with deck rehabilitation or replacement. [34]	Bridge improvement cost	494000	Roadway improvement cost	295000						
	Length of structure improvement	21.3 m = 69.9 ft		Total project cost	789000					
	Year of improvement cost estimate	2009								
	Border bridge - state				Border bridge - percent responsibility of other state					
	Border bridge - structure number									

Inspection and Sufficiency

Structure status	<input type="text" value="Open, no restriction [A]"/>	Appraisal ratings - structural	<input type="text" value="Meets minimum tolerable limits to be left in place as is [4]"/>
Condition ratings - superstructure	<input type="text" value="Satisfactory [6]"/>	Appraisal ratings - roadway alignment	<input type="text" value="Equal to present desirable criteria [8]"/>
Condition ratings - substructure	<input type="text" value="Satisfactory [6]"/>	Appraisal ratings - deck geometry	<input type="text" value="Somewhat better than minimum adequacy to tolerate being left in place as is [5]"/>
Condition ratings - deck	<input type="text" value="Not Applicable [N]"/>		
Scour	<input type="text" value="Bridge foundations determined to be stable for the assessed or calculated scour condition. [8]"/>		
Channel and channel protection	<input type="text" value="Bank protection is in need of minor repairs. River control devices and embankment protection have a little minor damage. Banks and/or channel have minor amounts of drift. [7]"/>		
Appraisal ratings - water adequacy	<input type="text" value="Somewhat better than minimum adequacy to tolerate being left in place as is [5]"/>	Status evaluation	<input type="text"/>
Pier or abutment protection	<input type="text"/>	Sufficiency rating	<input type="text" value="65.5"/>
Culverts	<input type="text" value="Not applicable. Used if structure is not a culvert. [N]"/>		
Traffic safety features - railings	<input type="text"/>		
Traffic safety features - transitions	<input type="text"/>		
Traffic safety features - approach guardrail	<input type="text" value="Inspected feature meets currently acceptable standards. [1]"/>		
Traffic safety features - approach guardrail ends	<input type="text" value="Inspected feature meets currently acceptable standards. [1]"/>		
Inspection date	<input type="text" value="July 2009 [0709]"/>	Designated inspection frequency	<input type="text" value="24"/> Months
Underwater inspection	<input type="text" value="Not needed [N]"/>	Underwater inspection date	<input type="text"/>
Fracture critical inspection	<input type="text" value="Not needed [N]"/>	Fracture critical inspection date	<input type="text"/>
Other special inspection	<input type="text" value="Not needed [N]"/>	Other special inspection date	<input type="text"/>