HistoricBridges.org - National Bridge Inventory Data Sheet

The National Bridge Inventory contains data submitted by state transportion departments to the Federal Highway Administration in coded format.

Form Interface Design: www.historicbridges.org. Data Conversion Assistance By www.bridgehunter.com. None of the involved parties make any guarantee of accuracy.

Basic Information							41-45-53.53 =	074-56-32.00
New York [36]	Sullivan County [10)5]	Delaware [20104]	1.1 MI S OF JEFFERS	ONVLLE		41.764869	= -74.942222
3356480	Highway ager	ncy district: 96	Owner County Highway	y Agency [02]	Maintenance r	esponsibility	County Highway A	gency [02]
Route 0	SICk	KMILLER ROAD	Toll On fre	ee road [3]	eatures intersecte	ed E BR CALL	ICOON CK	
Design - Masonry [8 main		Design - approach	. Tool	Kilometerpoint 8 km Year built 1850	m = 5.0 mi Year reco	nstructed N/A	[0000]	
2 Arch - Decl		0 Other	[00]	Skew angle 0	Structure Fla	red		
				Historical significance	Bridge is	eligible for the I	NRHP. [2]	
Total length 16.5 m	= 54.1 ft Le	ength of maximum sp	an 6.7 m = 22.0 ft	Deck width, out-to-ou	ut 4.9 m = 16.1 ft	Bridge road	dway width, curb-to-c	urb 3.7 m = 12.1 ft
Inventory Route, Tota	Horizontal Clearance	3.6 m = 11.8 ft	Curb or sidewalk w	width - left $0 \text{ m} = 0.0 \text{ fm}$	t	Curb or side	ewalk width - right	0 m = 0.0 ft
Deck structure type		Not applicable [N]						
Type of wearing surfa	ce	Bituminous [6]						
Deck protection		Not applicable (appli	es only to structures with no	deck) [N]				
Type of membrane/we	earing surface							
Weight Limits								
Bypass, detour length	Method to determ	mine inventory rating		Inve	entory rating	13.6 metric ton	= 15.0 tons	
0.6 km = 0.4 mi	Method to determ	mine operating rating		Оре	erating rating	13.6 metric ton	= 15.0 tons	
	Bridge posting			Des	sign Load			

Functional Details								
Average Daily Traffic 106 Average daily tr	ruck traffi 2 % Year 2018 F	Future average daily traffic 107 Y	'ear 2038					
Road classification Local (Rural) [09]	Lanes on structure 1	Approach roa	adway width 4.9 m = 16.1 ft					
Type of service on bridge Highway [1]	Direction of traffic One lar	ne bridge for 2 - way traffic [3] Brido	ge median					
Parallel structure designation No parallel structure	e exists. [N]							
Type of service under bridge Waterway [5]	Lanes under structure 0	Navigation control						
Navigation vertical clearanc 0 = N/A	Navigation horizo	ontal clearance 0 = N/A						
Minimum navigation vertical clearance, vertical lift bridge Minimum vertical clearance over bridge roadway 99.99 m = 328.1 ft								
Minimum lateral underclearance reference feature Feature not a highway or railroad [N]								
Minimum lateral underclearance on right 0 = N/A Minimum lateral underclearance on left 0 = N/A								
Minimum Vertical Underclearance 0 = N/A Minimum vertical underclearance reference feature Feature not a highway or railroad [N]								
Appraisal ratings - underclearances N/A [N]								
Repair and Replacement Plans								
Type of work to be performed	Work done by Work to be done by co	ntract [1]						
Bridge deck replacement with only incidental widening. [37]	Bridge improvement cost 160000	Roadway improvement cost	94000					
g. [e/]	Length of structure improvement	16.4 m = 53.8 ft Total project cost	254000					
	Year of improvement cost estimate	2018						
	Border bridge - state	Border bridge - perce	rcent responsibility of other state					
	Border bridge - structure number							

Inspection and Sufficiency									
Structure status Posted for	load [P]			Appraisal ratings - tructural	Meets m	Meets minimum tolerable limits to be left in place as is [4] Basically intolerable requiring high priority of corrrective action [3]			
Condition ratings - superstructu	re Fair [5]			Appraisal ratings - roadway alignment	Basically				
Condition ratings - substructure Fair				Appraisal ratings - deck geometry	Basically	Basically intolerable requiring high priority of replacement [2]			
Condition ratings - deck Fair [5]									
Scour		Bridge is scour critical; bridge foundations determined to be unstable. [3]							
Channel and channel protection		Bank protection is being eroded. River control devices and/or embankment have major damage. Trees and rush restrict the channel. [5]							
Appraisal ratings - water adequacy		Meets minimum tolerable limits to be left in place as is			s is [4]	Status evaluation	Functionally obsolete [2]		
Pier or abutment protection					Sufficiency rating	35.4			
Culverts Not applicable. Use	d if structu	ıre is not a culve	rt. [N]						
Traffic safety features - railings									
Traffic safety features - transitions									
Traffic safety features - approa	Ü	L							
Traffic safety features - approa	ch guardra	ail ends							
Inspection date				n frequency 1	12	Months			
·		ded [N]		Underwater insp	pection date				
·		eeded [N] Fracture critical ins			•	e			
Other special inspection Not no		ded [N]		Other special in	spection date				