

HistoricBridges.org - National Bridge Inventory Data Sheet

2011 Inventory

The National Bridge Inventory contains data submitted by state transportation departments to the Federal Highway Administration in coded format.

Form Interface Design: www.historicbridges.org. Data Conversion Assistance By www.bridgehunter.com. None of the involved parties make any guarantee of accuracy.

Basic Information

Ohio [39]	Morrow County [117]	Gilead [30128]	.4 MI.N.OF INT.TR127&CR9		40-33-06 = 40.551667	082-51-48 = - 82.863333
5932149	Highway agency district	6	Owner	County Highway Agency [02]	Maintenance responsibility	County Highway Agency [02]
Route	#Num!		CR9	Toll	On free road [3]	Features intersected
						WHETSTONE
Design - main	Steel [3]	Design - approach		Kilometerpoint	0 km = 0.0 mi	
1	Truss - Thru [10]	0	Other [00]	Year built	1951	Year reconstructed
				Skew angle	0	Structure Flared
				Historical significance	Bridge is not eligible for the NRHP. [5]	
Total length	27.7 m = 90.9 ft	Length of maximum span	27.1 m = 88.9 ft	Deck width, out-to-out	5.6 m = 18.4 ft	Bridge roadway width, curb-to-curb
						5.2 m = 17.1 ft
Inventory Route, Total Horizontal Clearance	5.5 m = 18.0 ft	Curb or sidewalk width - left	0 m = 0.0 ft	Curb or sidewalk width - right	0 m = 0.0 ft	
Deck structure type	Wood or Timber [8]					
Type of wearing surface	Bituminous [6]					
Deck protection						
Type of membrane/wearing surface						

Weight Limits

Bypass, detour length	Method to determine inventory rating	No rating analysis performed [5]	Inventory rating	9.1 metric ton = 10.0 tons
1.3 km = 0.8 mi	Method to determine operating rating	No rating analysis performed [5]	Operating rating	11.7 metric ton = 12.9 tons
	Bridge posting		Design Load	MS 18 / HS 20 [5]

Functional Details

Average Daily Traffic	<input type="text" value="2000"/>	Average daily truck traffi	<input type="text" value="2"/>	%	Year	<input type="text" value="1992"/>	Future average daily traffic	<input type="text" value="2776"/>	Year	<input type="text" value="2027"/>
Road classification	<input type="text" value="Major Collector (Rural) [07]"/>		Lanes on structure	<input type="text" value="1"/>		Approach roadway width	<input type="text" value="7.9 m = 25.9 ft"/>			
Type of service on bridge	<input type="text" value="Highway [1]"/>		Direction of traffic	<input type="text" value="One lane bridge for 2 - way traffic [3]"/>		Bridge median	<input type="text"/>			
Parallel structure designation	<input type="text" value="No parallel structure exists. [N]"/>									
Type of service under bridge	<input type="text" value="Waterway [5]"/>		Lanes under structure	<input type="text" value="0"/>		Navigation control	<input type="text"/>			
Navigation vertical clearanc	<input type="text" value="0 = N/A"/>		Navigation horizontal clearance	<input type="text" value="0 = N/A"/>						
Minimum navigation vertical clearance, vertical lift bridge	<input type="text"/>					Minimum vertical clearance over bridge roadway	<input type="text" value="99.99 m = 328.1 ft"/>			
Minimum lateral underclearance reference feature	<input type="text" value="Feature not a highway or railroad [N]"/>									
Minimum lateral underclearance on right	<input type="text" value="0 = N/A"/>					Minimum lateral underclearance on left	<input type="text" value="0 = N/A"/>			
Minimum Vertical Underclearance	<input type="text" value="0 = N/A"/>		Minimum vertical underclearance reference feature	<input type="text" value="Feature not a highway or railroad [N]"/>						
Appraisal ratings - underclearances	<input type="text" value="N/A [N]"/>									

Repair and Replacement Plans

Type of work to be performed

Work done by

Bridge improvement cost

Roadway improvement cost

Length of structure improvement

Total project cost

Year of improvement cost estimate

Border bridge - state

Border bridge - percent responsibility of other state

Border bridge - structure number

Inspection and Sufficiency

Structure status	Posted for load [P]	Appraisal ratings - structural	Basically intolerable requiring high priority of corrective action [3]
Condition ratings - superstructure	Serious [3]	Appraisal ratings - roadway alignment	Equal to present minimum criteria [6]
Condition ratings - substructure	Fair [5]	Appraisal ratings - deck geometry	Basically intolerable requiring high priority of replacement [2]
Condition ratings - deck	Poor [4]		
Scour	Bridge foundations determined to be stable for assessed or calculated scour condition. [5]		
Channel and channel protection	Bank protection is being eroded. River control devices and/or embankment have major damage. Trees and rush restrict the channel. [5]		
Appraisal ratings - water adequacy	Somewhat better than minimum adequacy to tolerate being left in place as is [5]	Status evaluation	Structurally deficient [1]
Pier or abutment protection		Sufficiency rating	13.1
Culverts	Not applicable. Used if structure is not a culvert. [N]		
Traffic safety features - railings			
Traffic safety features - transitions			
Traffic safety features - approach guardrail			
Traffic safety features - approach guardrail ends			
Inspection date	November 2010 [1110]	Designated inspection frequency	12 Months
Underwater inspection	Not needed [N]	Underwater inspection date	
Fracture critical inspection	Every two years [Y24]	Fracture critical inspection date	November 2009 [1109]
Other special inspection	Not needed [N]	Other special inspection date	

Unit of Measure: English			Bridge Inventory Information			Report Date 08/21/2012 BM-191 Page: 1 of 2		
Structure File Number 5932149			Inventory Bridge Number: MRW C0009 02412 09			BR. Type STEEL / TRUSS / THRU		
Sufficiency Rating: 13.0 SD			ON WHETSTONE			Date of Last Inventory Update: 03/21/2012		
District: 06 County MORROW			(101) Location: .4 MI.N.OF INT.TR127&CR9			(102) Facility Carried: CR9		
(2) FIPS Code: GILEAD TWP			(103) Route On Bridge: COUNTY			(104) Route Under Bridge: NON-HIGHWAY		
(9) Direction of Traffic: ONE LANE FOR 2-WAY TRAFFIC (10) Temporary: N			(11) Truck Network: N			(12) Parallel: N		
(95) Insp: COUNTY (96) Maint: COUNTY (97) Routine: COUNTY			(100) Type Serv: (On): HIGHWAY			(Under): WATERWAY		
Inventory Route Data			(63) Main Spans Number: 1			Type: STEEL / TRUSS / THRU		
(3) Route On/Under: ON Hwy Sys: COUNTY/TOWNSHIP HIGHWAY			Approach Spans Number: 0			Type: NONE / NONE / NONE		
Route No.: C0009 Dir: Des: MAINLINE Pref:			Total Spans: 1			(65) Max Span: 89 Ft (66) Overall Leng: 91 Ft		
(4) Feature Intersected: WHETSTONE			(70) Substructure			(71) Foundation and Scour Information		
(5) County: GIL Mileage: 02412 Special Desig: 09			Abut-Rear Matl: CONCRETE			Type: GRAVITY Fnd: UNKNOWN (OR OLDER BRIDGE BEING ADDED)		
(6) Avg. Daily Traffic(ADT): 2,000 (7) ADT Year: 1992			Abut-Fwd Matl: CONCRETE			Type: GRAVITY Fnd: UNKNOWN (OR OLDER BRIDGE BEING ADDED)		
(8) Truck Traf: 40 (14) NHS: NO - X (15) Corridor: N			Pier-Pred Matl: NONE			Type: NONE Fnd: NONE/NOT APPLICABLE (SUCH AS CULVERTS)		
(16) Functional Class: MAJOR COLLECTOR-RURAL (19) Strahnt: Not Applicable			Pier-Other Matl: NONE			Type: NONE Fnd: NONE/NOT APPLICABLE (SUCH AS CULVERTS)		
Intersected Route Data			Pier-Other Matl: NONE			Type: NONE Fnd: NONE/NOT APPLICABLE (SUCH AS CULVERTS)		
(22) Route On/Under: Hwy Sys:			No of Piers Predominate: NN			Other: NN Other: NN		
Route No.: Dir: Des: Pref:			(86) Stream Velocity: UUU			(74) Scour: STABLE: SCOUR WITHIN LIMITS OF FOOT/PILE		
(23) Feature Intersected:			(189) Dive: N Freq: 0			Probe: Y Freq: 12 (75) Chan Prot: NONE		
(24) County: Mileage: Special Desig:			(189) Date of last Dive Insp:			(152) Drainage Area: UUU Sq Mi		
(25) Avg. Daily Traffic(ADT): 0 (26) ADT Year:			Clearance Under the Bridge					
(27) Truck Traf: 0 (28) NHS: - (29) Corridor:			(156) Min. Horiz Under Clear:			NC: 0.0 Ft Card: 0.0 Ft		
(30) Functional Class: (36) Strahnt: Not Applicable			(157) Prac Max Vrt Under Clear:			0.0 Ft		
Clearance On the Bridge			(77) Min Vert Under Clear:			NC: 0.0 Ft Card: 0.0 Ft		
(154) Min Hriz on Bridge: NC: 0.0 Ft Card: 18.1 Ft			(78) Min Lat Under Clear:			NC: 0.0 / 0.0 Ft Card: 0.0 / 0.0 Ft		
(155) Prac Max Vert On Brg: 9999.9 Ft			Load Rating Information (88-89) Appraisal					
(67) Min Vrt Clr On Brg: NC: 0.0 Ft Card: 9999.9 Ft			(48) Design Load: HS/20			(Including calculated Items)		
(80) Min Latl Clr: NC: 0.0 / 0.0 Ft Card: 0.0 / 0.0 Ft			(83) Operating: 13 Ton					
(81) Vrt Clr Lft: 0.0 Ft			Inventory: 10 Ton					
Structure Information			Ohio Percent of Legal Load 0			(88) Waterway Adequacy 5		
(38) Bypass Length: 08 Miles			Year of Rating: 2011			(89) Approach Alignment 6		
(39) Latitude: 40 Deg 33.1 Min Longitude: 82 Deg 51.8 Min			(84) Analysis: ENGINEERING JUDGEMENT [DEFAULT]			Calc Gen Appraisal: 0		
(40) Toll: ON FREE ROAD			(85) Rate Soft: OTHER Analyzed by: DHT			Calc Deck Geometry: 0		
(41) Date Built: 07/01/1951 (42) Major Rehabilitation: 07/01/1997			Analysis on Bars: NOT ON BARS [DEFAULT]			Calc Underclearance: N		
(43) No. Lanes On: 1 No. Lanes Under: 0			Approach Information					
(44) Horiz Curve: Deg. Min. (45) Skew: 0 Deg			(109) Approach Guardrail: TIMBER RAIL					
(49) App. Rdw Width: 26 Ft (50) Brg. Rdw Width: 17.0 Ft			(110) Approach Pavement: BITUMINOUS			(111) Grade: GOOD		
(51) Deck Width: 18.4 Ft Deck Area: 1679 Sq. Ft			Culvert Information					
(52) Median Type: NONE / NON BARRIE / NO JOINT			(131) Culvert Type: NONE/NOT APPLICBLE			(127) Length: 0.0 Ft		
(53) Bridge Median: NO MEDIAN			(129) Depth of Fill: 0.0 Ft			(130) Headwalls: NONE		
(54) Sidewalks: (left) 0 Ft (right) 0 Ft			General Information					
(55) Type Curb or Sidewalks:			(121) Main Member N/A (CULVERTS, TRUSSES, ETC.)			(122) Moment Plate: NONE		
(Left) Matl: NONE Type: NONE			(169) Expansion Joint: NONE					
(Right) Matl: NONE Type: NONE			(124) Bearing Devices: SLIDING (OTHER)/NONE					
(56) Flared: N (57) Composite: non-composite			(126) Navigation: Control- N Vert Clr: 0.0 Ft			Horiz Clear:: 0.0 Ft		
(58) Railing: STL GUARDRL ON STL, CONCR, OR TMBR POSTS			(193) Spec Insp: N Freq: 0			Date:		
(59) Deck Drainage: OVER THE SIDE (W/O DRIP STRIP)			(188) Fracture Critical Insp: Y Freq: 24			Date: 2010-08-11		
(60) Deck Type: LAMINATED TIMBER STRIP			(138) Long Member: TWO TRUSSES (WELDED)			(135) Hinges: NOT APPLICABLE		
(61) Deck Protection: External: NONE			(141) Structural Steel Memb: A572			(139) Framing: NONE		
Internal: NONE						Railing: OTHER		
(62) Wearing Surface: BITUM (ASPHLT CONCRT)			Pay Wt: 62 pounds			Prime Loc: SHOP		
Thickness: 3.9 in (119) Date of Wearing Surface: 07/01/1997			Bridge Dedicated Name:			Paint: OTHER		
Slope Protection: NONE-NATURAL PROTECTION(GRASS,BUSHES)								

Unit of Measure: **English**
Structure File Number **5932149**
Sufficiency Rating: **13.0 SD**

Bridge Inventory Information
Inventory Bridge Number:**MRW C0009 02412 09**
ON WHETSTONE

Report Date **08/21/2012** BM-191 Page: 2 of 2
BR. Type STEEL/TRUSS/THRU
Date of Last Inventory Update: **03/21/2012**

General Information (Continued)				Original Plans Information			
(---) Hist Significance: NOT HISTORIC (---) Hist Builder: EDWARDS SHEET METAL WORKS, Hist Build Year: 1951 INC (69) Hist Type: WARREN (RIVETED) (161) Special Features (see below): (105) Border Bridge State: Resp % (106) SFN:				(69) NBIS: Y (142) Fabricator: OHIO BRIDGE CO (143) Contractor: OHIO BRIDGE CO (144) Ohio Original Construction Project No.: (---) Microfilm Reel: (151) Standard Drawing: Aperture Cards: Orig: N Repair: N Fabr: N Plan Information Available: 1PLAN INFORMATION AVAILABLE			
Proposed Improvements		Programming Info		(153) Repair Projects			
(90) Type Work: -		PID Number:		1. / 020		2. / 044	
(90) Length: Ft		PID Status:		4.		5.	
(90) Bridge Cost (\$1000s): 0		PID Date:		7.		8.	
(90) Roadway Cost (\$1000s): 0				10.		9.	
(90) Total Project Cost (\$1000s): 0		(90) Year:					
(91) Future ADT (On Bridge): 0		(92) Year of Future ADT: 2033					
Inspection Summary		(I-69) Survey Items		Utilities		Special Features	
(I-8) Deck: 4	Railings: 0 DOES NOT MEET CURRENT STANDARDS			(46) Electric: N		(161) Lighting: N	
(I-32) Superstructure: 3	Transitions: 0 DOES NOT MEET CURRENT STANDARDS			Gas: N		Fencing: N	
(I-42) Substructure: 5	Guardrail: 0 DOES NOT MEET CURRENT STANDARDS			Sanitary Sewer: N		Glare-Screen: N	
(I-50) Culvert:	Rail Ends: 0 DOES NOT MEET CURRENT STANDARDS			Telephone: N		Splash-Guard: N	
(I-54) Channel: 5	In Depth: 0 DOES NOT MEET CURRENT STANDARDS			TV Cable: N		Catwalks: N	
(I-60) Approaches: 3	Fracture Critical: N NONE N/A			Water: N		Other-Feat: N	
(I-66) General Appraisal: 2	Scour Critical: N NONE N/A			Other: N		(184) Signs-on: N	
(I-66) Operational Status: K	Critical Findings: N NONE N/A					Signs-Under: N	
Inspection Date: 12/29/2011	Insp. Update Date: 03/21/2012					(162) Fence-Ht: 0.0 Ft	
(94) Desig Insp Freq: 12 Months						(163) Noise Barr: N	
SFNs Replacing this retired bridge: -							
SFNs That where replaced by this bridge: -							
This bridge was retired and copied to:				INV Field Bridge Marker: MRW-C0009-02412-09			
The bridge was copied from:				INT Field Bridge Marker: ---			

PONTIS CoRe elements and Condition States

Elem No.	CoRe Element Description	Total Quantity	Unit Meas.	Condition State Percents(*)				
				1	2	3	4	5
		0						

(*) Percentages Should add to 100%

STATE OF OHIO DEPARTMENT OF TRANSPORTATION
BRIDGE INSPECTION REPORT

BR-86 REV 02-95

5932149

17

Bridge Number
CO ROUTE UNIT

MRW C0009 02412 09
GILEAD TWP

Date Built 07/01/1951 - 1997

District 06 Bridge Type STEEL/TRUSS/THRU Type Service 1 15 WHETSTONE MRW

DECK		Out/Out 18.4		THCK = 3.9		
1. Floor	2-LAMINATED TIMBER STRIP	8	2	2. Wearing Surface	6-BITUM (ASPHLT CONCRT)	41
3. Curbs, Sidewalks, Walkways		N-NONE	9	4. Median		42
5. Railing	7-STL GUARDRL ON STL, CO	10	1	6. Drainage	1-OVER THE SIDE (W/O DRI	43
7. Expansion Joints		N-NONE	11	8. Summary		44
SUPERSTRUCTURE		MAX.SPAN=89				
9. Alignment		12	1	10. Beams/Girders/Slab	N-N/A (CULVERTS, TRUSSES	45
11. Diaphragms or Crossframes		TOT.LGTH=91	13	12. Joists/Stringers		46
13. Floor Beams		14	2	14. Floor Beam Connections		47
15. Verticals		15	2	16. Diagonals		48
17. End Posts		16	2	18. Top Chord		49
19. Lower Chord			3	20. Lower Lateral Bracing		50
21. Top Lateral Bracing		18		22. Sway Bracing		51
23. Portals		19		A-SLIDING (OTHER)		3
				24. Bearing Devices		N-NONE
25. Arch		20		26. Arch Columns or Hangers		53
27. Spandrel Walls		21		TYPE = 0-OTHER		0
28. Protective Coating System		DATE = 01/01/1951	54	30. Fatigue Prone Connections		55
29. Pins/Hangers/Hinges		22		32. Summary		56
31. Live Load Response		23	E			3
SUBSTRUCTURE		2-CONCRETE		PIERS=0		SPANS = 1
33. Abutments	2-CONCRETE	24	2	34. Abutment Seats		57
35. Piers		TYPE = N-NONE	25	36. Pier Seats		58
37. Backwalls		26	2	ABUTMENT:=UNKNOWN / UNKNOWN		2
38. Wingwalls		27		40. Scour		5-STABLE: SCOUR WITHIN L
39. Fenders and Dolphins		28		42. Summary		DIVE DT=N/A
41. Slope Protection		N-NONE	28			5
CULVERTS						
43. General		29		44. Alignment		63
45. Shape		30		46. Seams		64
47. Headwalls or Endwalls		31		48. Scour		65
49.		32		50. Summary		66
CHANNEL				N-NONE		
51. Alignment		33	2	52. Protection		67
53. Waterway Adequacy		34	3	54. Summary		68
APPROACHES						
55. Pavement		2-BITUMINOUS	35	56. Approach Slabs		69
57. Guardrail		5-TIMBER RAIL	36	58. Relief Joints		70
59. Embankment		BRDG.WIDTH=17.0	37	60. Summary		PCT.LEGAL=0
GENERAL				ROUTINE.RESP: 3-COUNTY		1
61. Navigation Lights		MVC ON=9999 UND=0000	38	62. Warning Signs		MAINT.RESP: 3-COUNTY
63. Sign Supports		39		64. Utilities		73
65. Vertical Clearance		40	N	66. General Appraisal & Operational Status		COND 2 STAT K

67. INSPECTED BY

68. REVIEWED BY

48573

SIGNED

76 PE

DH G

SIGNED

81 PE

L R B

SIGNED

83 INITIALS

DOT 2852

DECK AREA 1,679

Date

122911

86

91

0000NNN

92

69 Survey

99

Date

030612

100

105

STATE OF OHIO DEPARTMENT OF TRANSPORTATION
BRIDGE INSPECTION REPORT

BR-86 REV 02-95

5	9	3	2	1	4	9
---	---	---	---	---	---	---

1 Structure File Number 7

Bridge Number **MRW** **C0009** **02412** **09** **Date Built 07/01/1951 - 1997**

CO ROUTE UNIT

District **06** Bridge Type **STEEL/TRUSS/THRU** Type Service **1** **1** **5** **WHETSTONE**

00 NO REMARKS FOUND FOR THIS INSPECTION.