

The National Bridge Inventory contains data submitted by state transportation departments to the Federal Highway Administration in coded format.
 Form Interface Design: www.historicbridges.org. Data Conversion Assistance By www.bridgehunter.com. None of the involved parties make any guarantee of accuracy.

Basic Information

Ohio [39] Wood County [173] Center [13015] 0.1 MI.S.E.OF CO.HOME RD. 41-21-00 = 41.350000 083-37-00 = - 83.616667

8755035 Highway agency district 2 Owner County Highway Agency [02] Maintenance responsibility County Highway Agency [02]

Route #Num! LINWOOD ROAD Toll On free road [3] Features intersected N BR PORTAGE R LINWOOD R

Design - main Steel [3] Design - approach Other [00] Kilometerpoint 0 km = 0.0 mi

1 Truss - Thru [10] 0 Other [00] Year built #Num! Year reconstructed 1987

Skew angle 0 Structure Flared

Historical significance Bridge is not eligible for the NRHP. [5]

Total length 22.6 m = 74.2 ft Length of maximum span 22.3 m = 73.2 ft Deck width, out-to-out 4.9 m = 16.1 ft Bridge roadway width, curb-to-curb 4.8 m = 15.7 ft

Inventory Route, Total Horizontal Clearance 4.8 m = 15.7 ft Curb or sidewalk width - left 0 m = 0.0 ft Curb or sidewalk width - right 0 m = 0.0 ft

Deck structure type Wood or Timber [8]

Type of wearing surface Bituminous [6]

Deck protection Other [9]

Type of membrane/wearing surface Other [9]

Weight Limits

Bypass, detour length 0.5 km = 0.3 mi Method to determine inventory rating Allowable Stress(AS) [2] Inventory rating 2.7 metric ton = 3.0 tons

Method to determine operating rating Allowable Stress(AS) [2] Operating rating 4.5 metric ton = 5.0 tons

Bridge posting Design Load

Functional Details

Average Daily Traffic Average daily truck traffi % Year Future average daily traffic Year

Road classification Lanes on structure Approach roadway width

Type of service on bridge Direction of traffic Bridge median

Parallel structure designation

Type of service under bridge Lanes under structure Navigation control

Navigation vertical clearanc Navigation horizontal clearance

Minimum navigation vertical clearance, vertical lift bridge Minimum vertical clearance over bridge roadway

Minimum lateral underclearance reference feature

Minimum lateral underclearance on right Minimum lateral underclearance on left

Minimum Vertical Underclearance Minimum vertical underclearance reference feature

Appraisal ratings - underclearances

Repair and Replacement Plans

Type of work to be performed

Work done by

Bridge improvement cost Roadway improvement cost

Length of structure improvement Total project cost

Year of improvement cost estimate

Border bridge - state Border bridge - percent responsibility of other state

Border bridge - structure number

Inspection and Sufficiency

Structure status	Posted for load [P]	Appraisal ratings - structural	Basically intolerable requiring high priority of replacement [2]
Condition ratings - superstructure	Critical [2]	Appraisal ratings - roadway alignment	Meets minimum tolerable limits to be left in place as is [4]
Condition ratings - substructure	Satisfactory [6]	Appraisal ratings - deck geometry	Equal to present desirable criteria [8]
Condition ratings - deck	Poor [4]		
Scour	Bridge foundations determined to be stable for assessed or calculated scour conditions; field review indicates action is required. [4]		
Channel and channel protection	Bank is beginning to slump. River control devices and embankment protection have widespread minor damage. There is minor stream bed movement evident. Debris is restricting the channel slightly. [6]		
Appraisal ratings - water adequacy	Equal to present minimum criteria [6]	Status evaluation	Structurally deficient [1]
Pier or abutment protection		Sufficiency rating	22.1
Culverts	Not applicable. Used if structure is not a culvert. [N]		
Traffic safety features - railings			
Traffic safety features - transitions			
Traffic safety features - approach guardrail			
Traffic safety features - approach guardrail ends			
Inspection date	July 1997 [0797]	Designated inspection frequency	12 Months
Underwater inspection	Not needed [N]	Underwater inspection date	
Fracture critical inspection	Every year [Y12]	Fracture critical inspection date	August 1995 [0895]
Other special inspection	Not needed [N]	Other special inspection date	