

The National Bridge Inventory contains data submitted by state transportation departments to the Federal Highway Administration in coded format.
 Form Interface Design: www.historicbridges.org. Data Conversion Assistance By www.bridgehunter.com. None of the involved parties make any guarantee of accuracy.

Basic Information

Ohio [39]	Preble County [135]	Somers [72964]	W OF CH 21	00-00-00 = 0.000000	000-00-00 = - 0.000000
6835414	Highway agency district 8	Owner County Highway Agency [02]	Maintenance responsibility	County Highway Agency [02]	
Route #Num!	PAINT CR 4 MILE	Toll On free road [3]	Features intersected	PAINT CREEK	
Design - main	Steel [3]	Design - approach	Kilometerpoint	0 km = 0.0 mi	
1	Truss - Thru [10]	0	Year built	1960	Year reconstructed N/A [0000]
		Other [00]	Skew angle	0	Structure Flared
			Historical significance	Bridge is not eligible for the NRHP. [5]	
Total length	22.3 m = 73.2 ft	Length of maximum span	19.5 m = 64.0 ft	Deck width, out-to-out	6.1 m = 20.0 ft
Inventory Route, Total Horizontal Clearance	6.1 m = 20.0 ft	Curb or sidewalk width - left	0 m = 0.0 ft	Curb or sidewalk width - right	0 m = 0.0 ft
Deck structure type	Concrete Cast-in-Place [1]				
Type of wearing surface	Bituminous [6]				
Deck protection					
Type of membrane/wearing surface					

Weight Limits

Bypass, detour length	Method to determine inventory rating	No rating analysis performed [5]	Inventory rating	14.3 metric ton = 15.7 tons
0.5 km = 0.3 mi	Method to determine operating rating	No rating analysis performed [5]	Operating rating	19.8 metric ton = 21.8 tons
	Bridge posting		Design Load	M 13.5 / H 15 [2]

Functional Details

Average Daily Traffic Average daily truck traffi % Year Future average daily traffic Year

Road classification Lanes on structure Approach roadway width

Type of service on bridge Direction of traffic Bridge median

Parallel structure designation

Type of service under bridge Lanes under structure Navigation control

Navigation vertical clearanc Navigation horizontal clearance

Minimum navigation vertical clearance, vertical lift bridge Minimum vertical clearance over bridge roadway

Minimum lateral underclearance reference feature

Minimum lateral underclearance on right Minimum lateral underclearance on left

Minimum Vertical Underclearance Minimum vertical underclearance reference feature

Appraisal ratings - underclearances

Repair and Replacement Plans

Type of work to be performed

Work done by

Bridge improvement cost Roadway improvement cost

Length of structure improvement Total project cost

Year of improvement cost estimate

Border bridge - state Border bridge - percent responsibility of other state

Border bridge - structure number

Inspection and Sufficiency

Structure status	Posted for load [P]	Appraisal ratings - structural	Basically intolerable requiring high priority of corrective action [3]
Condition ratings - superstructure	Serious [3]	Appraisal ratings - roadway alignment	Better than present minimum criteria [7]
Condition ratings - substructure	Poor [4]	Appraisal ratings - deck geometry	Meets minimum tolerable limits to be left in place as is [4]
Condition ratings - deck	Fair [5]		
Scour	Bridge foundations determined to be stable for assessed or calculated scour condition. [5]		
Channel and channel protection	Banks are protected or well vegetated. River control devices such as spur dikes and embankment protection are not required or are in a stable condition. [8]		
Appraisal ratings - water adequacy	Better than present minimum criteria [7]	Status evaluation	Structurally deficient [1]
Pier or abutment protection		Sufficiency rating	32.6
Culverts	Not applicable. Used if structure is not a culvert. [N]		
Traffic safety features - railings			
Traffic safety features - transitions			
Traffic safety features - approach guardrail			
Traffic safety features - approach guardrail ends			
Inspection date	October 2010 [1010]	Designated inspection frequency	12 Months
Underwater inspection	Not needed [N]	Underwater inspection date	
Fracture critical inspection	Every two years [Y24]	Fracture critical inspection date	October 2010 [1010]
Other special inspection	Not needed [N]	Other special inspection date	

Unit of Measure: **English**
Structure File Number **6835414**
Sufficiency Rating: **33.6 SD**

Bridge Inventory Information
Inventory Bridge Number: **PRE C0045 0100**
ON PAINT CREEK

Report Date **02/27/2013** BM-191 Page: 1 of 2
BR. Type STEEL / TRUSS / PONY (TRUSS)
Date of Last Inventory Update: **01/28/2013**

District: **08** County **PREBLE** (101) Location: **W OF CH 21** (102) Facility Carried: **PAINT CR 4 MILE**
(2) FIPS Code: **SOMERS TWP** (103) Route On Bridge: **COUNTY** (104) Route Under Bridge: **NON-HIGHWAY**
(9) Direction of Traffic: **ONE LANE FOR 2-WAY TRAFFIC** (10) Temporary: **N** (11) Truck Network: **N** (12) Parallel: **N**
(95) Insp: **COUNTY** (96) Maint: **COUNTY** (97) Routine: **COUNTY** (100) Type Serv: (On): **HIGHWAY** (Under): **WATERWAY**

Inventory Route Data
(3) Route On/Under: **ON** Hwy Sys: **COUNTY/TOWNSHIP HIGHWAY** (63) Main Spans Number: 1 Type: **STEEL / TRUSS / PONY (TRUSS)**
Route No.: **C0045** Dir: Des: **MAINLINE** Pref: Approach Spans Number: 0 Type: **NONE / NONE / NONE**
Total Spans: 1 (65) Max Span: **64** Ft (66) Overall Leng: **73** Ft

(4) Feature Intersected: **PAINT CREEK** (70) Substructure (71) Foundation and Scour Information
(5) County: **SOM** Mileage: **0100** Special Desig: Abut-Rear Matl: **CONCRETE AND STONE** Type: **SOLID WALL** Fnd: **SPREAD FOOTING**
(6) Avg. Daily Traffic(ADT): **370** (7) ADT Year: **1969** Abut-Fwd Matl: **CONCRETE AND STONE** Type: **SOLID WALL** Fnd: **SPREAD FOOTING**
(8) Truck Traf: **37** (14) NHS: **NO - X** (15) Corridor: **N** Pier-Pred Matl: **NONE** Type: **NONE** Fnd: **NONE/NOT APPLICABLE (SUCH AS CULVERTS)**
(16) Functional Class: **LOCAL ROAD-RURAL** (19) Strahnt: **Not Applicable** Pier-Other Matl: **NONE** Type: **NONE** Fnd: **NONE/NOT APPLICABLE (SUCH AS CULVERTS)**
Pier-Other Matl: **NONE** Type: **NONE** Fnd: **NONE/NOT APPLICABLE (SUCH AS CULVERTS)**

Intersected Route Data
(22) Route On/Under: Hwy Sys: No of Piers Predominate: **NN** Other: **NN** Other: **NN**
Route No.: Dir: Des: Pref: (86) Stream Velocity: **UUU** (74) Scour: **STABLE: SCOUR WITHIN LIMITS OF FOOT/PILE**
(23) Feature Intersected: (189) Dive: **N Freq: 0** Probe: **Y Freq: 12** (75) Chan Prot: **OTHER-GRASS, BUSHES & TREES**
(24) County: Mileage: Special Desig: (189) Date of last Dive Insp: (152) Drainage Area: **UUU** Sq Mi

(25) Avg. Daily Traffic(ADT): **0** (26) ADT Year:
(27) Truck Traf: **0** (28) NHS: - (29) Corridor:
(30) Functional Class: (36) Strahnt: **Not Applicable**

Clearance On the Bridge
(154) Min Hriz on Bridge: NC: **0.0** Ft Card: **20.0** Ft
(155) Prac Max Vert On Brg: **9999.9** Ft
(67) Min Vrt Clr On Brg: NC: **0.0** Ft Card: **9999.9** Ft
(80) Min Latl Clr: NC: **0.0 / 0.0** Ft Card: **0.0 / 0.0** Ft
(81) Vrt Clr Lft: **0.0** Ft

Clearance Under the Bridge
(156) Min. Horiz Under Clear: NC: **0.0** Ft Card: **0.0** Ft
(157) Prac Max Vrt Under Clear: **0.0** Ft
(77) Min Vert Under Clear: NC: **0.0** Ft Card: **0.0** Ft
(78) Min Lat Under Clear: NC: **0.0 / 0.0** Ft Card: **0.0 / 0.0** Ft

Load Rating Information (88-89) Appraisal
(48) Design Load: **OTHER (INCL RR BRIDGE W/TRACK REMOVED)** (Including calculated Items)
(83) Operating: **22** Ton
Inventory: **16** Ton
Ohio Percent of Legal Load **90** (88) Waterway Adequacy **7**
Year of Rating: **2012** (89) Approach Alignment **7**
(84) Analysis: **LOAD FACTOR (LF)** Calc Gen Appraisal: **3**
(85) Rate Soft: **COMBINATION** Analyzed by: Calc Deck Geometry: **4**
Analysis on Bars: **NOT ON BARS [DEFAULT]** Calc Underclearance: **N**

Approach Information
(109) Approach Guardrail: **NONE**
(110) Approach Pavement: **BITUMINOUS** (111) Grade: **GOOD**

Culvert Information
(131) Culvert Type: **NONE/NOT APPLICBLE** (127) Length: **0.0** Ft
(129) Depth of Fill: **0.0** Ft (130) Headwalls: **NONE**

General Information
(121) Main Member **ROLLED STEEL** (122) Moment Plate: **NONE**
(169) Expansion Joint: **SLIDING METAL PLATE ANGLE**
(124) Bearing Devices: **SLIDING (BRONZE)/NONE**
(126) Navigation: **Control- X** Vert Clr: **0.0** Ft Horiz Clear: **0.0** Ft
(193) Spec Insp: **N** Freq: **0** Date:
(188) Fracture Critical Insp: **Y** Freq: **24** Date: **2012-10-12**
(138) Long Member: **TWO TRUSSES (RIVETED)** (135) Hinges: **NOT APPLICABLE**
(141) Structural Steel Memb: **UNKNOWN** (139) Framing: **NONE**
Railing: **UNKNOWN**
Paint: **OTHER**
(62) Wearing Surface: **BITUM (ASPHLT CONCR)**
Thickness: **5.0** in (119) Date of Wearing Surface:
Slope Protection: **RIP RAP (DUMPED ROCK)**
Pay Wt: **0** pounds Prime Loc: **UNKNOWN**
Bridge Dedicated Name:

Unit of Measure: **English**
 Structure File Number **6835414**
 Sufficiency Rating: **33.6 SD**

Bridge Inventory Information
 Inventory Bridge Number: **PRE C0045 0100**
ON PAINT CREEK

Report Date **02/27/2013** BM-191 Page: 2 of 2
 BR. Type **STEEL/TRUSS/PONY (TRUSS)**
 Date of Last Inventory Update: **01/28/2013**

General Information (Continued) Original Plans Information

(---) Hist Significance: **NOT HISTORIC** (69) NBIS: **Y**
 (---) Hist Builder: **CHAMPION BRIDGE CO** Hist Build Year: **1950**
(WILMINGTON, OH)
 (69) Hist Type: **WARREN (RIVETED)**
 (161) Special Features (see below):
 (105) Border Bridge State: Resp % (106) SFN:

(142) Fabricator:
 (143) Contractor:
 (144) Ohio Original Construction Project No.:
 (---) Microfilm Reel:
 (151) Standard Drawing:
 Aperture Cards: Orig: **N** Repair: **N** Fabr: **N**
 Plan Information Available: **2FIELD MEASURED INFORMATION**

Proposed Improvements Programming Info

(90) Type Work: -
 (90) Length: Ft
 (90) Bridge Cost (\$1000s): **0**
 (90) Roadway Cost (\$1000s): **0**
 (90) Total Project Cost (\$1000s): **0** (90) Year:
 (91) Future ADT (On Bridge): **0** (92) Year of Future ADT: **2033**

(153) Repair Projects
 1. / **020** 2. / **020** 3.
 4. 5. 6.
 7. 8. 9.
 10.

Inspection Summary (I-69) Survey Items

(I-8) Deck: 6	Railings: 0 DOES NOT MEET CURRENT STANDARDS
(I-32) Superstructure: 3	Transitions: 0 DOES NOT MEET CURRENT STANDARDS
(I-42) Substructure: 4	Guardrail: 0 DOES NOT MEET CURRENT STANDARDS
(I-50) Culvert:	Rail Ends: 0 DOES NOT MEET CURRENT STANDARDS
(I-54) Channel: 8	In Depth: 1 MEETS CURRENT STANDARDS
(I-60) Approaches: 7	Fracture Critical: 1 MEETS CURRENT STANDARDS
(I-66) General Appraisal: 3	Scour Critical: N NONE N/A
(I-66) Operational Status: P	Critical Findings: N NONE N/A
Inspection Date: 10/12/2012	Insp. Update Date: 01/28/2013
(94) Desig Insp Freq: 12 Months	

Utilities Special Features

(46) Electric: U	(161) Lighting: N
Gas: U	Fencing: N
Sanitary Sewer: U	Glare-Screen: N
Telephone: U	Splash-Guard: N
TV Cable: U	Catwalks: N
Water: U	Other-Feat: U
Other: U	(184) Signs-on: Y
	Signs-Under: N
	(162) Fence-Ht: 0.0 Ft
	(163) Noise Barr: N

SFNs Replacing this retired bridge: -
 SFNs That where replaced by this bridge: -
 This bridge was retired and copied to:
 The bridge was copied from:

INV Field Bridge Marker: **PRE-C0045-0100 -**
 INT Field Bridge Marker: **---**

PONTIS CoRe elements and Condition States

Elem No.	CoRe Element Description	Total Quantity	Unit Meas.	Condition State Percents(*)				
				1	2	3	4	5
		0						

(*) Percentages Should add to 100%

STATE OF OHIO DEPARTMENT OF TRANSPORTATION
BRIDGE INSPECTION REPORT

BR-86 REV 02-95

6	8	3	5	4	1	4
---	---	---	---	---	---	---

Bridge Number **PRE C0045 0100**
CO ROUTE UNIT

SOMERS TWP

Date Built **07/01/1960**

District **08** Bridge Type **STEEL/TRUSS/PONY (TRUSS)**

Type Service **1 15 PAINT CREEK**

PRE

DECK		Out/Out 20.0	2	THCK = 5.0		1
1. Floor	1-REINF CONCRT (PRESTRSD	8		2. Wearing Surface	6-BITUM (ASPHLT CONCRT)	41
		N-NONE		W.S. Date =		
3. Curbs, Sidewalks, Walkways		N-NONE	9	4. Median		42
		0-OTHER	10			
5. Railing			3	6. Drainage	1-OVER THE SIDE (W/O DRI	43
7. Expansion Joints	2-SLIDING METAL PLATE AN		1	8. Summary		44
SUPERSTRUCTURE		MAX.SPAN=64	1			1
9. Alignment			12	10. Beams/Girders/Slab	1-ROLLED STEEL	45
		TOT.LGTH=73				
11. Diaphragms or Crossframes			13	12. Joists/Stringers		46
13. Floor Beams			14	14. Floor Beam Connections		47
15. Verticals			15	16. Diagonals		48
17. End Posts			16	18. Top Chord		49
19. Lower Chord			17	20. Lower Lateral Bracing		50
21. Top Lateral Bracing			18	22. Sway Bracing		51
23. Portals			19	24. Bearing Devices	3-SLIDING (BRONZE) N-NONE	52
25. Arch			20	26. Arch Columns or Hangers		53
27. Spandrel Walls			21	28. Protective Coating System	TYPE = 0-OTHER DATE = 01/01/1977	54
29. Pins/Hangers/Hinges			22	30. Fatigue Prone Connections		55
31. Live Load Response			23	32. Summary		56
SUBSTRUCTURE		3-CONCRETE AND STONE	3	PIERS=0 SPANS = 1		1
33. Abutments	3-CONCRETE AND STONE	24		34. Abutment Seats		57
35. Piers	TYPE = N-NONE	25		36. Pier Seats		58
37. Backwalls			26	38. Wingwalls	ABUTMENT:=SPREAD / SPREAD	59
39. Fenders and Dolphins			27	40. Scour	5-STABLE: SCOUR WITHIN L 60	60
41. Slope Protection	3-RIP RAP (ROCK)	28	1	42. Summary		62
				DIVE DT=N/A		
CULVERTS						
43. General			29	44. Alignment		63
45. Shape			30	46. Seams		64
47. Headwalls or Endwalls			31	48. Scour		65
49.			32	50. Summary		66
CHANNEL				0-OTHER-GRASS, BUSHES & TREES		1
51. Alignment			33	52. Protection		67
53. Waterway Adequacy			34	54. Summary		68
APPROACHES						
55. Pavement	2-BITUMINOUS	35	1	56. Approach Slabs		69
57. Guardrail	N-NONE	36		58. Relief Joints		70
59. Embankment	BRDG.WIDTH=20.0	37	1	60. Summary		71
				PCT.LEGAL=90		
GENERAL				ROUTINE.RESP: 3-COUNTY		1
61. Navigation Lights			38	62. Warning Signs	MAINT.RESP: 3-COUNTY	72
		MVC ON=9999 UND=0000				
63. Sign Supports			39	64. Utilities		73
65. Vertical Clearance			40	66. General Appraisal & Operational Status		74

67. INSPECTED BY

68. REVIEWED BY

SIGNED

76 PE

R S
78 INITIALS

SIGNED

7 1 2 8 8
81 PE

R C
83 INITIALS

DOT 2852

DECK AREA 1,464

Date 1 0 1 2 1 2
86 91

0 0 0 0 1 1 N N
92 69 Survey 99

Date 0 1 2 8 1 3
100 105

STATE OF OHIO DEPARTMENT OF TRANSPORTATION
BRIDGE INSPECTION REPORT

BR-86 REV 02-95

6	8	3	5	4	1	4
---	---	---	---	---	---	---

1 Structure File Number 7

Bridge Number **PRE C0045 0100**
CO ROUTE UNIT

Date Built 07/01/1960

District **08** Bridge Type **STEEL/TRUSS/PONY (TRUSS)**

Type Service **1 15**

PAINT CREEK

00 NO REMARKS FOUND FOR THIS INSPECTION.
