HistoricBridges.org - National Bridge Inventory Data Sheet

2011 Inventory

The National Bridge Inventory contains data submitted by state transportion departments to the Federal Highway Administration in coded format.

Form Interface Design: www.historicbridges.org. Data Conversion Assistance By www.bridgehunter.com. None of the involved parties make any guarantee of accuracy.

Basic Information					41-28-58 =	081-41-40 = -
Ohio [39]	Cuyahoga County [035]	Cleveland [16000]	NO DATA		41.482778	81.694444
1840444	Highway agency district	Owner		Maintenance responsibility		
Route 424	NO DATA	Toll Or	n free road [3]	Features intersected SCRANT	ON RD/N&W RR #44R	
Design - Steel [3] main Truss - Th	Design - approach		Kilometerpoint (Year built 1910 Skew angle	Year reconstructed Structure Flared		
			Historical significand	ce		
Total length 62.5 m	= 205.1 ft Length of maxi	mum span 60.7 m = 199.2 ft	Deck width, out-to	o-out Bridge ro	padway width, curb-to-c	urb
Inventory Route, Total Deck structure type Type of wearing surface Deck protection Type of membrane/w		6.6 ft Curb or sidewal	k width - left	Curb or s	dewalk width - right	
Weight Limits Bypass, detour leng 0 km = 0.0 mi	th Method to determine inventor Method to determine operatin Bridge posting			Operating Operating Design Load		

Functional Details							
Average Daily Traffic 8812 Average daily tr	uck traffi 2 % Year 1982 Fu	uture average daily traffic	Year				
Road classification Minor Arterial (Urban) [16]	Lanes on structure 0		Approach roadway width				
Type of service on bridge Railroad [2]	Direction of traffic		Bridge median				
Parallel structure designation No parallel structure exists. [N]							
Type of service under bridge Highway, with or without	ut ped Lanes under structure 2	Navigation control					
Navigation vertical clearanc Navigation horizontal clearance							
Minimum navigation vertical clearance, vertical lift bridge Minimum vertical clearance over bridge roadway							
Minimum lateral underclearance reference feature							
Minimum lateral underclearance on right Minimum lateral underclearance on left							
Minimum Vertical Underclearance Minimum vertical underclearance reference feature							
Appraisal ratings - underclearances							
Dancin and Danlessmant Dlane							
Repair and Replacement Plans	Made dans by						
Type of work to be performed	Work done by						
	Bridge improvement cost	Roadway impro	ovement cost				
	Length of structure improvement	Tot	al project cost				
	Year of improvement cost estimate						
	Border bridge - state	Bord	er bridge - percent responsibility of other state				
	Border bridge - structure number						

Inspection and Sufficiency								
Structure status	Appraisal ratings - structural							
	Appraisal ratings -							
Condition ratings - superstructur	roadway alignment							
Condition ratings - substructure	Appraisal ratings -							
Condition ratings - deck	deck geometry deck geometry							
Scour								
Channel and channel protection								
F								
Appraisal ratings - water adequacy	Status evaluation							
	Status evaluation							
Pier or abutment protection	Sufficiency rating							
Culverts								
Traffic safety features - railings								
Traffic safety features - transitions								
Traffic safety features - approach guardrail								
Traffic safety features - approach guardrail ends								
Inspection date	Designated inspection frequency Months							
Underwater inspection	Underwater inspection date							
Fracture critical inspection	Fracture critical inspection date							
Other special inspection Other special inspection date								