

The National Bridge Inventory contains data submitted by state transportation departments to the Federal Highway Administration in coded format.
 Form Interface Design: www.historicbridges.org. Data Conversion Assistance By www.bridgehunter.com. None of the involved parties make any guarantee of accuracy.

Basic Information

Ohio [39]	Scioto County [145]	Brush Creek [09764]	00.10 MI. W OF SR73	38-53-54 = 38.898333	083-12-24 = - 83.206667
7332785	Highway agency district 9	Owner County Highway Agency [02]	Maintenance responsibility	County Highway Agency [02]	
Route #Num!	LAUREL FORK ROAD	Toll On free road [3]	Features intersected	LAUREL FORK RD (DRY RUN)	
Design - main	Steel [3]	Design - approach	Kilometerpoint	0 km = 0.0 mi	
1	Truss - Thru [10]	0	Year built	1920	Year reconstructed N/A [0000]
		Other [00]	Skew angle	0	Structure Flared
			Historical significance	Bridge is not eligible for the NRHP. [5]	
Total length	15.5 m = 50.9 ft	Length of maximum span	14.9 m = 48.9 ft	Deck width, out-to-out	5.5 m = 18.0 ft
Inventory Route, Total Horizontal Clearance	4.7 m = 15.4 ft	Curb or sidewalk width - left	0 m = 0.0 ft	Curb or sidewalk width - right	0 m = 0.0 ft
Deck structure type	Wood or Timber [8]				
Type of wearing surface	Other [9]				
Deck protection					
Type of membrane/wearing surface					

Weight Limits

Bypass, detour length	Method to determine inventory rating	No rating analysis performed [5]	Inventory rating	9.1 metric ton = 10.0 tons
19.9 km = 12.3 mi	Method to determine operating rating	No rating analysis performed [5]	Operating rating	13.6 metric ton = 15.0 tons
	Bridge posting		Design Load	

Functional Details

Average Daily Traffic	89	Average daily truck traffi	0	%	Year	2004	Future average daily traffic	124	Year	2031
Road classification	Local (Rural) [09]		Lanes on structure	1		Approach roadway width	4.9 m = 16.1 ft			
Type of service on bridge	Highway [1]		Direction of traffic	One lane bridge for 2 - way traffic [3]		Bridge median				
Parallel structure designation	No parallel structure exists. [N]									
Type of service under bridge	Waterway [5]		Lanes under structure	0		Navigation control				
Navigation vertical clearanc	0 = N/A		Navigation horizontal clearance	0 = N/A						
Minimum navigation vertical clearance, vertical lift bridge			Minimum vertical clearance over bridge roadway	99.99 m = 328.1 ft						
Minimum lateral underclearance reference feature	Feature not a highway or railroad [N]									
Minimum lateral underclearance on right	0 = N/A				Minimum lateral underclearance on left	0 = N/A				
Minimum Vertical Underclearance	0 = N/A		Minimum vertical underclearance reference feature	Feature not a highway or railroad [N]						
Appraisal ratings - underclearances	N/A [N]									

Repair and Replacement Plans

Type of work to be performed	Work done by	Work to be done by contract [1]			
Replacement of bridge or other structure because of substandard load carrying capacity or substantial bridge roadway geometry. [31]	Bridge improvement cost	\$82,000	Roadway improvement cost	\$8,000	
	Length of structure improvement	15.5 m = 50.9 ft		Total project cost	\$102,000
	Year of improvement cost estimate	2005			
	Border bridge - state		Border bridge - percent responsibility of other state		
	Border bridge - structure number				

Inspection and Sufficiency

Structure status	Posted for other load-capacity restriction [R]	Appraisal ratings - structural	Basically intolerable requiring high priority of replacement [2]
Condition ratings - superstructure	Fair [5]	Appraisal ratings - roadway alignment	Meets minimum tolerable limits to be left in place as is [4]
Condition ratings - substructure	Poor [4]	Appraisal ratings - deck geometry	Better than present minimum criteria [7]
Condition ratings - deck	Satisfactory [6]		
Scour	Bridge foundations determined to be stable for assessed or calculated scour condition. [5]		
Channel and channel protection	Bank is beginning to slump. River control devices and embankment protection have widespread minor damage. There is minor stream bed movement evident. Debris is restricting the channel slightly. [6]		
Appraisal ratings - water adequacy	Meets minimum tolerable limits to be left in place as is [4]	Status evaluation	Structurally deficient [1]
Pier or abutment protection		Sufficiency rating	21.1
Culverts	Not applicable. Used if structure is not a culvert. [N]		
Traffic safety features - railings	Inspected feature meets currently acceptable standards. [1]		
Traffic safety features - transitions			
Traffic safety features - approach guardrail			
Traffic safety features - approach guardrail ends			
Inspection date	October 2012 [1012]	Designated inspection frequency	12 Months
Underwater inspection	Not needed [N]	Underwater inspection date	
Fracture critical inspection	Every two years [Y24]	Fracture critical inspection date	October 2012 [1012]
Other special inspection	Not needed [N]	Other special inspection date	

Structure File Number: 7332785

Inventory Bridge Number: SCI TR079 00100 N

BR. Type: STEEL/TRUSS/PONY (TRUSS)

Sufficiency Rating: 021.1 SD

ROUTE CARRIED "ON" THE STRUCTURE LAUREL FORK RD (DRY RUN)

Date of Last Inventory Update:

District: 09	County: SCIOTO	(101) Location: 00.10 MI. W OF SR73	(102) Facility Carried: LAUREL FORK ROAD
(2) FIPS Code: SCI-T-09764-BRUSH CREEK TWP		(103) Route On Bridge: COUNTY	(104) Route Under Bridge: NON HIGHWAY TRAFFIC ON BRIDGE
(9) Direction of Traffic: ONE LANE BRIDGE FOR 2-WAY	(10) Temporary: N	(11) Truck Network: N	(12) Parallel: N
		(100) Type Serv: (On): HIGHWAY	(Under): WATERWAY
Inventory Route Data			
(3) Route On/Under: ROUTE CARRIED "ON" THE STR	Hwy Sys: COUNTY HIGHWAY (TOWNS	(63) Main Spans Number: 1	Type: STEEL/TRUSS/PONY (TRUSS)
Route No: TR079	Dir: NOT APPLICABLE	Des: MAINLINE	Pref: N
(4) Feature Intersected: LAUREL FORK RD (DRY RUN)		(64) Approach Spans Number: 0	Type: NONE/NONE/NONE
(5) County: BRU	Mileage: 00100	Special Desig: N	
(6) Avg. Daily Traffic(ADT): 89	(7) ADT Year: 2004	Total Spans: 1	(65) Max Span: 49 Ft
(8) Truck Traf: 1	(14) NHS: NON-NHS BRG E	(15) Corridor: N	(66) Overall Leng: 51 Ft
(16) Functional Class: RURAL - LOCAL	(19) Strahnt: NON-STRAHNET BRIDGES		
Intersected Route Data			
(22) Route On/Under:	Hwy Sys:	(70) Substructure	(71) Foundation and Scour Information
Route No: Dir:	Des: Pref:	Abut-Rear	Matl: STONE
(23) Feature Intersected:		Type: GRAVITY	Fnd: OTHER
(24) County: Mileage: 0000	Special Desig:	Abut-Fwd	Matl: STONE
(25) Avg. Daily Traffic(ADT):	(26) ADT Year:	Type: GRAVITY	Fnd: OTHER
(27) Truck Traf: (28) NHS: -	(29) Corridor: N	Pier-Pred	Matl: NONE
(30) Functional Class:	(36) Strahnt:	Type: NONE	Fnd: NONE (SUCH AS MOST CULVERTS)
		Pier-Other	Matl: NONE
		Type: NONE	Fnd: NONE (SUCH AS MOST CULVERTS)
		Pier-Other	Matl: NONE
		Type: NONE	Fnd: NONE (SUCH AS MOST CULVERTS)
		No of Piers Predominate:	Other:
		(86) Stream Velocity: 00000	(74) Scour: SCOUR WITHIN LIMITS OF FOOTING OR PILES.
		(189) Dive: N Freq: 0	Probe: N Freq: 0
		(189) Date of last Dive Insp:	(75) Chan Prot: NONE
		(152) Drainage Area: UUU Sq Mi	
Clearance Under the Bridge			
(156) Min. Horiz Under Clear:	NC: 0.0 Ft	Card: 0.0 Ft	
(157) Prac Max Vrt Under Clear:	0.0 Ft		
(77) Min Vert Under Clear:	NC: 0.0 Ft	Card: 0.0 Ft	
(78) Min Lat Under Clear:	NC: 0.0/0.0 Ft	Card: 0.0/0.0 Ft	
Load Rating Information			
(48) Design Load: UNKNOWN		(88-89) Appraisal	
Opr Rat Fact: 0.420 LD:		(Including calculated Items)	
Inv Rat Fact: 0.280 LD:			
(83) Ohio Percent of Legal Load: 25		(88) Waterway Adequacy: 4	
Year of Rating: 2013		(89) Approach Alignment: 4	
(84) Analysis: FIELD EVALUATION AND DOCUMENTED ENGINEER		Calc Gen Appraisal: 2	
(85) Rate Soft: COMBINATION		Calc Deck Geometry: 7	
Analysis on Bars: NOT ON BARS [DEFAULT]		Calc Underclearance: N	
PE#: 75295 TIMOTHY CARROLL			
Approach Information			
(109) Approach Guardrail: NONE		(111) Grade: GOOD	
(110) Approach Pavement: OTHER			
Culvert Information			
(131) Culvert Type: NOT A CULVERT OR RIGID FRAME		(127) Length: 0.0 Ft	
(129) Depth of Fill: 0.0 Ft		(130) Headwalls: NONE OR NOT APPLICABLE (NOT A CU	
General Information			
(121) Main Member: ROLLED STEEL		(122) Moment Plate: NO MOMENT PLATES	
(169) Expansion Joint: NONE			
(124) Bearing Devices: OTHER			
(126) Navigation: Control-N	Vert Clr: 0.0 Ft	Horiz Clear: 0.0 Ft	
(193) Spec Insp: N	Freq: 0	Date:	
(188) Fracture Critical Insp: Y	Freq: 24	Date: 1/6/2015	
(138) Long Member: TWO TRUSSES (RIVETED)		(135) Hinges: NOT APPLICABLE (STRUCTURES WITH NO	
(141) Structural Steel Memb: UNKNOWN		(139) Framing: NONE OR NOT APPLICABLE	
		Railing: U	
Pay Wt: 0 pounds	Prime Loc: UNKNOWN	Paint: OTHER PAINT	
Bridge Dedicated Name:			

Unit of Measure: **English**
 Structure File Number: 7332785
 Sufficiency Rating: 021.1 SD

Bridge Inventory Information

Inventory Bridge Number: SCI TR079 00100 N

BR. Type: **STEEL/TRUSS/PONY (TRUSS)**

ROUTE CARRIED "ON" THE STRUCTURE LAUREL FORK RD (DRY RUN)

Date of Last Inventory Update:

General Information (Continued)				Original Plans Information			
(---) Hist Significance: NOT ELIGIBLE (---) Hist Builder: UNKNOWN (69) Hist Type: WARREN (RIVETED) (161) Special Features (see below): (105) Border Bridge State: Resp: %(106) SFN:		(69) NBIS: Y Hist Build Year: 1909		(142) Fabricator: (143) Contractor: (144) Ohio Original Construction Project No: (---) Microfilm Reel: (151) Standard Drawing: Aperture Cards: Orig: N Repair: N Fabr: N Plan Information Available: 2 FIELD MEASURED INFORMATION FOR LOAD RAT (153) Repair Projects: 1) 930000 / 020			
Proposed Improvements		Programming Info					
(90) Type Work: 31 - REPLACEMENT - LOAD/GEOMETRY		PID Number:					
(90) Length: 51.0 Ft		PID Status:					
(90) Bridge Cost (\$1000s): 82		PID Date:					
(90) Roadway Cost (\$1000s): 8							
(90) Total Project Cost (\$1000s): 102		(90) Year: 1979					
(91) Future ADT (On Bridge): 124		(92) Year of Future ADT: 2031					
Inspection Summary		(I-69) Survey Items		Utilities		Special Features	
(I-8) Deck:	6	Railings:	MEETS ACCEPTABLE STANDARDS	(46) Electric:	N	(161) Lighting:	N
(I-32) Superstructure:	5	Transitions:	DOES NOT MEET ACCEPTABLE STANDARDS	Gas:	N	Fencing:	N
(I-42) Substructure:	4	Guardrail:	DOES NOT MEET ACCEPTABLE STANDARDS	Sanitary Sewer:	N	Glare-Screen:	N
(I-50) Culvert:	N	Rail Ends:	DOES NOT MEET ACCEPTABLE STANDARDS	Telephone:	N	Splash-Guard:	N
(I-54) Channel:	6	In Depth:		TV Cable:	N	Catwalks:	N
(I-60) Approaches:	4	Fracture Critical:		Water:	N	Other-Feat:	N
(I-66) General Appraisal:	4	Scour Critical:		Other:	N	(184) Signs-On:	N
(I-66) Operational Status:	P	Critical Findings:				Signs-Under:	N
Inspection Date:	1/6/2015	Insp. Update Date:	1/6/2015			(162) Fence-Ht:	0.0
(94) Desig Insp Freq	12 Months					(163) Noise Barr:	N
SFNs Replacing this retired bridge:		-		INV Field Bridge Marker: SCI - TR079 - 0010 - N			
SFNs That were replaced by this bridge:		-		INT Field Bridge Marker: - - 0000 -			
This bridge was retired and copied to:							
The bridge was copied from:							
(95) Insp: COUNTY AGENCY		2nd: NONE	3rd: NONE				
(96) Maint: COUNTY AGENCY		2nd: NONE	3rd: NONE				
(97) Routine: COUNTY AGENCY		2nd: NONE	3rd: NONE				

PONTIS CoRe elements and Conditions States

Elem No.	CoRe Element Description	Total Quantity	Unit Meas.	Condition State Percents(*)				
				1	2	3	4	5

(*) Percentages should add to 100%

STATE OF OHIO DEPARTMENT OF TRANSPORTATION
BRIDGE INSPECTION REPORT

STRUCTURE FILE NUMBER: 7332785

SCI
CO

TR079
Route

00100
SLM

SCI-T-09764-BRUSH CREEK TWP

DATE BUILT 07/01/1909

District 09 STEEL/TRUSSPONY (TRUSS)

Type of Service

1 15 LAUREL FORK RD (DRY RUN)

N
SD SCI

DECK

1. Floor	Out/Out 18.0 2-LAMINATED TIMBER STRIP	2	2. Wearing Surface	THCK= 2.0 B-CHIP & SEAL - OVERLAY	3
3. Curbs, Sidewalks & Walkways	N-NONE N-NONE		4. Median	W.S. Date = 01/01/1999 N-NO MEDIAN	
5. Railing	7-STEEL GUARDRAIL ON STEEL, CONCRETE OR TI	2	6. Drainage	0-OTHER (NATURAL-OFF THE BRIDGE ENDS)	2
7. Expansion Joints	N-NONE		8. SUMMARY	Deck Area: 915	6

SUPERSTRUCTURE

9. Alignment of Members	MAX.SPAN.LENGTH = 49	1	10. Beams/Girders/Slab	1-ROLLED STEEL	1
11. Diaphragms or Cross Frames	TOT.LGTH = 51		12. Joist/Stringers		2
13. Floorbeams		1	14. Floorbeam Connections		
15. Verticals		2	16. Diagonals		2
17. End posts			18. Upper Chord		2
19. Lower Chord		2	20. Gusset Plates		2
21. Lateral Bracing		3	22. Sway Bracing		
23. Portals			24. Bearing Devices	0-OTHER N-NONE	1
25. Arch			26. Arch Columns or Hangers		
27. Spandrel Walls			28. Protective Coating System (PCS)	TYPE: 0OTHER PAINT DATE = 01/01/1993	4
29. Pins/Hangers/Hinges	ADT: 89 TRUCK: 1 YEAR: 2004		30. Fatigue Prone Detail (E & E')		1
31. Live Load Response (E or S)		S	32. SUMMARY		5

SUBSTRUCTURE

33. Abutments	1-STONE 1-STONE	3	34. Abutment Seats	PIERS= # OF SPANS=1	2
35. Piers	TYPE = N-NONE		36. Pier Seats		
37. Backwalls		2	38. Wingwalls	ABUTMENT:=OTHER/OTHER	2
39. Fenders and Dolphins			40. Scour (Insp Type - 1, 2, 3)	5-SCOUR WITHIN LIMITS OF FOOTING OR PILES. 1	2
41. Slope Protection	N-NONE		42. SUMMARY	DIVE DT= N/A	4

CULVERTS

43. General			44. Alignment		
45. Shape			46. Seams		
47. Headwalls or Endwalls			48. Scour (Insp Type - 1, 2, 3)		
49. Abutments			50. SUMMARY		N

CHANNEL

51. Alignment		2	52. Protection	N-NONE	
53. Hydraulic Opening		2	54. SUMMARY		6

APPROACHES

55. Pavement	0-OTHER	2	56. Approach Slabs		
57. Guardrail	N-NONE		58. Relief Joint		
59. Embankment	BRDG.WIDTH=15.5	3	60. SUMMARY	PCT.LEGAL= 25	4

GENERAL

61. Navigation Lights			62. Warning Signs	ROUTINE.RESP: 3-COUNTY AGENCY MAINT.RESP: 3-COUNTY AGENCY	
63. Sign Supports	MVC ON=9999 UND=0000		64. Utilities		
65. Vertical Clearance (1, 2-change, N)			66. General Appraisal & Operational Status		4 P

67. INSPECTED BY

68. REVIEWED BY

Print First & Last Name
Inspected Date: 1/6/2015

PE Number

JD Initial
1 0 0 0

Print First & Last Name

65.493
PE Number

CO Initial

Reviewed Date: 1/12/2015

69. Survey (1, 0, N)