

# HistoricBridges.org - National Bridge Inventory Data Sheet

2010 Inventory

The National Bridge Inventory contains data submitted by state transportation departments to the Federal Highway Administration in coded format.

Form Interface Design: www.historicbridges.org. Data Conversion Assistance By www.bridgehunter.com. None of the involved parties make any guarantee of accuracy.

## Basic Information

Pennsylvania [42]	Chester County [029]	Lower Oxford [45040]	CAMP TWEEDALE GSA 43B11	39-48-18 = 39.805000	076-00-31 = - 76.008611
1530280040000000	Highway agency district 6	Owner State Highway Agency [01]	Maintenance responsibility State Highway Agency [01]		
Route 0		STREET ROAD	Toll On free road [3]	Features intersected LEECH RUN	
Design - main Concrete [1]	Design - approach		Kilometerpoint 328.9 km = 203.9 mi		
1 Tee beam [04]	0 Other [00]		Year built 1924	Year reconstructed N/A [0000]	
			Skew angle 0	Structure Flared	
			Historical significance	Bridge is not eligible for the NRHP. [5]	
Total length 11.6 m = 38.1 ft	Length of maximum span 11 m = 36.1 ft	Deck width, out-to-out 6.1 m = 20.0 ft	Bridge roadway width, curb-to-curb 4.7 m = 15.4 ft		
Inventory Route, Total Horizontal Clearance 4.7 m = 15.4 ft	Curb or sidewalk width - left 0 m = 0.0 ft	Curb or sidewalk width - right 0 m = 0.0 ft			
Deck structure type	Concrete Cast-in-Place [1]				
Type of wearing surface	Bituminous [6]				
Deck protection					
Type of membrane/wearing surface					

## Weight Limits

Bypass, detour length 0.8 km = 0.5 mi	Method to determine inventory rating	No rating analysis performed [5]	Inventory rating	32.7 metric ton = 36.0 tons
	Method to determine operating rating	No rating analysis performed [5]	Operating rating	54.4 metric ton = 59.8 tons
	Bridge posting	Equal to or above legal loads [5]	Design Load	M 13.5 / H 15 [2]

### Functional Details

Average Daily Traffic	281	Average daily truck traffi	9	%	Year	2010	Future average daily traffic	300	Year	2012
Road classification	Minor Collector (Rural) [08]		Lanes on structure	1		Approach roadway width	4.3 m = 14.1 ft			
Type of service on bridge	Highway [1]		Direction of traffic	One lane bridge for 2 - way traffic [3]		Bridge median				
Parallel structure designation	No parallel structure exists. [N]									
Type of service under bridge	Waterway [5]		Lanes under structure	0		Navigation control				
Navigation vertical clearanc	0 = N/A		Navigation horizontal clearance	0 = N/A						
Minimum navigation vertical clearance, vertical lift bridge						Minimum vertical clearance over bridge roadway	99.99 m = 328.1 ft			
Minimum lateral underclearance reference feature	Feature not a highway or railroad [N]									
Minimum lateral underclearance on right	0 = N/A					Minimum lateral underclearance on left	0 = N/A			
Minimum Vertical Underclearance	0 = N/A		Minimum vertical underclearance reference feature	Feature not a highway or railroad [N]						
Appraisal ratings - underclearances	N/A [N]									

### Repair and Replacement Plans

Type of work to be performed	Work done by	Work to be done by contract [1]		
Other structural work, including hydraulic replacements. [38]	Bridge improvement cost	0	Roadway improvement cost	0
	Length of structure improvement	18 m = 59.1 ft	Total project cost	0
	Year of improvement cost estimate			
	Border bridge - state		Border bridge - percent responsibility of other state	
	Border bridge - structure number			

## Inspection and Sufficiency

Structure status	Open, no restriction [A]	Appraisal ratings - structural	Somewhat better than minimum adequacy to tolerate being left in place as is [5]
Condition ratings - superstructure	Fair [5]	Appraisal ratings - roadway alignment	Meets minimum tolerable limits to be left in place as is [4]
Condition ratings - substructure	Fair [5]	Appraisal ratings - deck geometry	Basically intolerable requiring high priority of replacement [2]
Condition ratings - deck	Satisfactory [6]		
Scour	Bridge foundations determined to be stable for assessed or calculated scour conditions; field review indicates action is required. [4]		
Channel and channel protection	Bank is beginning to slump. River control devices and embankment protection have widespread minor damage. There is minor stream bed movement evident. Debris is restricting the channel slightly. [6]		
Appraisal ratings - water adequacy	Equal to present minimum criteria [6]	Status evaluation	Functionally obsolete [2]
Pier or abutment protection		Sufficiency rating	70.9
Culverts	Not applicable. Used if structure is not a culvert. [N]		
Traffic safety features - railings			
Traffic safety features - transitions			
Traffic safety features - approach guardrail	Inspected feature meets currently acceptable standards. [1]		
Traffic safety features - approach guardrail ends			
Inspection date	April 2008 [0408]	Designated inspection frequency	24 Months
Underwater inspection	Not needed [N]	Underwater inspection date	
Fracture critical inspection	Not needed [N]	Fracture critical inspection date	
Other special inspection	Not needed [N]	Other special inspection date	