

HistoricBridges.org - National Bridge Inventory Data Sheet

2019 Inventory

The National Bridge Inventory contains data submitted by state transportation departments to the Federal Highway Administration in coded format.

Form Interface Design: www.historicbridges.org. Data Conversion Assistance By www.bridgehunter.com. None of the involved parties make any guarantee of accuracy.

Basic Information

Pennsylvania [42]	Columbia County [037]	Main [46688]	0.9 MI S OF MAINVILLE	40-57-47.15 = 40.963097	076-22-21.00 = -76.372500
12824	Highway agency district: 3	Owner County Highway Agency [02]	Maintenance responsibility	County Highway Agency [02]	
Route 0	T-468 COUNTY BR#42	Toll On free road [3]	Features intersected	CATAWISSA CREEK	
Design - main	Steel [3]	Design - approach		Kilometerpoint	0 km = 0.0 mi
1	Truss - Thru [10]	0	Other [00]	Year built	1903
				Year reconstructed	2013
				Skew angle	0
				Structure Flared	
				Historical significance	Bridge is eligible for the NRHP. [2]
Total length	69.2 m = 227.0 ft	Length of maximum span	67.1 m = 220.2 ft	Deck width, out-to-out	4.2 m = 13.8 ft
Inventory Route, Total Horizontal Clearance	4.1 m = 13.5 ft	Curb or sidewalk width - left	0 m = 0.0 ft	Curb or sidewalk width - right	0 m = 0.0 ft
Deck structure type	Open Grating [3]				
Type of wearing surface					
Deck protection					
Type of membrane/wearing surface					

Weight Limits

Bypass, detour length	Method to determine inventory rating	Allowable Stress(AS) [2]	Inventory rating	32.7 metric ton = 36.0 tons
15.9 km = 9.9 mi	Method to determine operating rating	Allowable Stress(AS) [2]	Operating rating	59 metric ton = 64.9 tons
	Bridge posting	Equal to or above legal loads [5]	Design Load	

Functional Details

Average Daily Traffic	120	Average daily truck traffi	0	%	Year	2017	Future average daily traffic	186	Year	2039
Road classification	Local (Rural) [09]		Lanes on structure	1		Approach roadway width	7.6 m = 24.9 ft			
Type of service on bridge	Highway [1]		Direction of traffic	One lane bridge for 2 - way traffic [3]		Bridge median				
Parallel structure designation	No parallel structure exists. [N]									
Type of service under bridge	Waterway [5]		Lanes under structure	0		Navigation control				
Navigation vertical clearanc	0 = N/A		Navigation horizontal clearance	0 = N/A						
Minimum navigation vertical clearance, vertical lift bridge	0 m = 0.0 ft				Minimum vertical clearance over bridge roadway	4.54 m = 14.9 ft				
Minimum lateral underclearance reference feature	Feature not a highway or railroad [N]									
Minimum lateral underclearance on right	0 = N/A				Minimum lateral underclearance on left	0 = N/A				
Minimum Vertical Underclearance	0 = N/A		Minimum vertical underclearance reference feature	Feature not a highway or railroad [N]						
Appraisal ratings - underclearances	N/A [N]									

Repair and Replacement Plans

Type of work to be performed	Work done by	Work to be done by contract [1]		
Replacement of bridge or other structure because of substandard load carrying capacity or substantial bridge roadway geometry. [31]	Bridge improvement cost	126000	Roadway improvement cost	372000
	Length of structure improvement	69 m = 226.4 ft	Total project cost	1706000
	Year of improvement cost estimate			
	Border bridge - state		Border bridge - percent responsibility of other state	
	Border bridge - structure number			

Inspection and Sufficiency

Structure status	Open, no restriction [A]	Appraisal ratings - structural	Equal to present desirable criteria [8]
Condition ratings - superstructure	Very Good [8]	Appraisal ratings - roadway alignment	Better than present minimum criteria [7]
Condition ratings - substructure	Very Good [8]	Appraisal ratings - deck geometry	Basically intolerable requiring high priority of replacement [2]
Condition ratings - deck	Very Good [8]		
Scour	Bridge foundations determined to be stable for assessed or calculated scour conditions; field review indicates action is required. [4]		
Channel and channel protection	Bank is beginning to slump. River control devices and embankment protection have widespread minor damage. There is minor stream bed movement evident. Debris is restricting the channel slightly. [6]		
Appraisal ratings - water adequacy	Equal to present desirable criteria [8]	Status evaluation	
Pier or abutment protection		Sufficiency rating	69.9
Culverts	Not applicable. Used if structure is not a culvert. [N]		
Traffic safety features - railings			
Traffic safety features - transitions	Inspected feature meets currently acceptable standards. [1]		
Traffic safety features - approach guardrail	Inspected feature meets currently acceptable standards. [1]		
Traffic safety features - approach guardrail ends	Inspected feature meets currently acceptable standards. [1]		
Inspection date	April 2017 [0417]	Designated inspection frequency	24 Months
Underwater inspection	Not needed [N]	Underwater inspection date	
Fracture critical inspection	Every two years [Y24]	Fracture critical inspection date	April 2017 [0417]
Other special inspection	Not needed [N]	Other special inspection date	