

# HistoricBridges.org - National Bridge Inventory Data Sheet

2010 Inventory

The National Bridge Inventory contains data submitted by state transportation departments to the Federal Highway Administration in coded format.

Form Interface Design: www.historicbridges.org. Data Conversion Assistance By www.bridgehunter.com. None of the involved parties make any guarantee of accuracy.

## Basic Information

Pennsylvania [42]	Somerset County [111]	Brothersvalley [09256]	1.5 MI.S.OF BERLIN	39-53-53 = 39.898056	078-57-15 = - 78.954167
550160034013640	Highway agency district 9	Owner State Highway Agency [01]	Maintenance responsibility	State Highway Agency [01]	
Route 160	PA 160	Toll On free road [3]	Features intersected	BUFFALO CREEK	
Design - main 1	Masonry [8]	Design - approach 0	Other [00]	Kilometerpoint 2648.2 km = 1641.9 mi	
	Arch - Deck [11]			Year built #Num!	Year reconstructed 2001
				Skew angle 0	Structure Flared
				Historical significance	Bridge is eligible for the NRHP. [2]
Total length 11.6 m = 38.1 ft	Length of maximum span 9.1 m = 29.9 ft	Deck width, out-to-out 9.5 m = 31.2 ft	Bridge roadway width, curb-to-curb 7.9 m = 25.9 ft		
Inventory Route, Total Horizontal Clearance 7.9 m = 25.9 ft	Curb or sidewalk width - left 0 m = 0.0 ft	Curb or sidewalk width - right 0 m = 0.0 ft			
Deck structure type	Not applicable [N]				
Type of wearing surface	Not applicable (applies only to structures with no deck) [N]				
Deck protection	Not applicable (applies only to structures with no deck) [N]				
Type of membrane/wearing surface	Not applicable (applies only to structures with no deck) [N]				

## Weight Limits

Bypass, detour length 1.3 km = 0.8 mi	Method to determine inventory rating	No rating analysis performed [5]	Inventory rating	44.5 metric ton = 49.0 tons
	Method to determine operating rating	No rating analysis performed [5]	Operating rating	74.4 metric ton = 81.8 tons
Bridge posting	Equal to or above legal loads [5]	Design Load	M 13.5 / H 15 [2]	

### Functional Details

Average Daily Traffic	3836	Average daily truck traffi	16	%	Year	2010	Future average daily traffic	2845	Year	2019
Road classification	Major Collector (Rural) [07]		Lanes on structure	2		Approach roadway width	8.5 m = 27.9 ft			
Type of service on bridge	Highway [1]		Direction of traffic	2 - way traffic [2]		Bridge median				
Parallel structure designation	No parallel structure exists. [N]									
Type of service under bridge	Waterway [5]		Lanes under structure	0		Navigation control				
Navigation vertical clearanc	0 = N/A		Navigation horizontal clearance	0 = N/A						
Minimum navigation vertical clearance, vertical lift bridge						Minimum vertical clearance over bridge roadway	99.99 m = 328.1 ft			
Minimum lateral underclearance reference feature	Feature not a highway or railroad [N]									
Minimum lateral underclearance on right	0 = N/A					Minimum lateral underclearance on left	0 = N/A			
Minimum Vertical Underclearance	0 = N/A		Minimum vertical underclearance reference feature	Feature not a highway or railroad [N]						
Appraisal ratings - underclearances	N/A [N]									

### Repair and Replacement Plans

Type of work to be performed	Work done by	Work to be done by owner's forces [2]		
Bridge rehabilitation because of general structure deterioration or inadequate strength. [35]	Bridge improvement cost	0	Roadway improvement cost	0
	Length of structure improvement	91.4 m = 299.9 ft	Total project cost	0
	Year of improvement cost estimate			
	Border bridge - state		Border bridge - percent responsibility of other state	
	Border bridge - structure number			

## Inspection and Sufficiency

Structure status	Open, no restriction [A]	Appraisal ratings - structural	Somewhat better than minimum adequacy to tolerate being left in place as is [5]
Condition ratings - superstructure	Fair [5]	Appraisal ratings - roadway alignment	Equal to present desirable criteria [8]
Condition ratings - substructure	Satisfactory [6]	Appraisal ratings - deck geometry	Basically intolerable requiring high priority of corrective action [3]
Condition ratings - deck	Not Applicable [N]		
Scour	Bridge foundations determined to be stable for the assessed or calculated scour condition. [8]		
Channel and channel protection	Bank protection is being eroded. River control devices and/or embankment have major damage. Trees and rush restrict the channel. [5]		
Appraisal ratings - water adequacy	Equal to present desirable criteria [8]	Status evaluation	
Pier or abutment protection		Sufficiency rating	64.4
Culverts	Not applicable. Used if structure is not a culvert. [N]		
Traffic safety features - railings			
Traffic safety features - transitions	Inspected feature meets currently acceptable standards. [1]		
Traffic safety features - approach guardrail			
Traffic safety features - approach guardrail ends			
Inspection date	August 2009 [0809]	Designated inspection frequency	24 Months
Underwater inspection	Not needed [N]	Underwater inspection date	
Fracture critical inspection	Not needed [N]	Fracture critical inspection date	
Other special inspection	Not needed [N]	Other special inspection date	