

HistoricBridges.org - National Bridge Inventory Data Sheet

2012 Inventory

The National Bridge Inventory contains data submitted by state transportation departments to the Federal Highway Administration in coded format.

Form Interface Design: www.historicbridges.org. Data Conversion Assistance By www.bridgehunter.com. None of the involved parties make any guarantee of accuracy.

Basic Information

Pennsylvania [42]	York County [133]	Washington [81352]	.6S KRALLTWN/BERMUDIAN CR	40-00-42 = 40.011667	076-58-40 = - 76.977778
38247	Highway agency district 8	Owner County Highway Agency [02]	Maintenance responsibility	County Highway Agency [02]	
Route 0		HULL DRIVE	Toll On free road [3]	Features intersected BERMUDIAN CREEK	
Design - main	Aluminum, Wrought Iron or Cast Iron [9]	Design - approach	Aluminum, Wrought Iron or Cast Iron [9]	Kilometerpoint	0 km = 0.0 mi
1	Truss - Thru [10]	1	Truss - Thru [10]	Year built	1896
				Year reconstructed	N/A [0000]
				Skew angle	0
				Structure Flared	
				Historical significance	Bridge is eligible for the NRHP. [2]
Total length	68 m = 223.1 ft	Length of maximum span	46 m = 150.9 ft	Deck width, out-to-out	4 m = 13.1 ft
Inventory Route, Total Horizontal Clearance	3.7 m = 12.1 ft	Curb or sidewalk width - left	0.2 m = 0.7 ft	Curb or sidewalk width - right	0.2 m = 0.7 ft
Deck structure type	Open Grating [3]				
Type of wearing surface					
Deck protection					
Type of membrane/wearing surface					

Weight Limits

Bypass, detour length	Method to determine inventory rating	Allowable Stress(AS) [2]	Inventory rating	12.7 metric ton = 14.0 tons
1 km = 0.6 mi	Method to determine operating rating	Allowable Stress(AS) [2]	Operating rating	19.1 metric ton = 21.0 tons
	Bridge posting		Design Load	

Functional Details

Average Daily Traffic	185	Average daily truck traffi	0	%	Year	1986	Future average daily traffic	249	Year	2032
Road classification	Local (Rural) [09]		Lanes on structure	1		Approach roadway width	5.2 m = 17.1 ft			
Type of service on bridge	Highway [1]		Direction of traffic	One lane bridge for 2 - way traffic [3]		Bridge median				
Parallel structure designation	No parallel structure exists. [N]									
Type of service under bridge	Waterway [5]		Lanes under structure	0		Navigation control				
Navigation vertical clearanc	0 = N/A		Navigation horizontal clearance	0 = N/A						
Minimum navigation vertical clearance, vertical lift bridge						Minimum vertical clearance over bridge roadway	5 m = 16.4 ft			
Minimum lateral underclearance reference feature	Feature not a highway or railroad [N]									
Minimum lateral underclearance on right	0 = N/A					Minimum lateral underclearance on left	0 = N/A			
Minimum Vertical Underclearance	0 = N/A		Minimum vertical underclearance reference feature	Feature not a highway or railroad [N]						
Appraisal ratings - underclearances	N/A [N]									

Repair and Replacement Plans

Type of work to be performed	Work done by	Work to be done by contract [1]		
Other structural work, including hydraulic replacements. [38]	Bridge improvement cost	0	Roadway improvement cost	0
	Length of structure improvement	55 m = 180.5 ft	Total project cost	0
	Year of improvement cost estimate			
	Border bridge - state		Border bridge - percent responsibility of other state	
	Border bridge - structure number			

Inspection and Sufficiency

Structure status	<input type="text" value="Posted for load [P]"/>	Appraisal ratings - structural	<input type="text" value="Meets minimum tolerable limits to be left in place as is [4]"/>
Condition ratings - superstructure	<input type="text" value="Fair [5]"/>	Appraisal ratings - roadway alignment	<input type="text" value="Somewhat better than minimum adequacy to tolerate being left in place as is [5]"/>
Condition ratings - substructure	<input type="text" value="Poor [4]"/>	Appraisal ratings - deck geometry	<input type="text" value="Basically intolerable requiring high priority of replacement [2]"/>
Condition ratings - deck	<input type="text" value="Good [7]"/>		
Scour	<input type="text" value="Bridge foundations determined to be stable for assessed or calculated scour condition. [5]"/>		
Channel and channel protection	<input type="text" value="Banks are protected or well vegetated. River control devices such as spur dikes and embankment protection are not required or are in a stable condition. [8]"/>		
Appraisal ratings - water adequacy	<input type="text" value="Equal to present desirable criteria [8]"/>	Status evaluation	<input type="text" value="Structurally deficient [1]"/>
Pier or abutment protection	<input type="text"/>	Sufficiency rating	<input type="text" value="23.8"/>
Culverts	<input type="text" value="Not applicable. Used if structure is not a culvert. [N]"/>		
Traffic safety features - railings	<input type="text"/>		
Traffic safety features - transitions	<input type="text"/>		
Traffic safety features - approach guardrail	<input type="text"/>		
Traffic safety features - approach guardrail ends	<input type="text"/>		
Inspection date	<input type="text" value="July 2011 [0711]"/>	Designated inspection frequency	<input type="text" value="24"/> Months
Underwater inspection	<input type="text" value="Not needed [N]"/>	Underwater inspection date	<input type="text"/>
Fracture critical inspection	<input type="text" value="Every year [Y12]"/>	Fracture critical inspection date	<input type="text" value="July 2010 [0710]"/>
Other special inspection	<input type="text" value="Every year [Y12]"/>	Other special inspection date	<input type="text" value="July 2010 [0710]"/>