

The National Bridge Inventory contains data submitted by state transportation departments to the Federal Highway Administration in coded format.
 Form Interface Design: www.historicbridges.org. Data Conversion Assistance By www.bridgehunter.com. None of the involved parties make any guarantee of accuracy.

Basic Information

Pennsylvania [42] Greene County [059] Perry [59472] NW OF MINET 39-46-18 = 39.771667 080-08-32 = - 80.142222
 307215038520070 Highway agency district 12 Owner County Highway Agency [02] Maintenance responsibility County Highway Agency [02]

Route #Num! TOWNSHIP ROAD 385 Toll On free road [3] Features intersected SHANNON RUN

Design - main Steel [3] Design - approach Other [00] Kilometerpoint 0 km = 0.0 mi
 1 Truss - Thru [10] 0 Other [00] Year built 1909 Year reconstructed 1995
 Skew angle 0 Structure Flared
 Historical significance Historical significance is not determinable at this time. [4]

Total length 11.9 m = 39.0 ft Length of maximum span 10.7 m = 35.1 ft Deck width, out-to-out 4.6 m = 15.1 ft Bridge roadway width, curb-to-curb 4.6 m = 15.1 ft
 Inventory Route, Total Horizontal Clearance 4.6 m = 15.1 ft Curb or sidewalk width - left 0 m = 0.0 ft Curb or sidewalk width - right 0 m = 0.0 ft

Deck structure type Closed Grating [4]
 Type of wearing surface Bituminous [6]
 Deck protection
 Type of membrane/wearing surface Unknown [8]

Weight Limits

Bypass, detour length 1 km = 0.6 mi Method to determine inventory rating Load Factor(LF) [1] Inventory rating 11.8 metric ton = 13.0 tons
 Method to determine operating rating Load Factor(LF) [1] Operating rating 20 metric ton = 22.0 tons
 Bridge posting Design Load M 13.5 / H 15 [2]

Functional Details

Average Daily Traffic	40	Average daily truck traffi	10	%	Year	1993	Future average daily traffic	150	Year	2011
Road classification	Local (Rural) [09]		Lanes on structure	2		Approach roadway width	3.4 m = 11.2 ft			
Type of service on bridge	Highway [1]		Direction of traffic	2 - way traffic [2]		Bridge median				
Parallel structure designation	No parallel structure exists. [N]									
Type of service under bridge	Waterway [5]		Lanes under structure	0		Navigation control				
Navigation vertical clearanc	0 = N/A		Navigation horizontal clearance	0 = N/A						
Minimum navigation vertical clearance, vertical lift bridge	0 m = 0.0 ft				Minimum vertical clearance over bridge roadway	99.99 m = 328.1 ft				
Minimum lateral underclearance reference feature	Feature not a highway or railroad [N]									
Minimum lateral underclearance on right	0 = N/A				Minimum lateral underclearance on left	0 = N/A				
Minimum Vertical Underclearance	0 = N/A		Minimum vertical underclearance reference feature	Feature not a highway or railroad [N]						
Appraisal ratings - underclearances	N/A [N]									

Repair and Replacement Plans

Type of work to be performed	Work done by	Work to be done by contract [1]								
Replacement of bridge or other structure because of substandard load carrying capacity or substantial bridge roadway geometry. [31]	Bridge improvement cost	0	Roadway improvement cost	0						
	Length of structure improvement	14.6 m = 47.9 ft		Total project cost	1000					
	Year of improvement cost estimate									
	Border bridge - state				Border bridge - percent responsibility of other state					
	Border bridge - structure number									

Inspection and Sufficiency

Structure status	<input type="text" value="Posted for load [P]"/>	Appraisal ratings - structural	<input type="text" value="Meets minimum tolerable limits to be left in place as is [4]"/>
Condition ratings - superstructure	<input type="text" value="Fair [5]"/>	Appraisal ratings - roadway alignment	<input type="text" value="Equal to present desirable criteria [8]"/>
Condition ratings - substructure	<input type="text" value="Satisfactory [6]"/>	Appraisal ratings - deck geometry	<input type="text" value="Basically intolerable requiring high priority of replacement [2]"/>
Condition ratings - deck	<input type="text" value="Satisfactory [6]"/>		
Scour	<input type="text" value="Countermeasures have been installed to mitigate an existing problem with scour. [7]"/>		
Channel and channel protection	<input type="text" value="Bank protection is being eroded. River control devices and/or embankment have major damage. Trees and rush restrict the channel. [5]"/>		
Appraisal ratings - water adequacy	<input type="text" value="Better than present minimum criteria [7]"/>	Status evaluation	<input type="text" value="Functionally obsolete [2]"/>
Pier or abutment protection	<input type="text"/>	Sufficiency rating	<input type="text" value="46"/>
Culverts	<input type="text" value="Not applicable. Used if structure is not a culvert. [N]"/>		
Traffic safety features - railings	<input type="text" value="Inspected feature meets currently acceptable standards. [1]"/>		
Traffic safety features - transitions	<input type="text"/>		
Traffic safety features - approach guardrail	<input type="text" value="Inspected feature meets currently acceptable standards. [1]"/>		
Traffic safety features - approach guardrail ends	<input type="text" value="Inspected feature meets currently acceptable standards. [1]"/>		
Inspection date	<input type="text" value="November 2008 [1108]"/>	Designated inspection frequency	<input type="text" value="24"/> Months
Underwater inspection	<input type="text" value="Not needed [N]"/>	Underwater inspection date	<input type="text"/>
Fracture critical inspection	<input type="text" value="Not needed [N]"/>	Fracture critical inspection date	<input type="text"/>
Other special inspection	<input type="text" value="Not needed [N]"/>	Other special inspection date	<input type="text"/>